



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number:	WO 99/42076
A61K	A2	(43) International Publication Date:	26 August 1999 (26.08.99)

(74) Agents: CORUZZI, Laura, A. et al.; Pennie & Edmonds LLP. (21) International Application Number: PCT/US99/03268

(22) International Filing Date: 17 February 1999 (17.02.99)

(30) Priority Data: 18 February 1998 (18.02.98) US 09/025,197 US 5 May 1998 (05.05.98) 09/072,967

(71) Applicant: CORIXA CORPORATION [US/US]; 1124 Columbia Street, Seattle, WA 98104 (US).

(72) Inventors: REED, Steven, G.; 2843 - 122nd Place, N.E. Bellevue, WA 98005 (US). SKEIKY, Yasir, A., W.; 8327 25th Street, Seattle, WA 98107 (US). DILLON, Davin, C.; 21607 N.E. 24th Street, Redmond, WA 98053 (US). CAMPOS-NETO, Antonio; 9308 Midship Court, N.E., Bainbridge Island, WA 98110 (US). HOUGHTON, Raymond; 2636 - 242nd Place, S.E., Bothell, WA 98021 (US). VEDVICK, Thomas, S.; 124 South 300th Place, Federal Way, WA 98003 (US). TWARDZIK, Daniel, R.; 10195 South Beach Drive, Bainbridge Island, WA 98110 (US). LODES, Michael, J.; 9223 - 36th Avenue S.W., Seattle, WA 98126 (US). HENDRICKSON, Ronald, C.; 4114 S.W. Charlestown Street, Seattle, WA 98116 (US).


1155 Avenue of the Americas, New York, NY 10036 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### **Published**

Without international search report and to be republished upon receipt of that report.

(54) Title: COMPOUNDS AND METHODS FOR IMMUNOTHERAPY AND DIAGNOSIS OF TUBERCULOSIS



#### (57) Abstract

Compounds and methods for inducing protective immunity against tuberculosis are disclosed. The compounds provided include polypeptides that contain at least one immunogenic portion of one or more M. tuberculosis proteins and DNA molecules encoding such polypeptides. Such compounds may be formulated into vaccines and/or pharmaceutical compositions for immunization against M. tuberculosis infection, or may be used for the diagnosis of tuberculosis.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
СМ	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

# COMPOUNDS AND METHODS FOR IMMUNOTHERAPY AND DIAGNOSIS OF TUBERCULOSIS

#### CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part of U.S. Application No. 9/025,197, filed February 18, 1998; which is a continuation-in-part of U.S. Application No. 08/942,578, filed October 1, 1997; which is a continuation-in-part of U.S. Application No. 08/818,112, filed March 13, 1997; which is a continuation-in-part of U.S. Application No. 08/730.510, filed October 11, 1996; which claims priority from PCT Application No. PCT/US 96/14674, filed August 30, 1996; and is a continuation-in-part of U.S. Application No. 08/680,574, filed July 12, 1996; which is a continuation-in-part of U.S. Application No. 08/659,683, filed June 5, 1996; which is a continuation-in-part of U.S. Application No. 08/620,874, filed March 22, 1996, now abandoned; which is a continuation-in-part of U.S. Application No. 08/533.634, filed September 22, 1995, now abandoned; which is a continuation-in-part of U.S. Application No. 08/523,436, filed September 1, 1995, now abandoned.

#### TECHNICAL FIELD

The present invention relates generally to detecting, treating and preventing Mycobacterium tuberculosis infection. The invention is more particularly related to polypeptides comprising a Mycobacterium tuberculosis antigen, or a portion or other variant thereof, and the use of such polypeptides for diagnosing and vaccinating against Mycobacterium tuberculosis infection.

25

20

### BACKGROUND OF THE INVENTION

Tuberculosis is a chronic, infectious disease, that is generally caused by infection with *Mycobacterium tuberculosis*. It is a major disease in developing countries, as well as an increasing problem in developed areas of the world, with about 8 million new cases and 3 million deaths each year. Although the infection may be asymptomatic for a considerable period of time, the disease is most commonly

20

manifested as an acute inflammation of the lungs, resulting in fever and a nonproductive cough. If left untreated, serious complications and death typically result.

Although tuberculosis can generally be controlled using extended antibiotic therapy, such treatment is not sufficient to prevent the spread of the disease.

Infected individuals may be asymptomatic, but contagious, for some time. In addition, although compliance with the treatment regimen is critical, patient behavior is difficult to monitor. Some patients do not complete the course of treatment, which can lead to ineffective treatment and the development of drug resistance.

Inhibiting the spread of tuberculosis requires effective vaccination and accurate, early diagnosis of the disease. Currently, vaccination with live bacteria is the most efficient method for inducing protective immunity. The most common Mycobacterium employed for this purpose is *Bacillus* Calmette-Guerin (BCG), an avirulent strain of *Mycobacterium bovis*. However, the safety and efficacy of BCG is a source of controversy and some countries, such as the United States, do not vaccinate the general public. Diagnosis is commonly achieved using a skin test, which involves intradermal exposure to tuberculin PPD (protein-purified derivative). Antigen-specific T cell responses result in measurable induration at the injection site by 48-72 hours after injection, which indicates exposure to Mycobacterial antigens. Sensitivity and specificity have, however, been a problem with this test, and individuals vaccinated with BCG cannot be distinguished from infected individuals.

While macrophages have been shown to act as the principal effectors of M tuberculosis immunity. T cells are the predominant inducers of such immunity. The essential role of T cells in protection against M. tuberculosis infection is illustrated by the frequent occurrence of M. tuberculosis in AIDS patients, due to the depletion of CD4 T cells associated with human immunodeficiency virus (HIV) infection. Mycobacterium-reactive CD4 T cells have been shown to be potent producers of gamma-interferon (IFN- $\gamma$ ), which, in turn, has been shown to trigger the antimycobacterial effects of macrophages in mice. While the role of IFN- $\gamma$  in humans is less clear, studies have shown that 1.25-dihydroxy-vitamin D3, either alone or in combination with IFN- $\gamma$  or tumor necrosis factor-alpha, activates human macrophages

to inhibit *M. tuberculosis* infection. Furthermore, it is known that IFN-y stimulates human macrophages to make 1,25-dihydroxy-vitamin D3. Similarly, IL-12 has been shown to play a role in stimulating resistance to *M. tuberculosis* infection. For a review of the immunology of *M. tuberculosis* infection see Chan and Kaufmann in *Tuberculosis: Pathogenesis, Protection and Control*, Bloom (ed.), ASM Press, Washington, DC, 1994.

Accordingly, there is a need in the art for improved vaccines and methods for preventing, treating and detecting tuberculosis. The present invention fulfills these needs and further provides other related advantages.

10

20

25

#### SUMMARY OF THE INVENTION

Briefly stated, this invention provides compounds and methods for preventing and diagnosing tuberculosis. In one aspect, polypeptides are provided comprising an immunogenic portion of a soluble *M. tuberculosis* antigen, or a variant of such an antigen that differs only in conservative substitutions and/or modifications. In one embodiment of this aspect, the soluble antigen has one of the following N-terminal sequences:

- (a) Asp-Pro-Val-Asp-Ala-Val-Ile-Asn-Thr-Thr-Cys-Asn-Tyr-Gly-Gln-Val-Val-Ala-Ala-Leu: (SEQ ID No. 120)
- (b) Ala-Val-Glu-Ser-Gly-Met-Leu-Ala-Leu-Gly-Thr-Pro-Ala-Pro-Ser; (SEQ ID No. 121)
- (c) Ala-Ala-Met-Lys-Pro-Arg-Thr-Gly-Asp-Gly-Pro-Leu-Glu-Ala-Ala-Lys-Glu-Gly-Arg; (SEQ ID No. 122)
- (d) Tyr-Tyr-Trp-Cys-Pro-Gly-Gln-Pro-Phe-Asp-Pro-Ala-Trp-Gly-Pro; (SEQ ID No. 123)
- (e) Asp-Ile-Gly-Ser-Glu-Ser-Thr-Glu-Asp-Gln-Gln-Xaa-Ala-Val; (SEQ ID No. 124)
- (f) Ala-Glu-Glu-Ser-Ile-Ser-Thr-Xaa-Glu-Xaa-Ile-Val-Pro; (SEQ ID No. 125)
- 30 (g) Asp-Pro-Glu-Pro-Ala-Pro-Pro-Val-Pro-Thr-Thr-Ala-Ala-Ser-Pro-Pro-Ser: (SEQ ID No. 126)

10

20

30

- (h) Ala-Pro-Lys-Thr-Tyr-Xaa-Glu-Glu-Leu-Lys-Gly-Thr-Asp-Thr-Gly; (SEQ ID No. 127)
- (i) Asp-Pro-Ala-Ser-Ala-Pro-Asp-Val-Pro-Thr-Ala-Ala-Gln-Leu-Thr-Ser-Leu-Leu-Asn-Ser-Leu-Ala-Asp-Pro-Asn-Val-Ser-Phe-Ala-Asn; (SEQ ID No. 128)
- (j) Xaa-Asp-Ser-Glu-Lys-Ser-Ala-Thr-Ile-Lys-Val-Thr-Asp-Ala-Ser; (SEQ ID No. 134)
- (k) Ala-Gly-Asp-Thr-Xaa-Ile-Tyr-Ile-Val-Gly-Asn-Leu-Thr-Ala-Asp; (SEQ ID No. 135) or
- (l) Ala-Pro-Glu-Ser-Gly-Ala-Gly-Leu-Gly-Gly-Thr-Val-Gln-Ala-Gly; (SEQ ID No. 136)

wherein Xaa may be any amino acid.

In a related aspect, polypeptides are provided comprising an immunogenic portion of an *M. tuberculosis* antigen, or a variant of such an antigen that differs only in conservative substitutions and/or modifications, the antigen having one of the following N-terminal sequences:

- (m) Xaa-Tyr-Ile-Ala-Tyr-Xaa-Thr-Thr-Ala-Gly-Ile-Val-Pro-Gly-Lys-Ile-Asn-Val-His-Leu-Val: (SEQ ID No. 137) or
- (n) Asp-Pro-Pro-Asp-Pro-His-Gln-Xaa-Asp-Met-Thr-Lys-Gly-Tyr-Tyr-Pro-Gly-Gly-Arg-Arg-Xaa-Phe; (SEQ ID No. 129)

wherein Xaa may be any amino acid.

In another embodiment, the soluble *M. tuberculosis* antigen comprises an amino acid sequence encoded by a DNA sequence selected from the group consisting of the sequences recited in SEQ ID Nos.: 1, 2, 4-10, 13-25, 52, 99 and 101, the complements of said sequences, and DNA sequences that hybridize to a sequence recited in SEQ ID Nos.: 1, 2, 4-10, 13-25, 52, 99 and 101 or a complement thereof under moderately stringent conditions.

In a related aspect, the polypeptides comprise an immunogenic portion of a *M. tuberculosis* antigen, or a variant of such an antigen that differs only in conservative substitutions and/or modifications, wherein the antigen comprises an

amino acid sequence encoded by a DNA sequence selected from the group consisting of the sequences recited in SEQ ID N s.: 26-51, 138, 139, 163-183, 201, 240, 242-247, 253-256, 295-298, 309, 316, 318-320, 322, 324, 328, 339, 333, 335, 337, 339 and 341, the complements of said sequences, and DNA sequences that hybridize to a sequence 5 recited in SEQ ID Nos.: 26-51, 138, 139, 163-183, 201, 240, 242-247, 253-256, 295-298, 309, 316, 318-320, 322, 324, 328, 329, 333, 335, 337, 339 and 341 or a complement thereof under moderately stringent conditions.

In related aspects, DNA sequences encoding the above polypeptides, expression vectors comprising these DNA sequences and host cells transformed or transfected with such expression vectors are also provided.

In another aspect, the present invention provides fusion proteins comprising a first and a second inventive polypeptide or, alternatively, an inventive polypeptide and a known M. tuberculosis antigen.

Within other aspects, the present invention provides pharmaceutical 15 compositions that comprise one or more of the above polypeptides, or a DNA molecule encoding such polypeptides, and a physiologically acceptable carrier. The invention also provides vaccines comprising one or more of the polypeptides as described above and a non-specific immune response enhancer, together with vaccines comprising one or more DNA sequences encoding such polypeptides and a non-specific immune response enhancer.

In yet another aspect, methods are provided for inducing protective immunity in a patient, comprising administering to a patient an effective amount of one or more of the above polypeptides.

In further aspects of this invention, methods and diagnostic kits are provided for detecting tuberculosis in a patient. The methods comprise contacting dermal cells of a patient with one or more of the above polypeptides and detecting an immune response on the patient's skin. The diagnostic kits comprise one or more of the above polypeptides in combination with an apparatus sufficient to contact the polypeptide with the dermal cells of a patient.

In yet other aspects, methods are provided for detecting tuberculosis in a patient, such methods comprising contacting dermal cells of a patient with one or more polypeptides encoded by a DNA sequence selected from the group consisting of SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347, the complements of said sequences, and DNA sequences that hybridize to a sequence recited in SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347; and detecting an immune response on the patient's skin. Diagnostic kits for use in such methods are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

#### BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE IDENTIFIERS

Figure 1A and B illustrate the stimulation of proliferation and interferon- $\gamma$  production in T cells derived from a first and a second *M. tuberculosis*-immune donor. respectively, by the 14 Kd. 20 Kd and 26 Kd antigens described in Example 1.

Figure 2 illustrates the stimulation of proliferation and interferon-y production in T cells derived from an *M. tuberculosis*-immune individual by the two representative polypeptides TbRa3 and TbRa9.

Figures 3A-D illustrate the reactivity of antisera raised against secretory

M. tuberculosis proteins, the known M. tuberculosis antigen 85b and the inventive antigens Tb38-1 and TbH-9, respectively, with M. tuberculosis lysate (lane 2), M. tuberculosis secretory proteins (lane 3), recombinant Tb38-1 (lane 4), recombinant TbH-9 (lane 5) and recombinant 85b (lane 5).

Figure 4A illustrates the stimulation of proliferation in a TbH-9-specific

T cell clone by secretory *M. tuberculosis* proteins, recombinant TbH-9 and a control antigen. TbRall.

25

Figure 4B illustrates the stimulation of interferon-y production in a TbH-9-specific T cell clone by secretory M. tuberculosis proteins, PPD and recombinant TbH-9.

Figures 5A and B illustrate the stimulation of proliferation and interferon-γ production in TbH9-specific T cells by the fusion protein TbH9-Tb38-1.

Figures 6A and B illustrate the stimulation of proliferation and interferon-y production in Tb38-1-specific T cells by the fusion protein TbH9-Tb38-1.

Figures 7A and B illustrate the stimulation of proliferation and interferon-y production in T cells previously shown to respond to both TbH-9 and Tb38-1 by the fusion protein TbH9-Tb38-1.

Figures 8A and B illustrate the stimulation of proliferation and interferon-γ production in T cells derived from a first *M. tuberculosis*-immune individual by the representative polypeptides XP-1, RDIF6, RDIF8, RDIF10 and RDIF11.

Figures 9A and B illustrate the stimulation of proliferation and interferon-γ production in T cells derived from a second *M. tuberculosis*-immune individual by the representative polypeptides XP-1, RDIF6, RDIF8, RDIF10 and RDIF11.

SEQ. ID NO. 1 is the DNA sequence of TbRa1.

SEQ. ID NO. 2 is the DNA sequence of TbRa10.

SEQ. ID NO. 3 is the DNA sequence of TbRal1.

SEQ. ID NO. 4 is the DNA sequence of TbRa12.

SEQ. ID NO. 5 is the DNA sequence of TbRa13.

SEQ. ID NO. 6 is the DNA sequence of TbRa16.

SEQ. ID NO. 7 is the DNA sequence of TbRa17.

SEQ. ID NO. 8 is the DNA sequence of TbRa18.

SEQ. ID NO. 9 is the DNA sequence of TbRa19.

SEQ. ID NO. 10 is the DNA sequence of TbRa24.

SEQ. ID NO. 11 is the DNA sequence of TbRa26.

SEQ. ID NO. 12 is the DNA sequence of TbRa28.

SEQ. ID NO. 13 is the DNA sequence of TbRa29. SEQ. ID NO. 14 is the DNA sequence of TbRa2A. SEQ. ID NO. 15 is the DNA sequence of TbRa3. SEQ. ID NO. 16 is the DNA sequence of TbRa32. SEQ. ID NO. 17 is the DNA sequence of TbRa35. 5 SEQ. ID NO. 18 is the DNA sequence of TbRa36. SEQ. ID NO. 19 is the DNA sequence of TbRa4. SEQ. ID NO. 20 is the DNA sequence of TbRa9. SEQ. ID NO. 21 is the DNA sequence of TbRaB. SEQ. ID NO. 22 is the DNA sequence of TbRaC. 10 SEQ. ID NO. 23 is the DNA sequence of TbRaD. SEQ. ID NO. 24 is the DNA sequence of YYWCPG. SEQ. ID NO. 25 is the DNA sequence of AAMK. SEQ. ID NO. 26 is the DNA sequence of TbL-23. SEQ. ID NO. 27 is the DNA sequence of TbL-24. 15 SEQ. ID NO. 28 is the DNA sequence of TbL-25. SEQ. ID NO. 29 is the DNA sequence of TbL-28. SEQ. ID NO. 30 is the DNA sequence of TbL-29. SEQ. ID NO. 31 is the DNA sequence of TbH-5. 20 SEQ. ID NO. 32 is the DNA sequence of TbH-8. SEQ. ID NO. 33 is the DNA sequence of TbH-9. SEQ. ID NO. 34 is the DNA sequence of TbM-1. SEQ. ID NO. 35 is the DNA sequence of TbM-3. SEQ. ID NO. 36 is the DNA sequence of TbM-6. 25 SEQ. ID NO. 37 is the DNA sequence of TbM-7. SEQ. ID NO. 38 is the DNA sequence of TbM-9. SEQ. ID NO. 39 is the DNA sequence of TbM-12. SEQ. ID NO. 40 is the DNA sequence of TbM-13. SEQ. ID NO. 41 is the DNA sequence of TbM-14. 30 SEQ. ID NO. 42 is the DNA sequence of TbM-15.

- SEQ. ID NO. 43 is the DNA sequence of TbH-4.
- SEQ. ID NO. 44 is the DNA sequence of TbH-4-FWD.
- SEQ. ID NO. 45 is the DNA sequence of TbH-12.
- SEQ. ID NO. 46 is the DNA sequence of Tb38-1.
- 5 SEQ. ID NO. 47 is the DNA sequence of Tb38-4.
  - SEQ. ID NO. 48 is the DNA sequence of TbL-17.
  - SEQ. ID NO. 49 is the DNA sequence of TbL-20.
  - SEQ. ID NO. 50 is the DNA sequence of TbL-21.
  - SEQ. ID NO. 51 is the DNA sequence of TbH-16.
- SEQ. ID NO. 52 is the DNA sequence of DPEP.
  - SEQ. ID NO. 53 is the deduced amino acid sequence of DPEP.
  - SEQ. ID NO. 54 is the protein sequence of DPV N-terminal Antigen.
  - SEQ. ID NO. 55 is the protein sequence of AVGS N-terminal Antigen.
  - SEQ. ID NO. 56 is the protein sequence of AAMK N-terminal Antigen.
- 15 SEQ. ID NO. 57 is the protein sequence of YYWC N-terminal Antigen.
  - SEQ. ID NO. 58 is the protein sequence of DIGS N-terminal Antigen.
  - SEQ. ID NO. 59 is the protein sequence of AEES N-terminal Antigen.
  - SEQ. ID NO. 60 is the protein sequence of DPEP N-terminal Antigen.
  - SEQ. ID NO. 61 is the protein sequence of APKT N-terminal Antigen.
- SEQ. ID NO. 62 is the protein sequence of DPAS N-terminal Antigen.
  - SEQ. ID NO. 63 is the deduced amino acid sequence of TbRa1.
  - SEQ. ID NO. 64 is the deduced amino acid sequence of TbRa10.
  - SEQ. ID NO. 65 is the deduced amino acid sequence of TbRall.
  - SEQ. ID NO. 66 is the deduced amino acid sequence of TbRa12.
- SEQ. ID NO. 67 is the deduced amino acid sequence of TbRa13.
  - SEQ. ID NO. 68 is the deduced amino acid sequence of TbRa16.
  - SEQ. ID NO. 69 is the deduced amino acid sequence of TbRa17.
  - SEQ. ID NO. 70 is the deduced amino acid sequence of TbRa18.
  - SEQ. ID NO. 71 is the deduced amino acid sequence of TbRa19.
- SEQ. ID NO. 72 is the deduced amino acid sequence of TbRa24.

SEQ. ID NO. 73 is the deduced amino acid sequence of TbRa26. SEQ. ID NO. 74 is the deduced amino acid sequence of TbRa28. SEQ. ID NO. 75 is the deduced amino acid sequence of TbRa29. SEQ. ID NO. 76 is the deduced amino acid sequence of TbRa2A. SEQ. ID NO. 77 is the deduced amino acid sequence of TbRa3. 5 SEQ. ID NO. 78 is the deduced amino acid sequence of TbRa32. SEQ. ID NO. 79 is the deduced amino acid sequence of TbRa35. SEQ. ID NO. 80 is the deduced amino acid sequence of TbRa36. SEQ. ID NO. 81 is the deduced amino acid sequence of TbRa4. 10 SEQ. ID NO. 82 is the deduced amino acid sequence of TbRa9. SEQ. ID NO. 83 is the deduced amino acid sequence of TbRaB. SEQ. ID NO. 84 is the deduced amino acid sequence of TbRaC. SEQ. ID NO. 85 is the deduced amino acid sequence of TbRaD. SEQ. ID NO. 86 is the deduced amino acid sequence of YYWCPG. 15 SEQ. ID NO. 87 is the deduced amino acid sequence of TbAAMK. SEQ. ID NO. 88 is the deduced amino acid sequence of Tb38-1. SEQ. ID NO. 89 is the deduced amino acid sequence of TbH-4. SEQ. ID NO. 90 is the deduced amino acid sequence of TbH-8. SEQ. ID NO. 91 is the deduced amino acid sequence of TbH-9. 20 SEQ. ID NO. 92 is the deduced amino acid sequence of TbH-12. SEQ. ID NO. 93 is the amino acid sequence of Tb38-1 Peptide 1. SEQ. ID NO. 94 is the amino acid sequence of Tb38-1 Peptide 2. SEQ. ID NO. 95 is the amino acid sequence of Tb38-1 Peptide 3. SEQ. ID NO. 96 is the amino acid sequence of Tb38-1 Peptide 4. 25 SEQ. ID NO. 97 is the amino acid sequence of Tb38-1 Peptide 5. SEQ. ID NO. 98 is the amino acid sequence of Tb38-1 Peptide 6. SEQ. ID NO. 99 is the DNA sequence of DPAS. SEQ. ID NO. 100 is the deduced amino acid sequence of DPAS. SEQ. ID NO. 101 is the DNA sequence of DPV. SEQ. ID NO. 102 is the deduced amino acid sequence of DPV. 30

- SEQ. ID NO. 103 is the DNA sequence of ESAT-6.
- SEQ. ID NO. 104 is the deduced amino acid sequence of ESAT-6.
- SEQ. ID NO. 105 is the DNA sequence of TbH-8-2.
- SEQ. ID NO. 106 is the DNA sequence of TbH-9FL.
- 5 SEQ. ID NO. 107 is the deduced amino acid sequence of TbH-9FL.
  - SEQ. ID NO. 108 is the DNA sequence of TbH-9-1.
  - SEQ. ID NO. 109 is the deduced amino acid sequence of TbH-9-1.
  - SEQ. ID NO. 110 is the DNA sequence of TbH-9-4.
  - SEQ. ID NO. 111 is the deduced amino acid sequence of TbH-9-4.
- SEQ. ID NO. 112 is the DNA sequence of Tb38-1F2 IN.
  - SEQ. ID NO. 113 is the DNA sequence of Tb38-2F2 RP.
  - SEQ. ID NO. 114 is the deduced amino acid sequence of Tb37-FL.
  - SEQ. ID NO. 115 is the deduced amino acid sequence of Tb38-IN.
  - SEQ. ID NO. 116 is the DNA sequence of Tb38-1F3.
- 15 SEQ. ID NO. 117 is the deduced amino acid sequence of Tb38-1F3.
  - SEQ. ID NO. 118 is the DNA sequence of Tb38-1F5.
  - SEQ. ID NO. 119 is the DNA sequence of Tb38-1F6.
  - SEQ. ID NO. 120 is the deduced N-terminal amino acid sequence of DPV.
  - SEQ. ID NO. 121 is the deduced N-terminal amino acid sequence of AVGS.
- SEQ. ID NO. 122 is the deduced N-terminal amino acid sequence of AAMK.
  - SEQ. ID NO. 123 is the deduced N-terminal amino acid sequence of YYWC.
  - SEQ. ID NO. 124 is the deduced N-terminal amino acid sequence of DIGS.
  - SEQ. ID NO. 125 is the deduced N-terminal amino acid sequence of AEES.
  - SEQ. ID NO. 126 is the deduced N-terminal amino acid sequence of DPEP.
- SEQ. ID NO. 127 is the deduced N-terminal amino acid sequence of APKT.
  - SEQ. ID NO. 128 is the deduced amino acid sequence of DPAS.
  - SEQ. ID NO. 129 is the protein sequence of DPPD N-terminal Antigen.
  - SEQ ID NO. 130-133 are the protein sequences of four DPPD cyanogen bromide fragments.
- 30 SEQ ID NO. 134 is the N-terminal protein sequence of XDS antigen.

SEQ ID NO. 135 is the N-terminal protein sequence of AGD antigen.

SEQ ID NO. 136 is the N-terminal protein sequence of APE antigen.

SEQ ID NO. 137 is the N-terminal protein sequence of XYI antigen.

SEQ ID NO. 138 is the DNA sequence of TbH-29.

5 SEQ ID NO. 139 is the DNA sequence of TbH-30.

SEQ ID NO. 140 is the DNA sequence of TbH-32.

SEQ ID NO. 141 is the DNA sequence of TbH-33.

SEQ ID NO. 142 is the predicted amino acid sequence of TbH-29.

SEQ ID NO. 143 is the predicted amino acid sequence of TbH-30.

SEQ ID NO. 144 is the predicted amino acid sequence of TbH-32.

SEQ ID NO. 145 is the predicted amino acid sequence of TbH-33.

SEQ ID NO: 146-151 are PCR primers used in the preparation of a fusion protein containing TbRa3, 38 kD and Tb38-1.

SEQ ID NO: 152 is the DNA sequence of the fusion protein containing TbRa3,

15 38 kD and Tb38-1.

SEQ ID NO: 153 is the amino acid sequence of the fusion protein containing TbRa3, 38 kD and Tb38-1.

SEQ ID NO: 154 is the DNA sequence of the M. tuberculosis antigen 38 kD.

SEQ ID NO: 155 is the amino acid sequence of the M. tuberculosis antigen 38

20 kD.

SEQ ID NO: 156 is the DNA sequence of XP14.

SEQ ID NO: 157 is the DNA sequence of XP24.

SEQ ID NO: 158 is the DNA sequence of XP31.

SEQ ID NO: 159 is the 5' DNA sequence of XP32.

25 SEQ ID NO: 160 is the 3' DNA sequence of XP32.

SEQ ID NO: 161 is the predicted amino acid sequence of XP14.

SEQ ID NO: 162 is the predicted amino acid sequence encoded by the reverse complement of XP14.

SEQ ID NO: 163 is the DNA sequence of XP27.

SEQ ID NO: 164 is the DNA sequence of XP36.

SEQ ID NO: 165 is the 5' DNA sequence of XP4. SEQ ID NO: 166 is the 5' DNA sequence of XP5. SEQ ID NO: 167 is the 5' DNA sequence of XP17. SEQ ID NO: 168 is the 5' DNA sequence of XP30. 5 SEQ ID NO: 169 is the 5' DNA sequence of XP2. SEQ ID NO: 170 is the 3' DNA sequence of XP2. SEQ ID NO: 171 is the 5' DNA sequence of XP3. SEQ ID NO: 172 is the 3' DNA sequence of XP3. SEQ ID NO: 173 is the 5' DNA sequence of XP6. SEQ ID NO: 174 is the 3' DNA sequence of XP6. 10 SEQ ID NO: 175 is the 5' DNA sequence of XP18. SEQ ID NO: 176 is the 3' DNA sequence of XP18. SEQ ID NO: 177 is the 5' DNA sequence of XP19. SEQ ID NO: 178 is the 3' DNA sequence of XP19. SEQ ID NO: 179 is the 5' DNA sequence of XP22. 15 SEQ ID NO: 180 is the 3' DNA sequence of XP22. SEQ ID NO: 181 is the 5' DNA sequence of XP25. SEQ ID NO: 182 is the 3' DNA sequence of XP25. SEQ ID NO: 183 is the full-length DNA sequence of TbH4-XP1. 20 SEQ ID NO: 184 is the predicted amino acid sequence of TbH4-XP1. SEQ ID NO: 185 is the predicted amino acid sequence encoded by the reverse complement of TbH4-XP1. SEQ ID NO: 186 is a first predicted amino acid sequence encoded by XP36. SEQ ID NO: 187 is a second predicted amino acid sequence encoded by XP36. 25 SEQ ID NO: 188 is the predicted amino acid sequence encoded by the reverse complement of XP36. SEQ ID NO: 189 is the DNA sequence of RDIF2.

SEQ ID NO: 190 is the DNA sequence of RDIF5.

SEQ ID NO: 191 is the DNA sequence of RDIF8.

SEQ ID NO: 192 is the DNA sequence of RDIF10.

SEQ ID NO: 193 is the DNA sequence of RDIF11.

SEQ ID NO: 194 is the predicted amino acid sequence of RDIF2.

SEQ ID NO: 195 is the predicted amino acid sequence of RDIF5.

SEQ ID NO: 196 is the predicted amino acid sequence of RDIF8.

SEQ ID NO: 197 is the predicted amino acid sequence of RDIF10.

SEQ ID NO: 198 is the predicted amino acid sequence of RDIF11.

SEQ ID NO: 199 is the 5' DNA sequence of RDIF12.

SEQ ID NO: 200 is the 3' DNA sequence of RDIF12.

SEQ ID NO: 201 is the DNA sequence of RDIF7.

SEQ ID NO: 202 is the predicted amino acid sequence of RDIF7.

SEQ ID NO: 203 is the DNA sequence of DIF2-1.

SEQ ID NO: 204 is the predicted amino acid sequence of DIF2-1.

SEQ ID NO: 205-212 are PCR primers used in the preparation of a fusion protein containing TbRa3, 38 kD, Tb38-1 and DPEP (hereinafter referred to as

15 TbF-2).

20

SEQ ID NO: 213 is the DNA sequence of the fusion protein TbF-2.

SEQ ID NO: 214 is the amino acid sequence of the fusion protein TbF-2.

SEQ ID NO: 215 is the 5' DNA sequence of MO-1.

SEQ ID NO: 216 is the 5' DNA sequence for MO-2

SEQ ID NO: 217 is the 5' DNA sequence for MO-4.

SEQ ID NO: 218 is the 5' DNA sequence for MO-8.

SEQ ID NO: 219 is the 5' DNA sequence for MO-9.

SEQ ID NO: 220 is the 5' DNA sequence for MO-26. SEQ ID NO: 221 is the 5' DNA sequence for MO-28.

SEQ ID NO: 222 is the 5' DNA sequence for MO-29.

SEQ ID NO: 223 is the 5' DNA sequence for MO-30.

SEQ ID NO: 224 is the 5' DNA sequence for MO-34.

SEQ ID NO: 225 is the 5° DNA sequence for MO-35.

SEQ ID NO: 226 is the predicted amino acid sequence for MO-1.

SEQ ID NO: 227 is the predicted amino acid sequence for MO-2.

SEQ ID NO: 228 is the predicted amino acid sequence for MO-4. SEQ ID NO: 229 is the predicted amino acid sequence for MO-8. SEQ ID NO: 230 is the predicted amino acid sequence for MO-9. SEQ ID NO: 231 is the predicted amino acid sequence for MO-26. 5 SEQ ID NO: 232 is the predicted amino acid sequence for MO-28. SEQ ID NO: 233 is the predicted amino acid sequence for MO-29. SEQ ID NO: 234 is the predicted amino acid sequence for MO-30. SEQ ID NO: 235 is the predicted amino acid sequence for MO-34. SEQ ID NO: 236 is the predicted amino acid sequence for MO-35. SEQ ID NO: 237 is the determined DNA sequence for MO-10. 10 SEQ ID NO: 238 is the predicted amino acid sequence for MO-10. SEQ ID NO: 239 is the 3' DNA sequence for MO-27. SEQ ID NO: 240 is the full-length DNA sequence for DPPD. SEQ ID NO: 241 is the predicted full-length amino acid sequence for DPPD. SEQ ID NO: 242 is the determined 5' cDNA sequence for LSER-10 15 SEQ ID NO: 243 is the determined 5' cDNA sequence for LSER-11 SEQ ID NO: 244 is the determined 5' cDNA sequence for LSER-12 SEQ ID NO: 245 is the determined 5' cDNA sequence for LSER-13 SEQ ID NO: 246 is the determined 5' cDNA sequence for LSER-16 SEQ ID NO: 247 is the determined 5° cDNA sequence for LSER-25 20 SEQ ID NO: 248 is the predicted amino acid sequence for LSER-10 SEQ ID NO: 249 is the predicted amino acid sequence for LSER-12 SEQ ID NO: 250 is the predicted amino acid sequence for LSER-13 SEQ ID NO: 251 is the predicted amino acid sequence for LSER-16 SEQ ID NO: 252 is the predicted amino acid sequence for LSER-25 25 SEQ ID NO: 253 is the determined cDNA sequence for LSER-18 SEQ ID NO: 254 is the determined cDNA sequence for LSER-23 SEQ ID NO: 255 is the determined cDNA sequence for LSER-24 SEQ ID NO: 256 is the determined cDNA sequence for LSER-27 30 SEQ ID NO: 257 is the predicted amino acid sequence for LSER-18

	SEQ ID NO: 258 is the predicted amino acid sequence for LSER-23
	SEQ ID NO: 259 is the predicted amino acid sequence for LSER-24
	SEQ ID NO: 260 is the predicted amino acid sequence for LSER-27
	SEQ ID NO: 261 is the determined 5' cDNA sequence for LSER-1
5	SEQ ID NO: 262 is the determined 5' cDNA sequence for LSER-3
	SEQ ID NO: 263 is the determined 5' cDNA sequence for LSER-4
	SEQ ID NO: 264 is the determined 5' cDNA sequence for LSER-5
	SEQ ID NO: 265 is the determined 5' cDNA sequence for LSER-6
	SEQ ID NO: 266 is the determined 5' cDNA sequence for LSER-8
10	SEQ ID NO: 267 is the determined 5' cDNA sequence for LSER-14
	SEQ ID NO: 268 is the determined 5' cDNA sequence for LSER-15
	SEQ ID NO: 269 is the determined 5' cDNA sequence for LSER-17
	SEQ ID NO: 270 is the determined 5' cDNA sequence for LSER-19
	SEQ ID NO: 271 is the determined 5' cDNA sequence for LSER-20
15	SEQ ID NO: 272 is the determined 5' cDNA sequence for LSER-22
	SEQ ID NO: 273 is the determined 5' cDNA sequence for LSER-26
	SEQ ID NO: 274 is the determined 5' cDNA sequence for LSER-28
	SEQ ID NO: 275 is the determined 5° cDNA sequence for LSER-29
	SEQ ID NO: 276 is the determined 5' cDNA sequence for LSER-30
20	SEQ ID NO: 277 is the predicted amino acid sequence for LSER-1
	SEQ ID NO: 278 is the predicted amino acid sequence for LSER-3
	SEQ ID NO: 279 is the predicted amino acid sequence for LSER-5
	SEQ ID NO: 280 is the predicted amino acid sequence for LSER-6
	SEQ ID NO: 281 is the predicted amino acid sequence for LSER-8
25	SEQ ID NO: 282 is the predicted amino acid sequence for LSER-14
	SEQ ID NO: 283 is the predicted amino acid sequence for LSER-15
	SEQ ID NO: 284 is the predicted amino acid sequence for LSER-17
	SEQ ID NO: 285 is the predicted amino acid sequence for LSER-19
	SEQ ID NO: 286 is the predicted amino acid sequence for LSER-20
30	SEQ ID NO: 287 is the predicted amino acid sequence for LSER-22

SEQ ID NO: 288 is the predicted amino acid sequence for LSER-26 SEQ ID NO: 289 is the predicted amin acid sequence for LSER-28 SEQ ID NO: 290 is the predicted amino acid sequence for LSER-29 SEQ ID NO: 291 is the predicted amino acid sequence for LSER-30 5 SEQ ID NO: 292 is the determined cDNA sequence for LSER-9 SEQ ID NO: 293 is the determined cDNA sequence for the reverse complement of LSER-6 SEQ ID NO: 294 is the predicted amino acid sequence for the reverse complement of LSER-6 SEQ ID NO: 295 is the determined 5' cDNA sequence for MO-12 10 SEQ ID NO: 296 is the determined 5' cDNA sequence for MO-13 SEQ ID NO: 297 is the determined 5' cDNA sequence for MO-19 SEQ ID NO: 298 is the determined 5' cDNA sequence for MO-39 SEQ ID NO: 299 is the predicted amino acid sequence for MO-12 SEQ ID NO: 300 is the predicted amino acid sequence for MO-13 15 SEQ ID NO: 301 is the predicted amino acid sequence for MO-19 SEQ ID NO: 302 is the predicted amino acid sequence for MO-39 SEQ ID NO: 303 is the determined 5' cDNA sequence for Erdsn-1 SEQ ID NO: 304 is the determined 5' cDNA sequence for Erdsn-2 SEQ ID NO: 305 is the determined 5' cDNA sequence for Erdsn-4 20 SEQ ID NO: 306 is the determined 5' cDNA sequence for Erdsn-5 SEQ ID NO: 307 is the determined 5' cDNA sequence for Erdsn-6 SEQ ID NO: 308 is the determined 5' cDNA sequence for Erdsn-7 SEQ ID NO: 309 is the determined 5' cDNA sequence for Erdsn-8 25 SEQ ID NO: 310 is the determined 5' cDNA sequence for Erdsn-9 SEQ ID NO: 311 is the determined 5' cDNA sequence for Erdsn-10 SEQ ID NO: 312 is the determined 5' cDNA sequence for Erdsn-12 SEQ ID NO: 313 is the determined 5' cDNA sequence for Erdsn-13 SEQ ID NO: 314 is the determined 5' cDNA sequence for Erdsn-14 SEQ ID NO: 315 is the determined 5' cDNA sequence for Erdsn-15 30

	SEQ ID NO: 316 is the determined 5° cDNA sequence for Erdsn-16
	SEQ ID NO: 317 is the determined 5' cDNA sequence for Erdsn-17
	SEQ ID NO: 318 is the determined 5' cDNA sequence for Erdsn-18
	SEQ ID NO: 319 is the determined 5° cDNA sequence for Erdsn-21
5	SEQ ID NO: 320 is the determined 5' cDNA sequence for Erdsn-22
	SEQ ID NO: 321 is the determined 5' cDNA sequence for Erdsn-23
	SEQ ID NO: 322 is the determined 5' cDNA sequence for Erdsn-25
	SEQ ID NO: 323 is the determined 3' cDNA sequence for Erdsn-1
	SEQ ID NO: 324 is the determined 3' cDNA sequence for Erdsn-2
10	SEQ ID NO: 325 is the determined 3' cDNA sequence for Erdsn-4
	SEQ ID NO: 326 is the determined 3' cDNA sequence for Erdsn-5
	SEQ ID NO: 327 is the determined 3' cDNA sequence for Erdsn-7
	SEQ ID NO: 328 is the determined 3' cDNA sequence for Erdsn-8
	SEQ ID NO: 329 is the determined 3' cDNA sequence for Erdsn-9
15	SEQ ID NO: 330 is the determined 3' cDNA sequence for Erdsn-10
	SEQ ID NO: 331 is the determined 3' cDNA sequence for Erdsn-12
	SEQ ID NO: 332 is the determined 3' cDNA sequence for Erdsn-13
	SEQ ID NO: 333 is the determined 3' cDNA sequence for Erdsn-14
	SEQ ID NO: 334 is the determined 3' cDNA sequence for Erdsn-15
20	SEQ ID NO: 335 is the determined 3' cDNA sequence for Erdsn-16
	SEQ ID NO: 336 is the determined 3' cDNA sequence for Erdsn-17
	SEQ ID NO: 337 is the determined 3' cDNA sequence for Erdsn-18
	SEQ ID NO: 338 is the determined 3' cDNA sequence for Erdsn-21
	SEQ ID NO: 339 is the determined 3' cDNA sequence for Erdsn-22
25	SEQ ID NO: 340 is the determined 3' cDNA sequence for Erdsn-23
	SEQ ID NO: 341 is the determined 3' cDNA sequence for Erdsn-25
	SEQ ID NO: 342 is the determined cDNA sequence for Erdsn-24
	SEQ ID NO: 343 is the determined amino acid sequence for a M. tuberculosis
	85b precursor homolog
30	SEQ ID NO: 344 is the determined amino acid sequence for spot 1

10

30

SEQ ID NO: 345 is a determined amino acid sequence for spot 2

SEQ ID NO: 346 is a determined amino acid sequence for spot 2

SEQ ID NO: 347 is the determined amino acid seq for spot 4

SEQ ID NO: 348 is the sequence of primer PDM-157

SEQ ID NO: 349 is the sequence of primer PDM-160

SEQ ID NO: 350 is the DNA sequence of the fusion protein TbF-6

SEQ ID NO: 351 is the amino acid sequence of fusion protein TbF-6

SEQ ID NO: 352 is the sequence of primer PDM-176

SEQ ID NO: 353 is the sequence of primer PDM-175

SEQ ID NO: 354 is the DNA sequence of the fusion protein TbF-8

SEQ ID NO: 355 is the amino acid sequence of the fusion protein TbF-8

#### DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for preventing, treating and diagnosing tuberculosis. The compositions of the subject invention include polypeptides that comprise at least one immunogenic portion of a M. tuberculosis antigen, or a variant of such an antigen that differs only in conservative substitutions and/or modifications. Polypeptides within the scope of the present invention include, but are not limited to, immunogenic soluble A "soluble M. tuberculosis antigen" is a protein of M. tuberculosis antigens. M. tuberculosis origin that is present in M. tuberculosis culture filtrate. As used herein. the term "polypeptide" encompasses amino acid chains of any length, including full length proteins (i.e., antigens), wherein the amino acid residues are linked by covalent peptide bonds. Thus, a polypeptide comprising an immunogenic portion of one of the above antigens may consist entirely of the immunogenic portion, or may contain additional sequences. The additional sequences may be derived from the native M. tuberculosis antigen or may be heterologous, and such sequences may (but need not) be immunogenic.

"Immunogenic," as used herein, refers to the ability to elicit an immune response (e.g., cellular) in a patient, such as a human, and/or in a biological sample. In particular, antigens that are immunogenic (and immunogenic portions or other variants

of such antigens) are capable of stimulating cell proliferation, interleukin-12 production and/or interferon-y production in biological samples comprising one or more cells selected from the group of T cells, NK cells, B cells and macrophages, where the cells are derived from an M. tuberculosis-immune individual. Polypeptides comprising at least an immunogenic portion of one or more M. tuberculosis antigens may generally be used to detect tuberculosis or to induce protective immunity against tuberculosis in a patient.

The compositions and methods of the present invention also encompass variants of the above polypeptides and DNA molecules. A polypeptide "variant," as used herein, is a polypeptide that differs from the recited polypeptide only in conservative substitutions and/or modifications, such that the therapeutic, antigenic and/or immunogenic properties of the polypeptide are retained. Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity to the identified polypeptides. For polypeptides with immunoreactive properties, variants may, alternatively, be identified by modifying the amino acid sequence of one of the above polypeptides, and evaluating the immunoreactivity of the modified polypeptide. For polypeptides useful for the generation of diagnostic binding agents, a variant may be identified by evaluating a modified polypeptide for the ability to generate antibodies that detect the presence or absence of tuberculosis. Such modified sequences may be prepared and tested using, for example, the representative procedures described herein.

As used herein, a "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. In general, the following groups of amino acids represent conservative changes: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his.

Variants may also, or alternatively, contain other modifications, including the deletion or addition of amino acids that have minimal influence on the

antigenic properties, secondary structure and hydropathic nature of the polypeptide. For example, a polypeptide may be conjugated to a signal (or leader) sequence at the Nterminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

A nucleotide "variant" is a sequence that differs from the recited nucleotide sequence in having one or more nucleotide deletions, substitutions or 10 additions. Such modifications may be readily introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis as taught, for example, by Adelman et al. (DNA, 2:183, 1983). Nucleotide variants may be naturally occurring allelic variants, or non-naturally occurring variants. Variant nucleotide sequences preferably exhibit at least about 70%, more preferably at least about 80% and most preferably at least about 90% identity to the recited sequence. Such variant nucleotide sequences will generally hybridize to the recite nucleotide sequence under stringent conditions. As used herein, "stringent conditions" refers to prewashing in a solution of 6X SSC, 0.2% SDS: hybridizing at 65 °C, 6X SSC, 0.2% SDS overnight; followed by two washes of 30 minutes each in 1X SSC, 0.1% SDS at 65 °C and two washes of 30 minutes each in 0.2X SSC, 0.1% SDS at 65 °C.

In a related aspect, combination polypeptides are disclosed. A "combination polypeptide" is a polypeptide comprising at least one of the above immunogenic portions and one or more additional immunogenic M. tuberculosis sequences, which are joined via a peptide linkage into a single amino acid chain. The sequences may be joined directly (i.e., with no intervening amino acids) or may be joined by way of a linker sequence (e.g., Gly-Cys-Gly) that does not significantly diminish the immunogenic properties of the component polypeptides.

In general, M. tuberculosis antigens, and DNA sequences encoding such antigens, may be prepared using any of a variety of procedures. For example, soluble antigens may be isolated from M. tuberculosis culture filtrate by procedures known to those of ordinary skill in the art, including anion-exchange and reverse phase chromatography. Purified antigens are then evaluated for their ability to elicit an appropriate immune response (e.g., cellular) using, for example, the representative methods described herein. Immunogenic antigens may then be partially sequenced using techniques such as traditional Edman chemistry. See Edman and Berg, Eur. J. Biochem. 80:116-132, 1967.

Immunogenic antigens may also be produced recombinantly using a DNA sequence that encodes the antigen, which has been inserted into an expression vector and expressed in an appropriate host. DNA molecules encoding soluble antigens may be isolated by screening an appropriate *M. tuberculosis* expression library with anti-sera (e.g., rabbit) raised specifically against soluble *M. tuberculosis* antigens. DNA sequences encoding antigens that may or may not be soluble may be identified by screening an appropriate *M. tuberculosis* genomic or cDNA expression library with sera obtained from patients infected with *M. tuberculosis*. Such screens may generally be performed using techniques well known to those of ordinary skill in the art, such as those described in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories. Cold Spring Harbor. NY, 1989.

DNA sequences encoding soluble antigens may also be obtained by screening an appropriate *M. tuberculosis* cDNA or genomic DNA library for DNA sequences that hybridize to degenerate oligonucleotides derived from partial amino acid sequences of isolated soluble antigens. Degenerate oligonucleotide sequences for use in such a screen may be designed and synthesized, and the screen may be performed, as described (for example) in Sambrook et al., *Molecular Cloning: A Laboratory Manual*. Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989 (and references cited therein). Polymerase chain reaction (PCR) may also be employed, using the above oligonucleotides in methods well known in the art, to isolate a nucleic acid probe from a cDNA or genomic library. The library screen may then be performed using the isolated probe.

Alternatively, genomic or cDNA libraries derived from *M. tuberculosis*may be screened directly using peripheral blood mononuclear cells (PBMCs) or T cell

25

lines or clones derived from one or more *M. tuberculosis*-immune individuals. In general, PBMCs and/or T cells for use in such screens may be prepared as described below. Direct library screens may generally be performed by assaying pools of expressed recombinant proteins for the ability to induce proliferation and/or interferon- $\gamma$  production in T cells derived from an *M. tuberculosis*-immune individual. Alternatively, potential T cell antigens may be first selected based on antibody reactivity, as described above.

Regardless of the method of preparation, the antigens (and immunogenic portions thereof) described herein (which may or may not be soluble) have the ability to induce an immunogenic response. More specifically, the antigens have the ability to induce proliferation and/or cytokine production (i.e., interferon-y and/or interleukin-12 production) in T cells, NK cells, B cells and/or macrophages derived from an M. tuberculosis-immune individual. The selection of cell type for use in evaluating an immunogenic response to a antigen will, of course, depend on the desired response. For example, interleukin-12 production is most readily evaluated using preparations containing B cells and/or macrophages. An M. tuberculosis-immune individual is one who is considered to be resistant to the development of tuberculosis by virtue of having mounted an effective T cell response to M. tuberculosis (i.e., substantially free of disease symptoms). Such individuals may be identified based on a strongly positive (i.e., greater than about 10 mm diameter induration) intradermal skin test response to tuberculosis proteins (PPD) and an absence of any signs or symptoms of tuberculosis disease. T cells, NK cells, B cells and macrophages derived from M. tuberculosisimmune individuals may be prepared using methods known to those of ordinary skill in the art. For example, a preparation of PBMCs (i.e., peripheral blood mononuclear cells) may be employed without further separation of component cells. PBMCs may generally be prepared, for example, using density centrifugation through Ficoll<sup>TM</sup> (Winthrop Laboratories, NY). T cells for use in the assays described herein may also be purified directly from PBMCs. Alternatively, an enriched T cell line reactive against mycobacterial proteins, or T cell clones reactive to individual mycobacterial proteins. may be employed. Such T cell clones may b generated by, for example, culturing

20

25

30

PBMCs from *M. tuberculosis*-immune individuals with mycobacterial proteins for a period of 2-4 weeks. This allows expansion of only the mycobacterial protein-specific T cells, resulting in a line composed solely of such cells. These cells may then be cloned and tested with individual proteins, using methods known to those of ordinary skill in the art, to more accurately define individual T cell specificity. In general, antigens that test positive in assays for proliferation and/or cytokine production (*i.e.*, interferon-γ and/or interleukin-12 production) performed using T cells, NK cells. B cells and/or macrophages derived from an *M. tuberculosis*-immune individual are considered immunogenic. Such assays may be performed, for example, using the representative procedures described below. Immunogenic portions of such antigens may be identified using similar assays, and may be present within the polypeptides described herein.

The ability of a polypeptide (e.g., an immunogenic antigen, or a portion or other variant thereof) to induce cell proliferation is evaluated by contacting the cells (e.g., T cells and/or NK cells) with the polypeptide and measuring the proliferation of the cells. In general, the amount of polypeptide that is sufficient for evaluation of about  $10^{5}$  cells ranges from about 10 ng/mL to about 100 µg/mL and preferably is about 10 µg/mL. The incubation of polypeptide with cells is typically performed at  $37^{\circ}$ C for about six days. Following incubation with polypeptide, the cells are assayed for a proliferative response, which may be evaluated by methods known to those of ordinary skill in the art, such as exposing cells to a pulse of radiolabeled thymidine and measuring the incorporation of label into cellular DNA. In general, a polypeptide that results in at least a three fold increase in proliferation above background (i.e., the proliferation observed for cells cultured without polypeptide) is considered to be able to induce proliferation.

The ability of a polypeptide to stimulate the production of interferon- $\gamma$  and/or interleukin-12 in cells may be evaluated by contacting the cells with the polypeptide and measuring the level of interferon- $\gamma$  or interleukin-12 produced by the cells. In general, the amount of polypeptide that is sufficient for the evaluation of about  $10^5$  cells ranges from about 10 ng/mL to about 100 µg/mL and preferably is about 10 µg/mL. The polypeptide may, but need not, be immobilized on a solid support, such as a

bead or a biodegradable microsphere, such as those described in U.S. Patent Nos. 4,897,268 and 5,075,109. The incubation of polypeptide with the cells is typically performed at 37°C for about six days. Following incubation with polypeptide, the cells are assayed for interferon-y and/or interleukin-12 (or one or more subunits thereof), which may be evaluated by methods known to those of ordinary skill in the art, such as an enzyme-linked immunosorbent assay (ELISA) or, in the case of IL-12 P70 subunit, a bioassay such as an assay measuring proliferation of T cells. In general, a polypeptide that results in the production of at least 50 pg of interferon-y per mL of cultured supernatant (containing 10<sup>4</sup>-10<sup>5</sup> T cells per mL) is considered able to stimulate the 10 production of interferon-y. A polypeptide that stimulates the production of at least 10 pg/mL of IL-12 P70 subunit, and/or at least 100 pg/mL of IL-12 P40 subunit, per 10<sup>3</sup> macrophages or B cells (or per 3 x 10<sup>5</sup> PBMC) is considered able to stimulate the production of IL-12.

In general, immunogenic antigens are those antigens that stimulate proliferation and/or cytokine production (i.e., interferon-y and/or interleukin-12 production) in T cells, NK cells, B cells and/or macrophages derived from at least about 25% of M. tuberculosis-immune individuals. Among these immunogenic antigens, polypeptides having superior therapeutic properties may be distinguished based on the magnitude of the responses in the above assays and based on the percentage of individuals for which a response is observed. In addition, antigens having superior therapeutic properties will not stimulate proliferation and/or cytokine production in vitro in cells derived from more than about 25% of individuals that are not M. tuberculosis-immune, thereby eliminating responses that are not specifically due to M. tuberculosis-responsive cells. Those antigens that induce a response in a high 25 percentage of T cell, NK cell, B cell and/or macrophage preparations from M. tuberculosis-immune individuals (with a low incidence of responses in cell preparations from other individuals) have superior therapeutic properties.

Antigens with superior therapeutic properties may also be identified based on their ability to diminish the severity of M. tuberculosis infection in experimental animals, when administered as a vaccine. Suitable vaccine preparations for use on experimental animals are described in detail below. Efficacy may be determined based on the ability of the antigen to provide at least about a 50% reduction in bacterial numbers and/or at least about a 40% decrease in mortality following experimental infection. Suitable experimental animals include mice, guinea pigs and primates.

Antigens having superior diagnostic properties may generally be identified based on the ability to elicit a response in an intradermal skin test performed on an individual with active tuberculosis, but not in a test performed on an individual who is not infected with *M. tuberculosis*. Skin tests may generally be performed as described below, with a response of at least 5 mm induration considered positive.

Immunogenic portions of the antigens described herein may be prepared and identified using well known techniques, such as those summarized in Paul, Fundamental Immunology, 3d ed., Raven Press, 1993, pp. 243-247 and references cited therein. Such techniques include screening polypeptide portions of the native antigen for immunogenic properties. The representative proliferation and cytokine production assays described herein may generally be employed in these screens. An immunogenic portion of a polypeptide is a portion that, within such representative assays, generates an immune response (e.g., proliferation, interferon-y production and/or interleukin-12 production) that is substantially similar to that generated by the full length antigen. In other words, an immunogenic portion of an antigen may generate at least about 20%, and preferably about 100%, of the proliferation induced by the full length antigen in the model proliferation assay described herein. An immunogenic portion may also, or alternatively, stimulate the production of at least about 20%, and preferably about 100%, of the interferon-y and/or interleukin-12 induced by the full length antigen in the model assay described herein.

Portions and other variants of *M. tuberculosis* antigens may be generated by synthetic or recombinant means. Synthetic polypeptides having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may be generated using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase

15

20

30

techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, J. Am. Chem. Soc. 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Applied BioSystems, Inc., Foster City, CA, and may be operated according to the manufacturer's instructions. Variants of a native antigen may generally be prepared using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis. Sections of the DNA sequence may also be removed using standard techniques to permit preparation of truncated polypeptides.

Recombinant polypeptides containing portions and/or variants of a native antigen may be readily prepared from a DNA sequence encoding the polypeptide using a variety of techniques well known to those of ordinary skill in the art. For example, supernatants from suitable host/vector systems which secrete recombinant protein into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant protein.

Any of a variety of expression vectors known to those of ordinary skill in the art may be employed to express recombinant polypeptides of this invention. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast and higher eukaryotic cells. Preferably, the host cells employed are *E. coli.* yeast or a mammalian cell line such as COS or CHO. The DNA sequences expressed in this manner may encode naturally occurring antigens, portions of naturally occurring antigens. or other variants thereof.

In general, regardless of the method of preparation, the polypeptides disclosed herein are prepared in substantially pure form. Preferably, the polypeptides are at least about 80% pure, more preferably at least about 90% pure and most

15

20

25

30

preferably at least about 99% pure. In certain preferred embodiments, described in detail below, the substantially pure polypeptides are incorporated into pharmaceutical compositions or vaccines for use in one or more of the methods disclosed herein.

In certain specific embodiments, the subject invention discloses polypeptides comprising at least an immunogenic portion of a soluble *M. tuberculosis* antigen having one of the following N-terminal sequences, or a variant thereof that differs only in conservative substitutions and/or modifications:

- (a) Asp-Pro-Val-Asp-Ala-Val-Ile-Asn-Thr-Cys-Asn-Tyr-Gly-Gln-Val-Val-Ala-Ala-Leu; (SEQ ID No. 120)
- (b) Ala-Val-Glu-Ser-Gly-Met-Leu-Ala-Leu-Gly-Thr-Pro-Ala-Pro-Ser; (SEQ ID No. 121)
- (c) Ala-Ala-Met-Lys-Pro-Arg-Thr-Gly-Asp-Gly-Pro-Leu-Glu-Ala-Ala-Lys-Glu-Gly-Arg; (SEQ ID No. 122)
- (d) Tyr-Tyr-Trp-Cys-Pro-Gly-Gln-Pro-Phe-Asp-Pro-Ala-Trp-Gly-Pro; (SEQ ID No. 123)
- (e) Asp-Ile-Gly-Ser-Glu-Ser-Thr-Glu-Asp-Gln-Gln-Xaa-Ala-Val; (SEQ ID No. 124)
- (f) Ala-Glu-Glu-Ser-Ile-Ser-Thr-Xaa-Glu-Xaa-Ile-Val-Pro; (SEQ ID No. 125)
- (g) Asp-Pro-Glu-Pro-Ala-Pro-Pro-Val-Pro-Thr-Ala-Ala-Ala-Ser-Pro-Pro-Ser; (SEQ ID No. 126)
- (h) Ala-Pro-Lys-Thr-Tyr-Xaa-Glu-Glu-Leu-Lys-Gly-Thr-Asp-Thr-Gly; (SEQ ID No. 127)
- (i) Asp-Pro-Ala-Ser-Ala-Pro-Asp-Val-Pro-Thr-Ala-Ala-Gin-Leu-Thr-Ser-Leu-Leu-Asn-Ser-Leu-Ala-Asp-Pro-Asn-Val-Ser-Phe-Ala-Asn; (SEQ ID No. 128)
- (j) Xaa-Asp-Ser-Glu-Lys-Ser-Ala-Thr-Ile-Lys-Val-Thr-Asp-Ala-Ser; (SEQ ID No. 134)
- (k) Ala-Gly-Asp-Thr-Xaa-Ile-Tyr-Ile-Val-Gly-Asn-Leu-Thr-Ala-Asp; (SEQ ID No. 135) or

(l) Ala-Pro-Glu-Ser-Gly-Ala-Gly-Leu-Gly-Gly-Thr-Val-Gln-Ala-Gly; (SEQ ID No. 136)

wherein Xaa may be any amino acid, preferably a cysteine residue. A DNA sequence encoding the antigen identified as (g) above is provided in SEQ ID No. 52, and the polypeptide encoded by SEQ ID No. 52 is provided in SEQ ID No. 53. A DNA sequence encoding the antigen defined as (a) above is provided in SEQ ID No. 101; its deduced amino acid sequence is provided in SEQ ID No. 102. A DNA sequence corresponding to antigen (d) above is provided in SEQ ID No. 24 a DNA sequence corresponding to antigen (c) is provided in SEQ ID No. 25 and a DNA sequence corresponding to antigen (i) is provided in SEQ ID No. 99; its deduced amino acid sequence is provided in SEQ ID No. 99; its deduced amino acid sequence is provided in SEQ ID No. 100.

In a further specific embodiment, the subject invention discloses polypeptides comprising at least an immunogenic portion of an *M. tuberculosis* antigen having one of the following N-terminal sequences, or a variant thereof that differs only in conservative substitutions and/or modifications:

- (m) Xaa-Tyr-Ile-Ala-Tyr-Xaa-Thr-Thr-Ala-Gly-Ile-Val-Pro-Gly-Lys-Ile-Asn-Val-His-Leu-Val; (SEQ ID No 137) or
- (n) Asp-Pro-Pro-Asp-Pro-His-Gln-Xaa-Asp-Met-Thr-Lys-Gly-Tyr-Tyr-Pro-Gly-Gly-Arg-Arg-Xaa-Phe; (SEQ ID No. 129)
- 20 wherein Xaa may be any amino acid, preferably a cysteine residue.

In other specific embodiments, the subject invention discloses polypeptides comprising at least an immunogenic portion of a soluble *M. tuberculosis* antigen (or a variant of such an antigen) that comprises one or more of the amino acid sequences encoded by (a) the DNA sequences of SEQ ID Nos.: 1, 2, 4-10. 13-25 and 52; (b) the complements of such DNA sequences, or (c) DNA sequences substantially homologous to a sequence in (a) or (b).

In further specific embodiments, the subject invention discloses polypeptides comprising at least an immunogenic portion of a *M. tuberculosis* antigen (or a variant of such an antigen), which may or may not be soluble, that comprises one or more of the amino acid sequences encoded by (a) the DNA sequences of SEQ ID

10

25

Nos.: 26-51, 138, 139, 163-183, 189-193, 199, 200, 201, 203, 215-225, 239, 240, 242-247, 253-256, 261-276, 292, 293, 295-298 and 303-342, (b) the complements of such DNA sequences or (c) DNA sequences substantially homologous to a sequence in (a) or (b).

In the specific embodiments discussed above, the *M. tuberculosis* antigens include variants that are encoded by DNA sequences which are substantially homologous to one or more of DNA sequences specifically recited herein. "Substantial homology," as used herein, refers to DNA sequences that are capable of hybridizing under moderately stringent conditions. Suitable moderately stringent conditions include prewashing in a solution of 5X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5X SSC, overnight or, in the case of cross-species homology at 45°C, 0.5X SSC; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS). Such hybridizing DNA sequences are also within the scope of this invention, as are nucleotide sequences that, due to code degeneracy, encode an immunogenic polypeptide that is encoded by a hybridizing DNA sequence.

In a related aspect, the present invention provides fusion proteins comprising a first and a second inventive polypeptide or, alternatively, a polypeptide of the present invention and a known *M tuberculosis* antigen, such as the 38 kD antigen described in Andersen and Hansen, *Infect. Immun.* 57:2481-2488, 1989, (Genbank Accession No. M30046) or ESAT-6 (SEQ ID Nos. 103 and 104), together with variants of such fusion proteins. The fusion proteins of the present invention may also include a linker peptide between the first and second polypeptides.

A DNA sequence encoding a fusion protein of the present invention is constructed using known recombinant DNA techniques to assemble separate DNA sequences encoding the first and second polypeptides into an appropriate expression vector. The 3' end of a DNA sequence encoding the first polypeptide is ligated, with or without a peptide linker, to the 5'-end of a DNA sequence encoding the second polypeptide so that the reading frames of the sequences are in phase to permit mRNA

translation of the two DNA sequences into a single fusion protein that retains the biological activity of both the first and the second polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptides by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., Gene 40:39-46, 1985; Murphy et al., Proc. Natl. Acad. Sci. USA 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may be from 1 to about 50 amino acids in length. Peptide sequences are not required when the first and second polypeptides have nonessential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons require to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

In another aspect, the present invention provides methods for using one or more of the above polypeptides or fusion proteins (or DNA molecules encoding such polypeptides) to induce protective immunity against tuberculosis in a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient

may be afflicted with a disease, or may be free of detectable disease and/or infection. In other words, protective immunity may be induced to prevent or treat tuberculosis.

In this aspect, the polypeptide, fusion protein or DNA molecule is generally present within a pharmaceutical composition and/or a vaccine. Pharmaceutical compositions may comprise one or more polypeptides, each of which may contain one or more of the above sequences (or variants thereof), and a physiologically acceptable carrier. Vaccines may comprise one or more of the above polypeptides and a non-specific immune response enhancer, such as an adjuvant or a liposome (into which the polypeptide is incorporated). Such pharmaceutical compositions and vaccines may also contain other *M. tuberculosis* antigens, either incorporated into a combination polypeptide or present within a separate polypeptide.

Alternatively, a vaccine may contain DNA encoding one or more polypeptides as described above, such that the polypeptide is generated in situ. In such vaccines, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacterial and viral expression systems. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as Bacillus-Calmette-Guerrin) that expresses an immunogenic portion of the polypeptide on its cell surface. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked." as described, for example, in Ulmer et al., Science 259:1745-1749, 1993 and reviewed by Cohen, Science 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

In a related aspect, a DNA vaccine as described above may be administered simultaneously with or sequentially to either a polypeptide of the present

10

15

20

invention or a known *M. tuberculosis* antigen, such as the 38 kD antigen described above. For example, administration of DNA encoding a polypeptide of the present invention, either "naked" or in a delivery system as described above, may be followed by administration of an antigen in order to enhance the protective immune effect of the vaccine.

Routes and frequency of administration, as well as dosage, will vary from individual to individual and may parallel those currently being used in immunization using BCG. In general, the pharmaceutical compositions and vaccines may be administered by injection (e.g., intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (e.g., by aspiration) or orally. Between 1 and 3 doses may be administered for a 1-36 week period. Preferably, 3 doses are administered, at intervals of 3-4 months, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of polypeptide or DNA that, when administered as described above, is capable of raising an immune response in an immunized patient sufficient to protect the patient from M. tuberculosis infection for at least 1-2 years. In general, the amount of polypeptide present in a dose (or produced in situ by the DNA in a dose) ranges from about 1 pg to about 100 mg per kg of host, typically from about 10 pg to about 1 mg, and preferably from about 100 pg to about 1 µg. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactic galactide) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Any of a variety of adjuvants may be employed in the vaccines of this invention to nonspecifically enhance the immune response. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a nonspecific stimulator of immune responses, such as lipid A, Bortadella pertussis or Mycobacterium tuberculosis. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Freund's Complete Adjuvant (Difco Laboratories) and Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ). Other suitable adjuvants include alum, biodegradable microspheres, monophosphoryl lipid A and quil A.

In another aspect, this invention provides methods for using one or more of the polypeptides described above to diagnose tuberculosis using a skin test. As used herein, a "skin test" is any assay performed directly on a patient in which a delayed-type hypersensitivity (DTH) reaction (such as swelling, reddening or dermatitis) is measured following intradermal injection of one or more polypeptides as described above. Such injection may be achieved using any suitable device sufficient to contact the polypeptide or polypeptides with dermal cells of the patient, such as a tuberculin syringe or 1 mL syringe. Preferably, the reaction is measured at least 48 hours after injection, more preferably 48-72 hours.

The DTH reaction is a cell-mediated immune response, which is greater in patients that have been exposed previously to the test antigen (i.e., the immunogenic portion of the polypeptide employed, or a variant thereof). The response may be measured visually, using a ruler. In general, a response that is greater than about 0.5 cm in diameter, preferably greater than about 1.0 cm in diameter, is a positive response, indicative of tuberculosis infection, which may or may not be manifested as an active disease.

The polypeptides of this invention are preferably formulated, for use in a skin test, as pharmaceutical compositions containing a polypeptide and a physiologically acceptable carrier, as described above. Such compositions typically contain one or more of the above polypeptides in an amount ranging from about 1 µg to about 100 µg, preferably from about 10 µg to about 50 µg in a volume of 0.1 mL.

Preferably, the carrier employed in such pharmaceutical compositions is a saline solution with appropriate preservatives, such as phenol and/or Tween 80<sup>TM</sup>.

In a preferred embodiment, a polypeptide employed in a skin test is of sufficient size such that it remains at the site of injection for the duration of the reaction period. In general, a polypeptide that is at least 9 amino acids in length is sufficient. The polypeptide is also preferably broken down by macrophages within hours of injection to allow presentation to T-cells. Such polypeptides may contain repeats of one or more of the above sequences and/or other immunogenic or nonimmunogenic sequences.

10

The following Examples are offered by way of illustration and not by way of limitation.

## **EXAMPLES**

15

30

## EXAMPLE 1

# PURIFICATION AND CHARACTERIZATION OF POLYPEPTIDES FROM M. TUBERCULOSIS CULTURE FILTRATE

This example illustrates the preparation of *M. tuberculosis* soluble polypeptides from culture filtrate. Unless otherwise noted, all percentages in the following example are weight per volume.

M. tuberculosis (either H37Ra, ATCC No. 25177, or H37Rv, ATCC No. 25618) was cultured in sterile GAS media at 37°C for fourteen days. The media was then vacuum filtered (leaving the bulk of the cells) through a 0.45  $\mu$  filter into a sterile 2.5 L bottle. The media was next filtered through a 0.2  $\mu$  filter into a sterile 4 L bottle and NaN<sub>3</sub> was added to the culture filtrate to a concentration of 0.04%. The bottles were then placed in a 4°C cold from.

The culture filtrate was concentrated by placing the filtrate in a 12 L reservoir that had been autoclaved and feeding the filtrate into a 400 ml Amicon stir cell

which had been rinsed with ethanol and contained a 10,000 kDa MWCO membrane. The pressure was maintained at 60 psi using nitrogen gas. This procedure reduced the 12 L volume to approximately 50 ml.

The culture filtrate was dialyzed into 0.1% ammonium bicarbonate using a 8,000 kDa MWCO cellulose ester membrane, with two changes of ammonium bicarbonate solution. Protein concentration was then determined by a commercially available BCA assay (Pierce, Rockford, IL).

The dialyzed culture filtrate was then lyophilized, and the polypeptides resuspended in distilled water. The polypeptides were dialyzed against 0.01 mM 1.3 bis[tris(hydroxymethyl)-methylamino]propane. pH 7.5 (Bis-Tris propane buffer), the initial conditions for anion exchange chromatography. Fractionation was performed using gel profusion chromatography on a POROS 146 II Q/M anion exchange column 4.6 mm x 100 mm (Perseptive BioSystems, Framingham, MA) equilibrated in 0.01 mM Bis-Tris propane buffer pH 7.5. Polypeptides were eluted with a linear 0-0.5 M NaCl gradient in the above buffer system. The column eluent was monitored at a wavelength of 220 nm.

The pools of polypeptides eluting from the ion exchange column were dialyzed against distilled water and lyophilized. The resulting material was dissolved in 0.1% trifluoroacetic acid (TFA) pH 1.9 in water, and the polypeptides were purified on a Delta-Pak C18 column (Waters, Milford, MA) 300 Angstrom pore size, 5 micron particle size (3.9 x 150 mm). The polypeptides were eluted from the column with a linear gradient from 0-60% dilution buffer (0.1% TFA in acetonitrile). The flow rate was 0.75 ml/minute and the HPLC eluent was monitored at 214 nm. Fractions containing the eluted polypeptides were collected to maximize the purity of the individual samples. Approximately 200 purified polypeptides were obtained.

The purified polypeptides were then screened for the ability to induce T-cell proliferation in PBMC preparations. The PBMCs from donors known to be PPD skin test positive and whose T-cells were shown to proliferate in response to PPD and crude soluble proteins from MTB were cultured in medium comprising RPMI 1640 supplemented with 10% pooled human serum and 50 µg/ml gentamicin. Purified

polypeptides were added in duplicate at concentrations of 0.5 to 10 μg/mL. After six days of culture in 96-well round-bottom plates in a volume of 200 μl, 50 μl of medium was removed from each well for determination of IFN-γ levels, as described below. The plates were then pulsed with 1 μCi/well of tritiated thymidine for a further 18 hours, harvested and tritium uptake determined using a gas scintillation counter. Fractions that resulted in proliferation in both replicates three fold greater than the proliferation observed in cells cultured in medium alone were considered positive.

IFN-y was measured using an enzyme-linked immunosorbent assay (ELISA). ELISA plates were coated with a mouse monoclonal antibody directed to human IFN-y (PharMingen. San Diego, CA) in PBS for four hours at room temperature. Wells were then blocked with PBS containing 5% (W/V) non-fat dried milk for 1 hour at room temperature. The plates were then washed six times in PBS/0.2% TWEEN-20 and samples diluted 1:2 in culture medium in the ELISA plates were incubated overnight at room temperature. The plates were again washed and a polyclonal rabbit anti-human IFN-y serum diluted 1:3000 in PBS/10% normal goat serum was added to each well. The plates were then incubated for two hours at room temperature, washed and horseradish peroxidase-coupled anti-rabbit IgG (Sigma Chemical So., St. Louis, MO) was added at a 1:2000 dilution in PBS/5% non-fat dried milk. After a further two hour incubation at room temperature, the plates were washed and TMB substrate added. The reaction was stopped after 20 min with 1 N sulfuric acid. Optical density was determined at 450 nm using 570 nm as a reference wavelength. Fractions that resulted in both replicates giving an OD two fold greater than the mean OD from cells cultured in medium alone, plus 3 standard deviations, were considered positive.

For sequencing, the polypeptides were individually dried onto Biobrene TM (Perkin Elmer/Applied BioSystems Division, Foster City, CA) treated glass fiber filters. The filters with polypeptide were loaded onto a Perkin Elmer/Applied BioSystems Division Procise 492 protein sequencer. The polypeptides were sequenced from the amino terminal and using traditional Edman chemistry. The amino acid sequence was determined for each polypeptide by comparing the retention time of the PTH amino acid derivative to the appropriate PTH derivative standards.

Using the procedure described above, antigens having the following N-terminal sequences were isolated:

- (a) Asp-Pro-Val-Asp-Ala-Val-Ile-Asn-Thr-Thr-Xaa-Asn-Tyr-Gly-Gln-Val-Val-Ala-Ala-Leu; (SEQ ID No. 54)
- (b) Ala-Val-Glu-Ser-Gly-Met-Leu-Ala-Leu-Gly-Thr-Pro-Ala-Pro-Ser; (SEQ ID No. 55)
- (c) Ala-Ala-Met-Lys-Pro-Arg-Thr-Gly-Asp-Gly-Pro-Leu-Glu-Ala-Ala-Lys-Glu-Gly-Arg; (SEQ ID No. 56)
- (d) Tyr-Tyr-Trp-Cys-Pro-Gly-Gln-Pro-Phe-Asp-Pro-Ala-Trp-Gly-Pro; (SEQ ID No. 57)
- (e) Asp-Ile-Gly-Ser-Glu-Ser-Thr-Glu-Asp-Gln-Gln-Xaa-Ala-Val; (SEQ ID No. 58)
- (f) Ala-Glu-Glu-Ser-Ile-Ser-Thr-Xaa-Glu-Xaa-Ile-Val-Pro; (SEQ ID No. 59)
- (g) Asp-Pro-Glu-Pro-Ala-Pro-Pro-Val-Pro-Thr-Ala-Ala-Ala-Ala-Ala-Pro-Pro-Ala; (SEQ ID No. 60) and
- (h) Ala-Pro-Lys-Thr-Tyr-Xaa-Glu-Glu-Leu-Lys-Gly-Thr-Asp-Thr-Gly; (SEQ ID No. 61)

wherein Xaa may be any amino acid.

5

10

15

An additional antigen was isolated employing a microbore HPLC purification step in addition to the procedure described above. Specifically, 20 µl of a fraction comprising a mixture of antigens from the chromatographic purification step previously described, was purified on an Aquapore C18 column (Perkin Elmer/Applied Biosystems Division, Foster City, CA) with a 7 micron pore size. column size 1 mm x 100 mm, in a Perkin Elmer/Applied Biosystems Division Model 172 HPLC. Fractions were eluted from the column with a linear gradient of 1%/minute of acetonitrile (containing 0.05% TFA) in water (0.05% TFA) at a flow rate of 80 µl/minute. The eluent was monitored at 250 nm. The original fraction was separated into 4 major peaks plus other smaller components and a polypeptide was obtained which was shown to

10

15

20

25

30

have a m lecular weight of 12.054 Kd (by mass spectrometry) and the following N-terminal sequence:

 (i) Asp-Pro-Ala-Ser-Ala-Pro-Asp-Val-Pro-Thr-Ala-Ala-Gln-Gln-Thr-Ser-Leu-Leu-Asn-Asn-Leu-Ala-Asp-Pro-Asp-Val-Ser-Phe-Ala-Asp (SEQ ID No. 62).

This polypeptide was shown to induce proliferation and IFN-y production in PBMC preparations using the assays described above.

Additional soluble antigens were isolated from *M. tuberculosis* culture filtrate as follows. *M. tuberculosis* culture filtrate was prepared as described above. Following dialysis against Bis-Tris propane buffer, at pH 5.5, fractionation was performed using anion exchange chromatography on a Poros QE column 4.6 x 100 mm (Perseptive Biosystems) equilibrated in Bis-Tris propane buffer pH 5.5. Polypeptides were eluted with a linear 0-1.5 M NaCl gradient in the above buffer system at a flow rate of 10 ml/min. The column eluent was monitored at a wavelength of 214 nm.

The fractions eluting from the ion exchange column were pooled and subjected to reverse phase chromatography using a Poros R2 column  $4.6 \times 100$  mm (Perseptive Biosystems). Polypeptides were eluted from the column with a linear gradient from 0-100% acetonitrile (0.1% TFA) at a flow rate of 5 ml/min. The eluent was monitored at 214 nm.

Fractions containing the eluted polypeptides were lyophilized and resuspended in 80  $\mu$ l of aqueous 0.1% TFA and further subjected to reverse phase chromatography on a Vydac C4 column 4.6 x 150 mm (Western Analytical, Temecula, CA) with a linear gradient of 0-100% acetonitrile (0.1% TFA) at a flow rate of 2 ml/min. Eluent was monitored at 214 nm.

The fraction with biological activity was separated into one major peak plus other smaller components. Western blot of this peak onto PVDF membrane revealed three major bands of molecular weights 14 Kd. 20 Kd and 26 Kd. These polypeptides were determined to have the following N-terminal sequences, respectively:

(j) Xaa-Asp-Ser-Glu-Lys-Ser-Ala-Thr-Ile-Lys-Val-Thr-Asp-Ala-Ser; (SEQ ID No. 134)

- (k) Ala-Gly-Asp-Thr-Xaa-Ile-Tyr-Ile-Val-Gly-Asn-Leu-Thr-Ala-Asp; (SEQ ID No. 135) and
- (l) Ala-Pro-Glu-Ser-Gly-Ala-Gly-Leu-Gly-Gly-Thr-Val-Gln-Ala-Gly; (SEQ ID No. 136), wherein Xaa may be any amino acid.
- 5 Using the assays described above, these polypeptides were shown to induce proliferation and IFN-γ production in PBMC preparations. Figs. 1A and B show the results of such assays using PBMC preparations from a first and a second donor, respectively.

DNA sequences that encode the antigens designated as (a), (c), (d) and (g) above were obtained by screening a genomic *M. tuberculosis* library using <sup>32</sup>P end labeled degenerate oligonucleotides corresponding to the N-terminal sequence and containing *M. tuberculosis* codon bias. The screen performed using a probe corresponding to antigen (a) above identified a clone having the sequence provided in SEQ ID No. 101. The polypeptide encoded by SEQ ID No. 101 is provided in SEQ ID No. 102. The screen performed using a probe corresponding to antigen (g) above identified a clone having the sequence provided in SEQ ID No. 52. The polypeptide encoded by SEQ ID No. 52 is provided in SEQ ID No. 53. The screen performed using a probe corresponding to antigen (d) above identified a clone having the sequence provided in SEQ ID No. 24. and the screen performed with a probe corresponding to antigen (c) identified a clone having the sequence provided in SEQ ID No: 25.

The above amino acid sequences were compared to known amino acid sequences in the gene bank using the DNA STAR system. The database searched contains some 173,000 proteins and is a combination of the Swiss, PIR databases along with translated protein sequences (Version 87). No significant homologies to the amino acid sequences for antigens (a)-(h) and (l) were detected.

The amino acid sequence for antigen (i) was found to be homologous to a sequence from *M. leprae*. The full length *M. leprae* sequence was amplified from genomic DNA using the sequence obtained from GENBANK. This sequence was then used to screen the *M. tuberculosis* library described below in Example 2 and a full length copy of the *M. tuberculosis* homologue was obtained (SEO ID No. 99).

The amino acid sequence for antigen (j) was found to be homologous to a known *M. tuberculosis* protein translated from a DNA sequence. To the best of the inventors' knowledge, this protein has not been previously shown to possess T-cell stimulatory activity. The amino acid sequence for antigen (k) was found to be related to a sequence from *M. leprae*.

In the proliferation and IFN- $\gamma$  assays described above, using three PPD positive donors, the results for representative antigens provided above are presented in Table 1:

TABLE 1

RESULTS OF PBMC PROLIFERATION AND IFN-y ASSAYS

Sequence	Proliferation	IFN-γ
(a)	+	•
(c)	+++	+++
(d)	++	++
(g)	+++	+++
(h) <sup>'</sup>	+++	+++

In Table 1, responses that gave a stimulation index (SI) of between 2 and 4 (compared to cells cultured in medium alone) were scored as +, an SI of 4-8 or 2-4 at a concentration of 1 µg or less was scored as ++ and an SI of greater than 8 was scored as +++. The antigen of sequence (i) was found to have a high SI (++++) for one donor and lower SI (+++ and +) for the two other donors in both proliferation and IFN-y assays. These results indicate that these antigens are capable of inducing proliferation and/or interferon-y production.

25

#### **EXAMPLE 2**

## USE OF PATIENT SERA TO ISOLATE M. TUBERCULOSIS ANTIGENS

This example illustrates the isolation of antigens from M. tuberculosis

5 lysate by screening with serum from M. tuberculosis-infected individuals.

Dessicated *M. tuberculosis* H37Ra (Difco Laboratories) was added to a 2% NP40 solution, and alternately homogenized and sonicated three times. The resulting suspension was centrifuged at 13,000 rpm in microfuge tubes and the supernatant put through a 0.2 micron syringe filter. The filtrate was bound to Macro Prep DEAE beads (BioRad, Hercules, CA). The beads were extensively washed with 20 mM Tris pH 7.5 and bound proteins eluted with 1M NaCl. The 1M NaCl elute was dialyzed overnight against 10 mM Tris, pH 7.5. Dialyzed solution was treated with DNase and RNase at 0.05 mg/ml for 30 min. at room temperature and then with α-D-mannosidase, 0.5 U/mg at pH 4.5 for 3-4 hours at room temperature. After returning to pH 7.5, the material was fractionated via FPLC over a Bio Scale-Q-20 column (BioRad). Fractions were combined into nine pools, concentrated in a Centriprep 10 (Amicon, Beverley, MA) and then screened by Western blot for serological activity using a serum pool from *M. tuberculosis*-infected patients which was not immunoreactive with other antigens of the present invention.

The most reactive fraction was run in SDS-PAGE and transferred to PVDF. A band at approximately 85 Kd was cut out yielding the sequence:

(m) Xaa-Tyr-Ile-Ala-Tyr-Xaa-Thr-Thr-Ala-Gly-Ile-Val-Pro-Gly-Lys-Ile-Asn-Val-His-Leu-Val; (SEQ ID No. 137), wherein Xaa may be any amino acid.

Comparison of this sequence with those in the gene bank as described above, revealed no significant homologies to known sequences.

A DNA sequence that encodes the antigen designated as (m) above was obtained by screening a genomic *M. tuberculosis* Erdman strain library using labeled degenerate oligonucleotides corresponding to the N-terminal sequence of SEQ ID NO:137. A clone was identified having the DNA sequence provided in SEQ ID NO:

15

30

203. This sequence was found to encode the amino acid sequence provided in SEQ ID NO: 204. Comparison of these sequences with those in the genebank revealed some similarity to sequences previously identified in *M. tuberculosis* and *M. bovis*.

#### **EXAMPLE 3**

#### PREPARATION OF DNA SEQUENCES ENCODING M. TUBERCULOSIS ANTIGENS

This example illustrates the preparation of DNA sequences encoding *M. tuberculosis* antigens by screening a *M. tuberculosis* expression library with sera obtained from patients infected with *M. tuberculosis*, or with anti-sera raised against soluble *M. tuberculosis* antigens.

## A. PREPARATION OF M. TUBERCULOSIS SOLUBLE ANTIGENS USING RABBIT ANTI-SERA RAISED AGAINST M. TUBERCULOSIS SUPERNATANT

Genomic DNA was isolated from the *M. tuberculosis* strain H37Ra. The DNA was randomly sheared and used to construct an expression library using the Lambda ZAP expression system (Stratagene, La Jolla, CA). Rabbit anti-sera was generated against secretory proteins of the *M. tuberculosis* strains H37Ra, H37Rv and Erdman by immunizing a rabbit with concentrated supernatant of the *M. tuberculosis* cultures. Specifically, the rabbit was first immunized subcutaneously with 200 µg of protein antigen in a total volume of 2 ml containing 10 µg muramyl dipeptide (Calbiochem, La Jolla, CA) and 1 ml of incomplete Freund's adjuvant. Four weeks later the rabbit was boosted subcutaneously with 100 µg antigen in incomplete Freund's adjuvant. Finally, the rabbit was immunized intravenously four weeks later with 50 µg protein antigen. The anti-sera were used to screen the expression library as described in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989. Bacteriophage plaques expressing immunoreactive antigens were purified. Phagemid from the plaques was rescued and the nucleotide sequences of the *M. tuberculosis* clones deduced.

Thirty two clones were purified. Of these, 25 represent sequences that have not been previously identified in human *M. tuberculosis*. Recombinant antigens

10

20

were expressed and purified antigens used in the immunological analysis described in Example 1. Proteins were induced by IPTG and purified by gel elution, as described in Skeiky et al., *J. Exp. Med.* 181:1527-1537, 1995. Representative sequences of DNA molecules identified in this screen are provided in SEQ ID Nos.: 1-25. The corresponding predicted amino acid sequences are shown in SEQ ID Nos. 63-87.

On comparison of these sequences with known sequences in the gene bank using the databases described above, it was found that the clones referred to hereinafter as TbRA2A, TbRA16, TbRA18, and TbRA29 (SEQ ID Nos. 76, 68, 70, 75) show some homology to sequences previously identified in *Mycobacterium leprae* but not in *M. tuberculosis*. TbRA2A was found to be a lipoprotein, with a six residue lipidation sequence being located adjacent to a hydrophobic secretory sequence. TbRA11, TbRA26, TbRA28 and TbDPEP (SEQ ID Nos.: 65, 73, 74, 53) have been previously identified in *M. tuberculosis*. No significant homologies were found to TbRA1, TbRA3. TbRA4, TbRA9, TbRA10, TbRA13, TbRA17, TbRa19, TbRA29, TbRA32, TbRA36 and the overlapping clones TbRA35 and TbRA12 (SEQ ID Nos. 63, 77, 81, 82, 64, 67, 69, 71, 75, 78, 80, 79, 66). The clone TbRa24 is overlapping with clone TbRa29.

The results of PBMC proliferation and interferon-γ assays performed on representative recombinant antigens, and using T-cell preparations from several different *M. tuberculosis*-immune patients, are presented in Tables 2 and 3, respectively.

TABLE 2
RESULTS OF PBMC PROLIFERATION TO REPRESENTATIVE SOLUBLE ANTIGENS

+ + + + + + + + + + + + + + + + + +	4 7 7 8 4 7	· · · + + + + +	L + 1	88 # # # # # # # # # # # # # # # # # #	9	= + , = + ‡ +	C	E1 E . E . E
	I . H ‡					+ , = + ‡ +	+ + = + + .	
	· = + ‡	1 + + + +				, = + ‡ +	. # # .	, 5 , 5 , 5
	12 +1 ‡	‡ + + ‡ +				= + + +	H + -	2 . 2 . 2
	#1 ‡	+ + + +				+ ‡ +	+ + +	. = . =
- + + + + + + + + + + + + + + + + + + +	‡	+ ‡ +				‡ +	# '	, E
- + + + + + + + + + + + + + + + + + + +		÷ +	+		4		-	. 2
	÷	+	$\dashv$		•	-		ž
	nt				'n	nt	nt	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	III	•	=	nt	Ħ	nt	nt	nt
	n nt	•	nt	nt nt	T T	nt	nt	nt
nt nt nt at	Ħ	'	nt	m nt	T I	ž	E	n n
		‡	II.	‡	‡	‡	‡	nt
nt nt nt nt nt	n je	•	ī	n n	Ē	T.	ĭ	ŭ
to to to	ŧ	•	T T	nt at	T T	Ħ	E	T T
+	ŧ	•	=	nt	E	Ħ	E	ĭ
	,	,	¥	·  	,	T.	+1	E
	•	,	ŧ	•	•	a a	+	=
DPEP - ++ - ++	<b>+</b>	•	t	#	+	+1	#	E E
Control	-	•	-		-		•	•

nt = not tested

TABLE 3

RESULTS OF PBMC INTERFERON-Y PRODUCTION TO REPRESENTATIVE SOLUBLE ANTIGENS

Antigen							Patient		·				
	-	2	3	7	5	9	7	8	6	01	=	12	13
TbRai	+	++		111	+			#	•	•	+	#	٠
TbRa3	1	#1	÷ ÷	•	Ŧ	•	•	++	#	•	•	•	•
TbRa9	++	+	nt	ııt	++	•	nt	nt	nt	nt	nt	ם	nt
TbRa10	+	÷	#	#	Ŧ	+	nt	#	•	+	#	#	•
TbRall		#	+	+-+	++	+	nt	•	++	++	++	#	nt
TbRa12	-	•	+	+	Ŧ	+++	+	Ŧ	#	_	+	•	•
TbRa16	nt	nt	nt	nt	+	+	ınt	nt	nt	nt	ţu	ut	nt
TbRa24	nt	ng ng	111	nt	+	•	nt	nt	111	nt	nt	nt	nt
TbRa26	‡	<b>+</b>	ā	nt	+	+	'nţ	υţ	nt	nt	nt	nt	nt
TbRa29	T T	Į,	nt	nt	+	•	Ħ	nt	nt	ııt	nt	nt	nt
TbRa35	+.+	nt	++	÷	+++	+++	nt	++	++	+++	+++	++	nt
TbRaB	ī	nt	nt	nt	‡	+	m	nt	11	nt	nt	nt	nt
TbRaC	35	ž	nt	nt	+	+	nt	n	nt	n n	nt	nt	nt
TbRaD	nt	n	nt	nt	÷	+	nt	nl	nt	nt	nt	nt	nı
AAMK	•	•	#	•	•	•	nt	,	,	1	nt	#	15
YY	•	•	•	•	•	•	nt	•	•	-	nt	+	זון
DPEP	+	+	+	+++	÷	•	'n	+++	+4	+	+1	++	nt
Control	•	,	•	•	ı	•	•	•	•	•	•	•	,

In Tables 2 and 3, responses that gave a stimulation index (SI) of between 1.2 and 2 (compared to cells cultured in medium alone) were scored as ±, a SI of 2-4 was scored as +, as SI of 4-8 or 2-4 at a concentration of 1 µg or less was scored as ++ and an SI of greater than 8 was scored as +++. In addition, the effect of concentration on proliferation and interferon-y production is shown for two of the above antigens in the attached Figure. For both proliferation and interferon-y production, TbRa3 was scored as +++ and TbRa9 as +.

These results indicate that these soluble antigens can induce proliferation and/or interferon-y production in T-cells derived from an *M. tuberculosis*-immune individual.

## B. USE OF SERA FROM PATIENTS HAVING PULMONARY OR PLEURAL TUBERCULOSIS TO IDENTIFY DNA SEQUENCES ENCODING M. TUBERCULOSIS ANTIGENS

The genomic DNA library described above, and an additional H37Rv library, were screened using pools of sera obtained from patients with active tuberculosis. To prepare the H37Rv library, *M. tuberculosis* strain H37Rv genomic DNA was isolated, subjected to partial *Sau3A* digestion and used to construct an expression library using the Lambda Zap expression system (Stratagene, La Jolla, Ca). Three different pools of sera, each containing sera obtained from three individuals with active pulmonary or pleural disease, were used in the expression screening. The pools were designated TbL. TbM and TbH, referring to relative reactivity with H37Ra lysate (i.e., TbL = low reactivity, TbM = medium reactivity and TbH = high reactivity) in both ELISA and immunoblot format. A fourth pool of sera from seven patients with active pulmonary tuberculosis was also employed. All of the sera lacked increased reactivity with the recombinant 38 kD *M. tuberculosis* H37Ra phosphate-binding protein.

All pools were pre-adsorbed with *E. coli* lysate and used to screen the H37Ra and H37Rv expression libraries, as described in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989. Bacteriophage plaques expressing immunoreactive antigens were purified.

30 Phagemid from the plaques was rescued and the nucleotide sequences of the *M. tuberculosis* clones deduced.

Thirty two clones were purified. Of these, 31 represented sequences that had not been previously identified in human M. tuberculosis. Representative sequences of the DNA molecules identified are provided in SEQ ID Nos.: 26-51 and 105. Of these, TbH-8-2 (SEQ. ID NO. 105) is a partial clone of TbH-8, and TbH-4 (SEQ. ID 5 NO. 43) and TbH-4-FWD (SEQ. ID NO. 44) are non-contiguous sequences from the same clone. Amino acid sequences for the antigens hereinafter identified as Tb38-1, TbH-4, TbH-8, TbH-9, and TbH-12 are shown in SEQ ID Nos.: 88-92. Comparison of these sequences with known sequences in the gene bank using the databases identified above revealed no significant homologies to TbH-4, TbH-8, TbH-9 and TbM-3, although weak homologies were found to TbH-9. TbH-12 was found to be homologous to a 34 kD antigenic protein previously identified in M. paratuberculosis (Acc. No. S28515). Tb38-1 was found to be located 34 base pairs upstream of the open reading frame for the antigen ESAT-6 previously identified in M. bovis (Acc. No. U34848) and in M. tuberculosis (Sorensen et al., Infec. Immun. 63:1710-1717, 1995).

Probes derived from Tb38-1 and TbH-9, both isolated from an H37Ra library, were used to identify clones in an H37Rv library. Tb38-1 hybridized to Tb38-1F2, Tb38-1F3. Tb38-1F5 and Tb38-1F6 (SEQ. ID NOS. 112, 113, 116, 118, and 119). (SEQ ID NOS. 112 and 113 are non-contiguous sequences from clone Tb38-1F2.) Two open reading frames were deduced in Tb38-IF2; one corresponds to Tb37FL (SEQ. ID. NO. 114), the second, a partial sequence, may be the homologue of Tb38-1 and is called Tb38-IN (SEQ. ID NO. 115). The deduced amino acid sequence of Tb38-1F3 is presented in SEQ. ID. NO. 117. A TbH-9 probe identified three clones in the H37Rv library: TbH-9-FL (SEQ. ID NO. 106), which may be the homologue of TbH-9 (R37Ra), TbH-9-1 (SEQ. ID NO. 108), and TbH-9-4 (SEQ. ID NO. 110), all of which are highly related sequences to TbH-9. The deduced amino acid sequences for these three clones are presented in SEQ ID NOS. 107, 109 and 111.

Further screening of the M. tuberculosis genomic DNA library, as described above, resulted in the recovery of ten additional reactive clones, representing seven different genes. One of these genes was identified as the 38 Kd antigen discussed

above, on was determined to be identical to the 14Kd alpha crystallin heat shock protein previously shown to be present in *M. tuberculosis*, and a third was determined to be identical to the antigen TbH-8 described above. The determined DNA sequences for the remaining five clones (hereinafter referred to as TbH-29, TbH-30, TbH-32 and TbH-33) are provided in SEQ ID NO: 138-141, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 142-145, respectively. The DNA and amino acid sequences for these antigens were compared with those in the gene bank as described above. No homologies were found to the 5' end of TbH-29 (which contains the reactive open reading frame), although the 3' end of TbH-29 was found to be identical to the *M. tuberculosis* cosmid Y227. TbH-32 and TbH-33 were found to be identical to the previously identified *M. tuberculosis* insertion element IS6110 and to the *M. tuberculosis* cosmid Y50, respectively. No significant homologies to TbH-30 were found.

Positive phagemid from this additional screening were used to infect E. coli XL-1 Blue MRF', as described in Sambrook et al., supra. Induction of recombinant protein was accomplished by the addition of IPTG. Induced and uninduced lysates were run in duplicate on SDS-PAGE and transferred to nitrocellulose filters. Filters were reacted with human M. tuberculosis sera (1:200 dilution) reactive with TbH and a rabbit sera (1:200 or 1:250 dilution) reactive with the N-terminal 4 Kd portion of lacZ. Sera incubations were performed for 2 hours at room temperature. Bound antibody was detected by addition of 125I-labeled Protein A and subsequent exposure to film for variable times ranging from 16 hours to 11 days. The results of the immunoblots are summarized in Table 4.

## TABLE 4

5	Antigen	Human M. tb <u>Sera</u>	Anti-lacZ <u>Sera</u>
	Тън-29	45 Kd	45 Kd
	Тън-30	No reactivity	29 Kd
	Тън-32	12 Kd	12 Kd
	Тън-33	16 Kd	16 Kd

10

Positive reaction of the recombinant human M. tuberculosis antigens with both the human M. tuberculosis sera and anti-lacZ sera indicate that reactivity of the human M. tuberculosis sera is directed towards the fusion protein. Antigens reactive with the anti-lacZ sera but not with the human M. tuberculosis sera may be the result of the human M. tuberculosis sera recognizing conformational epitopes, or the antigen-antibody binding kinetics may be such that the 2 hour sera exposure in the immunoblot is not sufficient.

The results of T-cell assays performed on Tb38-1, ESAT-6 and other representative recombinant antigens are presented in Tables 5A. B and 6, respectively, below:

TABLE 5A

RESULTS OF PBMC PROLIFERATION TO REPRESENTATIVE ANTIGENS

25

Antigen						Donor	<del></del>				
	1	2	3	4	5	6	7	8	9	10	11
Tb38.1	<del></del>	÷	-		-	++	-	+	•	++	
ESAT-6	<del>+++</del>	+	+	+_	-	+		÷	+	++	
Тън-9	<del></del>	++	-		±	±	++	+	÷÷	<del>++</del>	<del></del>

TABLE 5B

RESULTS OF PBMC INTERFERON-Y PRODUCTION TO REPRESENTATIVE ANTIGENS

Antigen						Donor					
	1	2	3	4	5	6	7	8	9	10	11
Тъ38.1	+++	+	-	+	+	+++	•	++	-	+++	+++
ESAT-6	+++	+	+	+	+-	+		+	÷	+++	+++
Тън-9	++	++	•	+++	±	±	+++	+++	++		++

10

TABLE 6
SUMMARY OF T-CELL RESPONSES TO REPRESENTATIVE ANTIGENS

		Proliferation	n		Interferon-	r	
Antigen	patient 4	patient 5	patient 6	patient 4	patient 5	patient 6	total
ТъН9	++	+÷	++	<del>+++</del>	++	++	13
Тъм7	-	÷	-	++	+	-	4
Тън5	-	+	+	++	++	+-	8
TbL23	- ,	+	±	++	++	+	7.5
Тън4	-	++	±	++	++	±	7
- control	-	-	-	-	-	-	• 0

These results indicate that both the inventive *M. tuberculosis* antigens and ESAT-6 can induce proliferation and/or interferon-y production in T-cells derived from an *M. tuberculosis*-immune individual. To the best of the inventors' knowledge. ESAT-6 has not been previously shown to stimulate human immune responses

A set of six overlapping peptides covering the amino acid sequence of the antigen Tb38-1 was constructed using the method described in Example 6. The sequences of these peptides, hereinafter referred to as pep1-6, are provided in SEQ ID Nos. 93-98, respectively. The results of T-cell assays using these peptides are shown in Tables 7 and 8. These results confirm the existence, and help to localize T-cell epitopes within Tb38-1 capable of inducing proliferation and interferon-y production in T-cells derived from an *M. ruberculosis* immune individual.

<u>TABLE 7</u>
RESULTS OF PBMC PROLEERATION TO TB38-1 PEPTIDES

Peptide							Patient						
	_	2	٣	4	5	9	7	80	6	01	=	12	13
ldad	•	,	,	•	#	•	٠	•	•	H	•	•	+
pep2	#	•	•	,	Ŧ		•	•	#	#	•	•	+
pep3		1	-	•		•	•	•	Ŧ		•		#
pep4	++	•	•	,	•	•	+		+	#	•	•	+
pep5	++	+		,	٠	•	+	٠	+			•	+
9dad		‡	-	•	•	•	#	•	#	+	•	•	+
Control	,	,	•	,	,	١	•	,	1	,	•	•	1

TABLE 8
RESULTS OF PBMC INTERFERON-Y PRODUCTION TO TESS-1 PEPTIDES

Peptide							Patient						
	-	2	3	7	5	9	7	∞	6	01	=	12	13
pep1	+	•	•	1	#		•	,	•	#			+
pep2		·	•	•	#	•	•		#1	++		•	+
pep3	•	•	•	•	•	•	•	,	#		•	1	++
pcp4	÷	•	-	•		•	÷		#	#		•	+
pep5	<u>+</u>	+1	•	-	•	•	+	•	++				+
9dad	<b>-</b>	++	-	•	•	•	#		Ħ	+		•	+
Control	,	•	•		•								

Studies were undertaken to determine whether the antigens TbH-9 and Tb38-1 represent cellular proteins or are secreted into *M. tuberculosis* culture media. In the first study, rabbit sera were raised against A) secretory proteins of *M. tuberculosis*, B) the known secretory recombinant *M. tuberculosis* antigen 85b, C) recombinant Tb38-1 and D) recombinant TbH-9, using protocols substantially the same as that as described in Example 3A. Total *M. tuberculosis* lysate, concentrated supernatant of *M. tuberculosis* cultures and the recombinant antigens 85b, TbH-9 and Tb38-1 were resolved on denaturing gels, immobilized on nitrocellulose membranes and duplicate blots were probed using the rabbit sera described above.

The results of this analysis using control sera (panel I) and antisera (panel II) against secretory proteins, recombinant 85b, recombinant Tb38-1 and recombinant TbH-9 are shown in Figures 3A-D, respectively, wherein the lane designations are as follows: 1) molecular weight protein standards; 2) 5 µg of *M. tuberculosis* lysate; 3) 5 µg secretory proteins; 4) 50 ng recombinant Tb38-1; 5) 50 ng recombinant TbH-9; and 6) 50 ng recombinant 85b. The recombinant antigens were engineered with six terminal histidine residues and would therefore be expected to migrate with a mobility approximately 1 kD larger that the native protein. In Figure 3D, recombinant TbH-9 is lacking approximately 10 kD of the full-length 42 kD antigen, hence the significant difference in the size of the immunoreactive native TbH-9 antigen in the lysate lane (indicated by an arrow). These results demonstrate that Tb38-1 and TbH-9 are intracellular antigens and are not actively secreted by *M. tuberculosis*.

The finding that TbH-9 is an intracellular antigen was confirmed by determining the reactivity of TbH-9-specific human T cell clones to recombinant TbH-9, secretory *M. tuberculosis* proteins and PPD. A TbH-9-specific T cell clone (designated 131TbH-9) was generated from PBMC of a healthy PPD-positive donor. The proliferative response of 131TbH-9 to secretory proteins, recombinant TbH-9 and a control *M. tuberculosis* antigen. TbRa11, was determined by measuring uptake of tritiated thymidine. as described in Example 1. As shown in Figure 4A, the clone 131TbH-9 responds specifically to TbH-9, showing that TbH-9 is not a significant component of *M. tuberculosis* secretory proteins. Figure 4B shows the production of IFN-y by a second TbH-9-specific T cell clone

(designated PPD 800-10) prepared from PBMC from a healthy PPD-positive donor, following stimulation of the T cell clone with secretory proteins, PPD or recombinant TbH-9. These results further confirm that TbH-9 is not secreted by *M. tuberculosis*.

## C. USE OF SERA FROM PATIENTS HAVING EXTRAPULMONARY TUBERCULOSIS TO IDENTIFY DNA SEQUENCES ENCODING M. TUBERCULOSIS ANTIGENS

Genomic DNA was isolated from M. tuberculosis Erdman strain, randomly sheared and used to construct an expression library employing the Lambda ZAP expression system (Stratagene, La Jolla, CA). The resulting library was screened using pools of sera obtained from individuals with extrapulmonary tuberculosis, as described above in Example 3B, with the secondary antibody being goat anti-human IgG + A + M (H+L) conjugated with alkaline phosphatase.

Eighteen clones were purified. Of these, 4 clones (hereinafter referred to as XP14, XP24, XP31 and XP32) were found to bear some similarity to known sequences. The determined DNA sequences for XP14, XP24 and XP31 are provided in SEQ ID Nos.: 156-158, respectively, with the 5' and 3' DNA sequences for XP32 being provided in SEQ ID Nos.: 159 and 160, respectively. The predicted amino acid sequence for XP14 is provided in SEQ ID No: 161. The reverse complement of XP14 was found to encode the amino acid sequence provided in SEQ ID No.: 162.

Comparison of the sequences for the remaining 14 clones (hereinafter referred to as XP1-XP6. XP17-XP19. XP22, XP25, XP27, XP30 and XP36) with those in the genebank as described above, revealed no homologies with the exception of the 3' ends of XP2 and XP6 which were found to bear some homology to known *M. tuberculosis* cosmids. The DNA sequences for XP27 and XP36 are shown in SEQ ID Nos.: 163 and 164, respectively, with the 5' sequences for XP4, XP5, XP17 and XP30 being shown in SEQ ID Nos: 165-168, respectively, and the 5' and 3' sequences for XP2, XP3, XP6, XP18, XP19, XP22 and XP25 being shown in SEQ ID Nos: 169 and 170; 171 and 172; 173 and 174: 175 and 176; 177 and 178; 179 and 180; and 181 and 182, respectively. XP1 was found to overlap with the DNA sequences for TbH4, disclosed above. The full-length DNA sequence for TbH4-XP1 is provided in SEQ ID No.: 183. This DNA sequence was found to contain an

open reading frame encoding the amino acid sequence shown in SEQ ID No: 184. The reverse complement of TbH4-XP1 was found to contain an open reading frame encoding the amino acid sequence shown in SEQ ID No.: 185. The DNA sequence for XP36 was found to contain two open reading frames encoding the amino acid sequence shown in SEQ ID Nos.: 186 and 187, with the reverse complement containing an open reading frame encoding the amino acid sequence shown in SEQ ID No.: 188.

Recombinant XP1 protein was prepared as described above in Example 3B, with a metal ion affinity chromatography column being employed for purification. As illustrated in Figures 8A-B and 9A-B, using the assays described herein, recombinant XP1 was found to stimulate cell proliferation and IFN- $\gamma$  production in T cells isolated from an M. tuberculosis-immune donors.

## D. USE OF A LYSATE POSITIVE SERUM POOL FROM PATIENTS HAVING TUBERCULOSIS TO IDENTIFY DNA SEQUENCES ENCODING M. TUBERCULOSIS ANTIGENS

Genomic DNA was isolated from M. tuberculosis Erdman strain, randomly sheared and used to construct an expression library employing the Lambda Screen expression system (Novagen, Madison, WI), as described below in Example 6. Pooled serum obtained from M. tuberculosis-infected patients and that was shown to react with M. tuberculosis lysate but not with the previously expressed proteins 38kD, Tb38-1, TbRa3, TbH4, DPEP and TbRa11, was used to screen the expression library as described above in Example 3B, with the secondary antibody being goat anti-human IgG + A + M (H+L) conjugated with alkaline phosphatase.

Twenty-seven clones were purified. Comparison of the determined cDNA sequences for these clones revealed no significant homologies to 10 of the clones (hereinafter referred to as LSER-10, LSER-11, LSER-12, LSER-13, LSER-16, LSER-18. LSER-23. LSER-24, LSER-25 and LSER-27). The determined 5' cDNA sequences for LSER-10. LSER-11, LSER-12, LSER-13, LSER-16 and LSER-25 are provided in SEQ ID NO: 242-247, respectively, with the corresponding predicted amino acid sequences for LSER-10. LSER-12, LSER-13, LSER-16 and LSER-25 being provided in SEQ ID NO: 248-252. respectively. The determined full-length cDNA sequences for LSER-18. LSER-23. LSER-24

and LSER-27 are shown in SEQ ID NO: 253-256, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 257-260. The remaining seventeen clones were found to show similarities to unknown sequences previously identified in *M. tuberculosis*. The determined 5' cDNA sequences for sixteen of these clones (hereinafter referred to as LSER-1, LSER-3, LSER-4, LSER-5, LSER-6, LSER-8, LSER-14, LSER-15, LSER-17, LSER-19, LSER-20, LSER-22, LSER-26, LSER-28, LSER-29 and LSER-30) are provided in SEQ ID NO: 261-276, respectively, with the corresponding predicted amino acid sequences for LSER-1, LSER-3, LSER-5, LSER-6, LSER-8, LSER-14, LSER-15, LSER-17, LSER-19, LSER-20, LSER-22, LSER-26, LSER-28, LSER-29 and LSER-30 being provided in SEQ ID NO: 277-291, respectively. The determined full-length cDNA sequence for the clone LSER-9 is provided in SEQ ID NO: 292. The reverse complement of LSER-6 (SEQ ID NO: 293) was found to encode the predicted amino acid sequence of SEQ ID NO: 294.

## E. PREPARATION OF M. TUBERCULOSIS SOLUBLE ANTIGENS USING RABBIT ANTI-SERA RAISED AGAINST M. TUBERCULOSIS FRACTIONATED PROTEINS

M. tuberculosis lysate was prepared as described above in Example 2. The resulting material was fractionated by HPLC and the fractions screened by Western blot for serological activity with a serum pool from M. tuberculosis-infected patients which showed little or no immunoreactivity with other antigens of the present invention. Rabbit anti-sera was generated against the most reactive fraction using the method described in Example 3A. The anti-sera was used to screen an M. tuberculosis Erdman strain genomic DNA expression library prepared as described above. Bacteriophage plaques expressing immunoreactive antigens were purified. Phagemid from the plaques was rescued and the nucleotide sequences of the M. tuberculosis clones determined.

Ten different clones were purified. Of these, one was found to be TbRa35. described above, and one was found to be the previously identified *M. tuberculosis* antigen, HSP60. Of the remaining eight clones, seven (hereinafter referred to as RDIF2, RDIF5, RDIF8, RDIF10, RDIF11 and RDIF 12) were found to bear some similarity to previously identified *M. tuberculosis* sequences. The determined DNA sequences for RDIF2, RDIF5, RDIF8, RDIF10 and RDIF11 are provided in SEQ ID Nos.: 189-193, respectively, with the

corresponding predicted amino acid sequences being provided in SEQ ID N s: 194-198, respectively. The 5' and 3' DNA sequences for RDIF12 are provided in SEQ ID Nos.: 199 and 200, respectively. No significant homologies were found to the antigen RDIF-7. The determined DNA and predicted amino acid sequences for RDIF7 are provided in SEQ ID Nos.: 201 and 202, respectively. One additional clone, referred to as RDIF6 was isolated, however, this was found to be identical to RDIF5.

Recombinant RDIF6, RDIF8, RDIF10 and RDIF11 were prepared as described above. As shown in Figures 8A-B and 9A-B, these antigens were found to stimulate cell proliferation and IFN-y production in T cells isolated from *M. tuberculosis*-immune donors.

## EXAMPLE 4

## PURIFICATION AND CHARACTERIZATION OF A POLYPEPTIDE FROM TUBERCULIN PURIFIED PROTEIN DERIVATIVE

An M. tuberculosis polypeptide was isolated from tuberculin purified protein derivative (PPD) as follows.

PPD was prepared as published with some modification (Seibert, F. et al., Tuberculin purified protein derivative. Preparation and analyses of a large quantity for standard. The American Review of Tuberculosis 44:9-25, 1941).

M. tuberculosis Rv strain was grown for 6 weeks in synthetic medium in roller bottles at 37°C. Bottles containing the bacterial growth were then heated to 100° C in water vapor for 3 hours. Cultures were sterile filtered using a 0.22 μ filter and the liquid phase was concentrated 20 times using a 3 kD cut-off membrane. Proteins were precipitated once with 50% ammonium sulfate solution and eight times with 25% ammonium sulfate solution. The resulting proteins (PPD) were fractionated by reverse phase liquid chromatography (RP-HPLC) using a C18 column (7.8 x 300 mM; Waters, Milford, MA) in a Biocad HPLC system (Perseptive Biosystems, Framingham, MA). Fractions were eluted from the column with a linear gradient from 0-100% buffer (0.1% TFA in acetonitrile). The flow rate was 10 ml/minute and eluent was monitored at 214 nm and 280 nm.

Six fractions were collected, dried, suspended in PBS and tested individually in *M. tuberculosis*-infected guinea pigs for induction of delayed type hypersensitivity (DTH) reaction. One fraction was found to induce a strong DTH reaction and was subsequently fractionated further by RP-HPLC on a microbore Vydac C18 column (Cat. No. 218TP5115) in a Perkin Elmer/Applied Biosystems Division Model 172 HPLC. Fractions were eluted with a linear gradient from 5-100% buffer (0.05% TFA in acetonitrile) with a flow rate of 80 µl/minute. Eluent was monitored at 215 nm. Eight fractions were collected and tested for induction of DTH in *M. tuberculosis*-infected guinea pigs. One fraction was found to induce strong DTH of about 16 mm induration. The other fractions did not induce detectable DTH. The positive fraction was submitted to SDS-PAGE gel electrophoresis and found to contain a single protein band of approximately 12 kD molecular weight.

This polypeptide, herein after referred to as DPPD, was sequenced from the amino terminal using a Perkin Elmer/Applied Biosystems Division Procise 492 protein sequencer as described above and found to have the N-terminal sequence shown in SEQ ID No.: 129. Comparison of this sequence with known sequences in the gene bank as described above revealed no known homologies. Four cyanogen bromide fragments of DPPD were isolated and found to have the sequences shown in SEQ ID Nos.: 130-133. A subsequent search of the M. tuberculosis genome database released by the Institute for Genomic Research revealed a match of the DPPD partial amino acid sequence with a sequence present within the M. tuberculosis cosmid MTY21C12. An open reading frame of 336 bp was identified. The full-length DNA sequence for DPPD is provided in SEQ ID NO: 240. with the corresponding full-length amino acid sequence being provided in SEQ ID NO: 241.

The ability of the antigen DPPD to stimulate human PBMC to proliferate and to produce IFN-γ was assayed as described in Example 1. As shown in Table 9, DPPD was found to stimulate proliferation and elicit production of large quantities of IFN-γ; more than that elicited by commercial PPD.

TABLE 9

RESULTS OF PROLIFERATION AND INTERFERON-Y ASSAYS TO DPPD

PBMC Donor	Stimulator	Proliferation (CPM)	IFN-γ (OD <sub>150</sub> )
A	Medium	1,089	0.17
	PPD (commercial)	8,394	1.29
	DPPD	13,451	2.21
В	Medium	450	0.09
	PPD (commercial)	3,929	1.26
	DPPD	6,184	1.49
· C	Medium	541	0.11
	PPD (commercial)	8,907	0.76
	DPPD	23,024	>2.70

# EXAMPLE 5 Use of Sera From Tuberculosis-Infected Monkeys to Identify DNA Sequences Encoding M. Tuberculosis Antigens

Genomic DNA was isolated from *M. tuberculosis* Erdman strain. randomly sheared and used to construct an expression library employing the Lambda ZAP expression system (Stratagene, La Jolla, CA). Serum samples were obtained from a cynomolgous monkey 18, 33, 51 and 56 days following infection with *M. tuberculosis* Erdman strain. These samples were pooled and used to screen the *M. tuberculosis* genomic DNA expression library using the procedure described above in Example 3C.

Twenty clones were purified. The determined 5' DNA sequences for the clones referred to as MO-1, MO-2, MO-4. MO-8, MO-9, MO-26, MO-28, MO-29, MO-30, MO-34 and MO-35 are provided in SEQ ID NO: 215-225, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 226-236. The full-length DNA sequence of the clone MO-10 is provided in SEQ ID NO: 237, with the corresponding

predicted amino acid sequence being provided in SEQ ID NO: 238. The 3' DNA sequence for the clone MO-27 is provided in SEQ ID NO: 239.

Clones MO-1, MO-30 and MO-35 were found to show a high degree of relatedness and showed some homology to a previously identified unknown *M. tuberculosis* sequence and to cosmid MTCI237. MO-2 was found to show some homology to aspartokinase from *M. tuberculosis*. Clones MO-3, MO-7 and MO-27 were found to be identical and to show a high degree of relatedness to MO-5. All four of these clones showed some homology to *M. tuberculosis* heat shock protein 70. MO-27 was found to show some homology to *M. tuberculosis* cosmid MTCY339. MO-4 and MO-34 were found to show some homology to cosmid SCY21B4 and *M. smegmatis* integration host factor, and were both found to show some homology to a previously identified, unknown *M. tuberculosis* sequence. MO-6 was found to show some homology to *M. tuberculosis* heat shock protein 65. MO-8, MO-9, MO-10, MO-26 and MO-29 were found to be highly related to each other and to show some homology to *M. tuberculosis* dihydrolipamide succinyltransferase. MO-28, MO-31 and MO-32 were found to be identical and to show some homology to a previously identified *M. tuberculosis* protein. MO-33 was found to show some homology to a previously identified 14 kDa *M. tuberculosis* heat shock protein.

Further studies using the above protocol resulted in the isolation of an additional four clones, hereinarter referred to as MO-12. MO-13. MO-19 and MO-39. The determined 5' cDNA sequences for these clones are provided in SEQ ID NO: 295-298, respectively, with the corresponding predicted protein sequences being provided in SEQ ID NO: 299-302, respectively. Comparison of these sequences with those in the gene bank as described above revealed no significant homologies to MO-39. MO-12, MO-13 and MO-19 were found to show some homologies to unknown sequences previously isolated from *M. tuberculosis*.

EXAMPLE 6

ISOLATION OF DNA SEQUENCES ENCODING M. TUBERCULOSIS ANTIGENS

BY SCREENING OF A NOVEL EXPRESSION LIBRARY

This example illustrates isolation of DNA sequences encoding *M. tuberculosis* antigens by screening of a novel expression library with sera from *M. tuberculosis*-infected patients that were shown to be unreactive with a panel of the recombinant *M. tuberculosis* antigens TbRall, TbRa3, Tb38-1, TbH4, TbF and 38 kD.

Genomic DNA from *M. tuberculosis* Erdman strain was randomly sheared to an average size of 2 kb, and blunt ended with Klenow polymerase, followed by the addition of EcoRI adaptors. The insert was subsequently ligated into the Screen phage vector (Novagen, Madison, WI) and packaged *in vitro* using the PhageMaker extract (Novagen). The resulting library was screened with sera from several *M. tuberculosis* donors that had been shown to be negative on a panel of previously identified *M. tuberculosis* antigens as described above in Example 3B.

A total of 22 different clones were isolated. By comparison, screening of the λ Zap library described above using the same sera did not result in any positive hits. One of the clones was found to represent TbRa11, described above. The determined 5' cDNA sequences for 19 of the remaining 21 clones (hereinafter referred to as Erdsn1. Erdsn2. Erdsn4-Erdsn10, Erdsn12-18, Erdsn21-Erdsn23 and Erdsn25) are provided in SEQ ID NO: 303-322. respectively, with the determined 3' cDNA sequences for Erdsn1. Erdsn2. Erdsn4. Erdsn-5, Erdsn-7-Erdsn10. Erdsn12-18. Erdsn21-Erdsn23 and Erdsn25 being provided in SEQ ID NO: 323-341, respectively. The complete cDNA insert sequence for the clone Erdsn24 is provided in SEQ ID NO: 342. Comparison of the determined cDNA sequences with those in the gene bank revealed no significant homologies to the sequences provided in SEQ ID NO: 309, 316, 318-320, 322, 324, 328, 329, 333, 335, 337, 339 and 341. The sequences of SEQ ID NO: 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342 were found to show some homology to unknown sequences previously identified in *M. tuberculosis*.

# EXAMPLE 7 ISOLATION OF SOLUBLE M. TUBERCULOSIS ANTIGENS USING MASS SPECTROMETRY

This example illustrates the use of mass spectrometry to identify soluble *M.* tuberculosis antigens.

In a first approach, *M. tuberculosis* culture filtrate was screened by Western analysis using serum from a tuberculosis-infected individual. The reactive bands were excised from a silver stained gel and the amino acid sequences determined by mass spectrometry. The determined amino acid sequence for one of the isolated antigens is provided in SEQ ID NO: 343. Comparison of this sequence with those in the gene bank revealed homology to the 85b precursor antigen previously identified in *M. tuberculosis*.

In a second approach, the high molecular weight region of *M. tuberculosis* culture supernatant was studied. This area may contain immunodominant antigens which may be useful in the diagnosis of *M. tuberculosis* infection. Two known monoclonal antibodies, IT42 and IT57 (available from the Center for Disease Control, Atlanta, GA), show reactivity by Western analysis to antigens in this vicinity, although the identity of the antigens remains unknown. In addition, unknown high-molecular weight proteins have been described as containing a surrogate marker for *M. tuberculosis* infection in HIV-positive individuals (*Jnl. Infect. Dis.*, 176:133-143, 1997). To determine the identity of these antigens, two-dimensional gel electrophoresis and two-dimensional Western analysis were performed using the antibodies IT57 and IT42. Five protein spots in the high molecular weight region were identified, individually excised, enzymatically digested and subjected to mass spectrometric analysis.

The determined amino acid sequences for three of these spots (referred to as spots 1, 2 and 4) are provided in SEQ ID NO: 344, 345-346 and 347, respectively.

Comparison of these sequences with those in the gene bank revealed that spot 1 is the previously identified PcK-1, a phosphoenolpyruvate kinase. The two sequences isolated from spot 2 were determined to be from two DNAks, previously identified in *M. tuberculosis* as heat shock proteins. Spot 4 was determined to be the previously identified *M. tuberculosis* protein Kat G. To the best of the inventors' knowledge, neither PcK-1 nor the two DNAks have previously been shown to have utility in the diagnosis of *M. tuberculosis* infection.

#### EXAMPLE 8

## USE OF REPRESENTATIVE ANTIGENS FOR DIAGNOSIS OF TUBERCULOSIS

This example illustrates the effectiveness of several representative polypeptides in skin tests for the diagnosis of *M. tuberculosis* infection.

Individuals were injected intradermally with 100 µl of either PBS or PBS plus Tween 20<sup>TM</sup> containing either 0.1 µg of protein (for TbH-9 and TbRa35) or 1.0 µg of protein (for TbRa38-1). Induration was measured between 5-7 days after injection, with a response of 5 mm or greater being considered positive. Of the 20 individuals tested, 2 were PPD negative and 18 were PPD positive. Of the PPD positive individuals, 3 had active tuberculosis, 3 had been previously infected with tuberculosis and 9 were healthy. In a second study, 13 PPD positive individuals were tested with 0.1 µg TbRa11 in either PBS or PBS plus Tween 20<sup>TM</sup> as described above. The results of both studies are shown in Table 10.

TABLE 10
RESULTS OF DTH TESTING WITH REPRESENTATIVE ANTIGENS

	TbH-9 Pos/Total	Tb38-1 Pos/Total	TbRa35 Pos/Total	Cumulative Pos/Total	TbRa11 Pos/Total
PPD negative	0/2	0/2	0/2	0/2	
PPD positive					
healthy	5/9	4/9	4/9	6/9	1/4
prior TB	3/5	2/5	2/5	4/5	3/5
active	3/4	3/4	0/4	4/4	1/4
TOTAL	11/18	9/18	6/18	14/18	5/13

## EXAMPLE 9 SYNTHESIS OF SYNTHETIC POLYPEPTIDES

Polypeptides may be synthesized on a Millipore 9050 peptide synthesizer using FMOC chemistry with HPTU (O-Benzotriazole-N.N.N'.N'-tetramethyluronium

hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray mass spectrometry and by amino acid analysis.

## EXAMPLE 10

## PREPARATION AND CHARACTERIZATION OF M. TUBERCULOSIS FUSION PROTEINS

A fusion protein containing TbRa3, the 38 kD antigen and Tb38-1 was prepared as follows.

Each of the DNA constructs TbRa3. 38 kD and Tb38-1 were modified by PCR in order to facilitate their fusion and the subsequent expression of the fusion protein TbRa3-38 kD-Tb38-1. TbRa3, 38 kD and Tb38-1 DNA was used to perform PCR using the primers PDM-64 and PDM-65 (SEQ ID NO: 146 and 147), PDM-57 and PDM-58 (SEQ ID NO: 148 and 149), and PDM-69 and PDM-60 (SEQ ID NO: 150 and 151), respectively. In each case, the DNA amplification was performed using 10 μl 10X Pfu buffer. 2 μl 10 mM dNTPs. 2 μl each of the PCR primers at 10 μM concentration. 81.5 μl water. 1.5 μl Pfu DNA polymerase (Stratagene, La Jolla, CA) and 1 μl DNA at either 70 ng/μl (for TbRa3) or 50 ng/μl (for 38 kD and Tb38-1). For TbRa3, denaturation at 94°C was performed for 2 min, followed by 40 cycles of 96°C for 15 sec and 72°C for 1 min, and lastly by 72°C for 4 min. For 38 kD. denaturation at 96°C was performed for 2 min, followed by 40 cycles of 96°C for 3 min, and finally by 72°C for 4 min. For Tb38-1 denaturation at 94°C for 2 min was followed by 10 cycles of 96°C for 15 sec and 72°C for

1.5 min, 30 cycles of 96°C for 15 sec, 64°C for 15 sec and 72°C for 1.5, and finally by 72°C for 4 min.

The TbRa3 PCR fragment was digested with NdeI and EcoRI and cloned directly into pT7^L2 IL 1 vector using NdeI and EcoRI sites. The 38 kD PCR fragment was digested with Sse8387I, treated with T4 DNA polymerase to make blunt ends and then digested with EcoRI for direct cloning into the pT7^L2Ra3-1 vector which was digested with StuI and EcoRI. The 38-1 PCR fragment was digested with Eco47III and EcoRI and directly subcloned into pT7^L2Ra3/38kD-17 digested with the same enzymes. The whole fusion was then transferred to pET28b — using NdeI and EcoRI sites. The fusion construct was confirmed by DNA sequencing.

The expression construct was transformed into BLR pLys S *E. coli* (Novagen. Madison, WI) and grown overnight in LB broth with kanamycin (30 µg/ml) and chloramphenicol (34 µg/ml). This culture (12 ml) was used to inoculate 500 ml 2XYT with the same antibiotics and the culture was induced with IPTG at an OD560 of 0.44 to a final concentration of 1.2 mM. Four hours post-induction, the bacteria were harvested and sonicated in 20 mM Tris (8.0), 100 mM NaCl, 0.1% DOC, 20 µg/ml Leupeptin, 20 mM PMSF followed by centrifugation at 26.000 X g. The resulting pellet was resuspended in 8 M urea, 20 mM Tris (8.0), 100 mM NaCl and bound to Pro-bond nickel resin (Invitrogen. Carlsbad, CA). The column was washed several times with the above buffer then eluted with an imidazole gradient (50 mM, 100 mM, 500 mM imidazole was added to 8 M urea, 20 mM Tris (8.0), 100 mM NaCl). The eluates containing the protein of interest were then dialyzed against 10 mM Tris (8.0).

The DNA and amino acid sequences for the resulting fusion protein (hereinafter referred to as TbRa3-38 kD-Tb38-1) are provided in SEQ ID NO: 152 and 153, respectively.

A fusion protein containing the two antigens TbH-9 and Tb38-1 (hereinafter referred to as TbH9-Tb38-1) without a hinge sequence, was prepared using a similar procedure to that described above. The DNĀ sequence for the TbH9-Tb38-1 fusion protein is provided in SEQ ID NO: 156.

The ability of the fusion protein TbH9-Tb38-1 to induce T cell proliferation and IFN- $\gamma$  production in PBMC preparations was examined using the protocol described above in Example 1. PBMC from three donors were employed: one who had been previously shown to respond to TbH9 but not Tb38-1 (donor 131); one who had been shown to respond to Tb38-1 but not TbH9 (donor 184); and one who had been shown to respond to both antigens (donor 201). The results of these studies (Figs. 5-7, respectively) demonstrate the functional activity of both the antigens in the fusion protein.

A fusion protein containing TbRa3, the antigen 38kD, Tb38-1 and DPEP was prepared as follows.

Each of the DNA constructs TbRa3. 38 kD and Tb38-1 were modified by PCR and cloned into vectors essentially as described above, with the primers PDM-69 (SEQ ID NO:150 and PDM-83 (SEQ ID NO: 205) being used for amplification of the Tb38-1A fragment. Tb38-1A differs from Tb38-1 by a DraI site at the 3' end of the coding region that keeps the final amino acid intact while creating a blunt restriction site that is in frame. The TbRa3/38kD/Tb38-1A fusion was then transferred to pET28b using NdeI and EcoR1 sites.

DPEP DNA was used to perform PCR using the primers PDM-84 and PDM-85 (SEQ ID NO: 206 and 207. respectively) and 1 µl DNA at 50 ng/µl. Denaturation at 94 °C was performed for 2 min. followed by 10 cycles of 96 °C for 15 sec. 68 °C for 15 sec and 72 °C for 1.5 min; 30 cycles of 96 °C for 15 sec. 64 °C for 15 sec and 72 °C for 1.5 min; and finally by 72 °C for 4 min. The DPEP PCR fragment was digested with EcoRI and Eco72I and clones directly into the pET28Ra3/38kD/38-1A construct which was digested with DraI and EcoRI. The fusion construct was confirmed to be correct by DNA sequencing. Recombinant protein was prepared as described above. The DNA and amino acid sequences for the resulting fusion protein (hereinafter referred to as TbF-2) are provided in SEQ ID NO: 208 and 209, respectively.

The reactivity of the fusion protein TbF-2 with sera from M. tuberculosis-infected patients was examined by ELISA using the protocol described above. The results of these studies (Table 11) demonstrate that all four antigens function independently in the fusion protein.

TABLE 11

REACTIVITY OF TBF-2 FUSION RECOMBINANT WITH TB AND NORMAL SERA

Serum ID	Status	TbF OD450	Status	TbF-2 OD450	Status		ELISA	Reactivity	
	<del> </del>	00430	<del> </del>	00430	<del>}</del>	38 kD	TbRa3	Tb38-1	DPEP
B931-40	TB	0.57	+	0.321	<del> </del>	- 36 KD	+	1036-1	+
B931-41	TB	0.601	+	0.396	+	+	+	+	<del>                                     </del>
B931-109	TB	0.494	+	0.404	<del> </del>	+	+	<del> </del>	<del>  -</del>
B931-132	TB	1.502	+	1.292	-	+	+	+	± ±
5004	TB	1.806	+	1.666	-	+	†≟	+	<del>  =</del>
15004	TB	2.862	1	2.468	<del> </del>	+=	+	+	-
39004	TB	2.443	+	1.722	+	+	+	+	<del>                                     </del>
68004	TB	2.871	-	2.575	<del> </del>	+	-	<del> </del>	-
99004	TB	0.691		0.971	<del>  _                                   </del>	-	=	<del> </del>	-
107004	TB	0.875	-	0.732	<del> </del>	<del> </del>	† <del>-</del>	<del> </del>	1-
92004	TB	1.632	-	1.394	+	†	<del>-</del>	±	-
97004	TB	1.491	+	1.979	+	+	± -	<del>-</del>	<del>-</del>
118004	TB	3.182	+	3.045	+	+	± ±	<del>                                     </del>	
173004	TB	3.644	-	3.578	+	-	+=	+	1
175004	TB	3.332	-	2.916	-	+	+	<del>                                     </del>	<del>                                     </del>
274004	TB	3.696	-	3.716	+	<del> </del>	+	1.	<del>                                     </del>
276004	TB	3.243	-	2.56	<del>  _                                   </del>	-	+	<del> </del>	
282004	TB	1.249	-	1.234	+	+	<del>                                     </del>		-
289004	TB	1.373	+	1.17	+	<del> </del>	+	-	-
308004	TB	3.708	-	3.355	<del> </del>	†	<del>                                     </del>	-	<del>                                     </del>
314004	TB	1.663	-	1.399	<del>  -                                   </del>	<del> </del>	1.	<del>  </del>	-
317004	TB	1.163	<del> </del>	0.92	<del> </del>	<del>†</del>	†	<del> </del>	<del> </del>
312004	TB	1.709	<del> </del>	1.453	<del> </del>	i -	+	-	-
380004	ı TB	0.238	i •	0.461	<del>  _                                   </del>	<del> </del>	† <del>=</del>	<del>                                     </del>	<del>  _                                   </del>
451004	TB	0.18	l -	0.2	<u> </u>	1.	<del> </del>	<del>}</del>	<del>  =                                   </del>
478004	TB	0.188	<del>-</del>	0.469	<del>  -                                   </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	\ <u>-</u>
410004	TB	0.384	-	2.392	<del>  -</del>	±	<del> </del>	1.	+=
411004	TB	0.306	-	0.874	+	<del> </del>	+	1.	+
421004	TB	0.357	-	1.456	+	<del>                                     </del>	<del> </del>	1.	+
528004	TB	0.047	-	0.196	†	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>
A6-87	Normal	0.094	-	0.063	1.	<del>                                     </del>	<del>                                     </del>	<del> </del>	-
A6-88	Normal	0.214	-	0.19	<del>  .                                   </del>	<del> </del>	<del>†</del>	<del>                                     </del>	-
A6-89	Normal	0.248	-	0.125	<del> </del>	+	†	<del> </del>	1-
A6-90	Normal	0.179	-	0.206	<del> </del>	1.	<del> </del>	<del>                                     </del>	+
A6-91	Normal	0.135	-	0.151	<del> </del>	<del> </del>	1.	<del> </del>	<del>  -</del>
A6-92	Normal	0.064	-	0.097	<del> </del>	<del> </del>	1.	-	<del>                                     </del>
A6-93	Normal	0.072	-	0.098	<del>  .                                   </del>	†	-	<del> </del>	<del>  -</del>
A6-94	Normal	0.072	-	0.064	<del>                                     </del>	<del>  .                                     </del>	<del> </del>	1.	+
A6-95	Normal	0.125	-	0.159		+	+	<del>                                     </del>	<del>  -</del>
A6-96	Normal	0.121		0.12	-	+	-	<del> </del>	-
		<b> </b>			<del> </del>	<del> </del>	<del>†</del>	<del>                                     </del>	<del> </del>
Cut-off		0.284		0.266	<del> </del>	+	<del> </del>	<del> </del>	<del> </del>

A fusion protein containing TbRa3, the antigen 38kD, Tb38-1 and TbH4 was prepared as follows.

Genomic *M. tuberculosis* DNA was used to PCR full-length TbH4 (FL TbH4) with the primers PDM-157 and PDM-160 (SEQ ID NO: 348 and 349, respectively) and 2 μl DNA at 100 ng/μl. Denaturation at 96 °C was performed for 2 min, followed by 40 cycles of 96 °C for 30 sec, 61 °C for 20 sec and 72 °C for 5 min; and finally by annealing at 72 °C for 10 min. The FL TbH4 PCR fragment was digested with EcoRI and Sca I (New England Biolabs.) and cloned directly into the pET28Ra3/38kD/38-1A construct described above which was digested with DraI and EcoRI. The fusion construct was confirmed to be correct by DNA sequencing. Recombinant protein was prepared as described above. The DNA and amino acid sequences for the resulting fusion protein (hereinafter referred to as TbF-6) are provided in SEQ ID NO: 350 and 351, respectively.

A fusion protein containing the antigen 38kD and DPEP separated by a linker was prepared as follows.

38 kD DNA was used to perform PCR using the primers PDM-176 and PDM-175 (SEQ ID NO: 352 and 353, respectively), and 1 µl PET28Ra3/38kD/38-1/Ra2A-12 DNA at 110 ng/µl. Denaturation at 96 °C was performed for 2 min, followed by 40 cycles of 96 °C for 30 sec, 71 °C for 15 sec and 72 °C for 5 min and 40 sec; and finally by annealing at 72 °C for 4 min. The two sets of primers PDM-171, PDM-172, and PDM-173, PDM-174 were annealed by heating to 95 °C for 2 min and then ramping down to 25 °C slowly at 0.1 °C/sec. DPEP DNA was used to perform PCR as described above. The 38 kD fragment was digested with Eco RI (New England Biolabs) and cloned into a modified pT7ΔL2 vector which was cut with Eco 72 I (Promega) and Eco RI. The modified pT7\Delta L2 construct was designed to have a MGHHHHHH amino acid coding region in frame just 5' of the Eco 72 I site. The construct was digested with Kpn 2I (Gibco, BRL) and Pst I (New England Biolabs) and the annealed sets of phosphorylated primers (PDM-171, PDM-172 and PDM-173, PDM-174) were cloned in. The DPEP PCR fragment was digested with Eco RI and Eco 72 I and cloned into this second construct which was digested with Eco 47 III (New England Biolabs) and Eco RI. Ligations were done with a ligation kit from Panvera (Madison, WI). The resulting construct was digested with Ndel (New England Biolabs) and Eco RI, and transferred to a modified pET28 vector. The fusion construct was confirmed to be correct by DNA sequencing.

Recombinant protein was prepared essentially as described above. The DNA and amino acid sequences for the resulting fusion protein (hereinafter referred to as TbF-8) are provided in SEQ ID NO: 354 and 355, respectively.

One of skill in the art will appreciate that the order of the individual antigens within the fusion protein may be changed and that comparable activity would be expected provided each of the epitopes is still functionally available. In addition, truncated forms of the proteins containing active epitopes may be used in the construction of fusion proteins.

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purpose of illustration, various modifications may be made without deviating from the spirit and scope of the invention.

#### SEQUENCE LISTING

#### (1) GENERAL INFORMATION:

- (i) APPLICANTS: Reed, Steven G.
  Skeiky, Yasir A.W.
  Dillon, Davin C.
  Campos-Neto, Antonio
  Houghton, Raymond
  Vedvick, Thomas S.
  Twardzik, Daniel R.
  Lodes, Michael J.
  Hendrickson, Ronald
- (ii) TITLE OF INVENTION: COMPOUNDS AND METHODS FOR IMMUNOTHERAPY AND DIAGNOSIS OF TUBERCULOSIS
- (iii) NUMBER OF SEQUENCES: 355
- (iv) CORRESPONDENCE ADDRESS:
  - (A) ADDRESSEE: SEED and BERRY LLP
  - (B) STREET: 6300 Columbia Center, 701 Fifth Avenue
  - (C) CITY: Seattle
  - (D) STATE: Washington
  - (E) COUNTRY: USA
  - (F) ZIP: 98104-7092
  - (v) COMPUTER READABLE FORM:
    - (A) MEDIUM TYPE: Floppy disk
    - (B) COMPUTER: IBM PC compatible
    - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
    - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
  - (A) APPLICATION NUMBER:
  - (B) FILING DATE: 05-MAY-1998
  - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
  - (A) NAME: Maki, David J.
  - (B) REGISTRATION NUMBER: 31,392
  - (C) REFERENCE/DOCKET NUMBER: 210121.411C9
  - (ix) TELECOMMUNICATION INFORMATION:
    - (A) TELEPHONE: (206) 622-4900
    - (B) TELEFAX: (206) 682-6031
- (2) INFORMATION FOR SEQ ID NO:1:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 766 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single

### (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

CGAGGCACCG	GTAGTTTGAA	CCAAACGCAC	AATCGACGGG	CAAACGAACG	GAAGAACACA	60
ACCATGAAGA	TGGTGAAATC	GATCGCCGCA	GGTCTGACCG	CCGCGGCTGC	AATCGGCGCC	120
GCTGCGGCCG	GTGTGACTTC	GATCATGGCT	GGCGGCCCGG	TCGTATACCA	GATGCAGCCG	180
GTCGTCTTCG	GCGCGCCACT	GCCGTTGGAC	CCGGCATCCG	CCCCTGACGT	CCCGACCGCC	240
GCCCAGTTGA	CCAGCCTGCT	CAACAGCCTC	GCCGATCCCA	ACGTGTCGTT	TGCGAACAAG	300
GGCAGTCTGG	TCGAGGGCGG	CATCGGGGGC	ACCGAGGCGC	GCATCGCCGA	CCACAAGCTG	360
AAGAAGGCCG	CCGAGCACGG	GGATCTGCCG	CTGTCGTTCA	GCGTGACGAA	CATCCAGCCG	420
GCGGCCGCCG	GTTCGGCCAC	CGCCGACGTT	TCCGTCTCGG	GTCCGAAGCT	CTCGTCGCCG	480
GTCACGCAGA	ACGTCACGTT	CGTGAATCAA	GGCGGCTGGA	TGCTGTCACG	CGCATCGGCG	540
ATGGAGTTGC	TGCAGGCCGC	AGGGNAACTG	ATTGGCGGGC	CGGNTTCAGC	CCGCTGTTCA	600
GCTACGCCGC	CCGCCTGGTG	ACGCGTCCAT	GTCGAACACT	CGCGCGTGTA	GCACGGTGCG	660
GTNTGCGCAG	GGNCGCACGC	ACCGCCCGGT	GCAAGCCGTC	CTCGAGATAG	GTGGTGNCTC	720
GNCACCAGNG	ANCACCCCCN	NNTCGNCNNT	TCTCGNTGNT	GNATGA		766

#### (2) INFORMATION FOR SEQ ID NO:2:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 752 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

ATGCATCACC	ATCACCATCA	CGATGAAGTC	ACGGTAGAGA	CGACCTCCGT	CTTCCGCGCA	60
GACTTCCTCA	GCGAGCTGGA	CGCTCCTGCG	CAAGCGGGTA	CGGAGAGCGC	GGTCTCCGGG	120
GTGGAAGGGC	TCCCGCCGGG	CTCGGCGTTG	CTGGTAGTCA	AACGAGGCCC	CAACGCCGGG	180
TCCCGGTTCC	TACTCGACCA	AGCCATCACG	TCGGCTGGTC	GGCATCCCGA	CAGCGACATA	240
TTTCTCGACG	ACGTGACCGT	GAGCCGTCGC	CATGCTGAAT	TCCGGTTGGA	AAACAACGAA	300
TTCAATGTCG	TCGATGTCGG	GAGTCTCAAC	GGCACCTACG	TCAACCGCGA	GCCCGTGGAT	360
TCGGCGGTGC	TGGCGAACGG	CGACGAGGTC	CAGATCGGCA	AGCTCCGGTT	GGTGTTCTTG	420
ACCGGACCCA	AGCAAGGCGA	GGATGACGGG	AGTACCGGGG	GCCCGTGAGC	GCACCCGATA	480
GCCCGCGCT	GGCCGGGATG	TCGATCGGGG	CGGTCCTCCG	ACCTGCTACG	ACCGGATTTT	540
CCCTGATGTC	CACCATCTCC	AAGATTCGAT	TCTTGGGAGG	CTTGAGGGTC	NGGGTGACCC	600
CCCCGCGGGC	CTCATTCNGG	GGTNTCGGCN	GGTTTCACCC	CNTACCNACT	GCCNCCCGGN	660
TTGCNAATTC	NITCITCNCT	GCCCNNAAAG	GGACCNTTAN	CTTGCCGCTN	GAAANGGTNA	720
TCCNGGGCCC	NTCCTNGAAN	CCCCNTCCCC	CT			752

### (2) INFORMATION FOR SEQ ID NO:3:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 813 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear \_

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CATATGCATC	ACCATCACCA	TCACACTTCT	AACCGCCCAG	CGCGTCGGGG	GCGTCGAGCA	60
CCACGCGACA	CCGGGCCCGA	TCGATCTGCT	AGCTTGAGTC	TGGTCAGGCA	TCGTCGTCAG	120
CAGCGCGATG	CCCTATGTTT	GTCGTCGACT	CAGATATCGC	GGCAATCCAA	TCTCCCGCCT	180

GCGGCCGGCG	GTGCTGCAAA	CTACTCCCGG	AGGAATTTCG	ACGTGCGCAT	CAAGATCTTC	240
ATGCTGGTCA	CGGCTGTCGT	TITGCTCTGT	TGTTCGGGTG	TGGCCACGGC	CGCGCCCAAG	300
ACCTACTGCG	AGGAGTTGAA	AGGCACCGAT	ACCGGCCAGG	CGTGCCAGAT	TCAAATGTCC	360
GACCCGGCCT	ACAACATCAA	CATCAGCCTG	CCCAGTTACT	ACCCCGACCA	GAAGTCGCTG	420
GAAAATTACA	TCGCCCAGAC	GCGCGACAAG	TTCCTCAGCG	CGGCCACATC	GTCCACTCCA	480
CGCGAAGCCC	CCTACGAATT	GAATATCACC	TCGGCCACAT	ACCAGTCCGC	GATACCGCCG	540
CGTGGTACGC	AGGCCGTGGT	GCTCAMGGTC	TACCACAACG	CCGGCGGCAC	GCACCCAACG	600
ACCACGTACA	AGGCCTTCGA	TTGGGACCAG	GCCTATCGCA	AGCCAATCAC	CTATGACACG	660
CTGTGGCAGG	CTGACACCGA	TCCGCTGCCA	GTCGTCTTCC	CCATTGTTGC	AAGGTGAACT	720
GAGCAACGCA	GACCGGGACA	ACWGGTATCG	ATAGCCGCCN	AATGCCGGCT	TGGAACCCNG	780
TGAAATTATC	ACAACTICGC	AGTCACNAAA	NAA			813

## (2) INFORMATION FOR SEQ ID NO:4:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 447 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

CGGTATGAAC	ACGGCCGCGT	CCGATAACTT	CCAGCTGTCC	CAGGGTGGGC	AGGGATTCGC	60
CATTCCGATC	GGGCAGGCGA	TGGCGATCGC	GGGCCAGATC	CGATCGGGTG	GGGGGTCACC	120
CACCGTTCAT	ATCGGGCCTA	CCGCCTTCCT	CGGCTTGGGT	GTTGTCGACA	ACAACGGCAA	180
CGGCGCACGA	GTCCAACGCG	TGGTCGGGAG	CGCTCCGGCG	GCAAGTCTCG	GCATCTCCAC	240
CGGCGACGTG	ATCACCGCGG	TCGACGGCGC	TCCGATCAAC	TCGGCCACCG	CGATGGCGGA	300
CGCGCTTAAC	GGGCATCATC	CCGGTGACGT	CATCTCGGTG	AACTGGCAAA	CCAAGTCGGG	360
CGGCACGCGT	ACAGGGAACG	TGACATTGGC	CGAGGGACCC	CCGGCCTGAT	TTCGTCGYGG	420
ATACCACCCG	CCGGCCGGCC	AATTGGA				447

## (2) INFORMATION FOR SEQ ID NO:5:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 604 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

GTCCCACTGC	GGTCGCCGAG	TATGTCGCCC	AGCAAATGTC	TGGCAGCCGC	CCAACGGAAT	60
CCGGTGATCC	GACGTCGCAG	GTTGTCGAAC	CCGCCGCCGC	GGAAGTATCG	GTCCATGCCT	120
AGCCCGGCGA	CGGCGAGCGC	CGGAATGGCG	CGAGTGAGGA	GGCGGGCAAT	TTGGCGGGGC	180
CCGGCGACGG	NGAGCGCCGG	AATGGCGCGA	GTGAGGAGGT	GGNCAGTCAT	GCCCAGNGTG	240
ATCCAATCAA	CCTGNATTCG	GNCTGNGGGN	CCATTTGACA	ATCGAGGTAG	TGAGCGCAAA	300
TGAATGATGG	AAAACGGGNG	GNGACGTCCG	NTGTTCTGGT	GGTGNTAGGT	GNCTGNCTGG	360
NGTNGNGGNT	ATCAGGATGT	TCTTCGNCGA	AANCTGATGN	CGAGGAACAG	GGTGTNCCCG	420
NNANNCCNAN	GGNGTCCNAN	CCCNNNNTCC	TCGNCGANAT	CANANAGNCG	NTTGATGNGA	480
NAAAAGGGTG	GANCAGNNNN	AANTNGNGGN	CCNAANAANC	NNNANNGNNG	NNAGNTNGNT	540
NNNTNTTNNC	ANNNNNNTG	NNGNNGNNCN	NNNCAANCNN	NTNNNNGNAA	NNGGNTTNTT	600
NAAT						604

#### (2) INFORMATION FOR SEQ ID NO:6:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 633 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

TTGCANGTCG	AACCACCTCA	CTAAAGGGAA	CAAAAGCTNG	AGCTCCACCG	CGGTGGCGGC	60
CGCTCTAGAA	CTAGTGKATM	YYYCKGGCTG	CAGSAATYCG	GYACGAGCAT	TAGGACAGTC	120
TAACGGTCCT	GTTACGGTGA	TCGAATGACC	GACGACATCC	TGCTGATCGA	CACCGACGAA	180
CGGGTGCGAA	CCCTCACCCT	CAACCGGCCG	CAGTCCCGYA	ACGCGCTCTC	GGCGGCGCTA	240
CGGGATCGGT	TTTTCGCGGY	GTTGGYCGAC	GCCGAGGYCG	ACGACGACAT	CGACGTCGTC	300
ATCCTCACCG	GYGCCGATCC	GGTGTTCTGC	GCCGGACTGG	ACCTCAAGGT	AGCTGGCCGG	360
GCAGACCGCG	CTGCCGGACA	TCTCACCGCG	GTGGGCGGCC	ATGACCAAGC	CGGTGATCGG	420
CGCGATCAAC	GGCGCCGCGG	TCACCGGCGG	GCTCGAACTG	GCGCTGTACT	GCGACATCCT	480
GATCGCCTCC	GAGCACGCCC	GCTTCGNCGA	CACCCACGCC	CGGGTGGGGC	TGCTGCCCAC	540
CTGGGGACTC	AGTGTGTGCT	TGCCGCAAAA	GGTCGGCATC	GGNCTGGGCC	GGTGGATGAG	600
CCTGACCGGC	GACTACCTGT	CCGTGACCGA	CGC			633

### (2) INFORMATION FOR SEQ ID NO:7:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1362 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

CGACGACGAC	GGCGCCGGAG	AGCGGGCGCG	AACGGCGATC	GACGCGGCCC	TGGCCAGAGT	60
CGGCACCACC	CAGGAGGGAG	TCGAATCATG	AAATTTGTCA	ACCATATTGA	GCCCGTCGCG	120
CCCCGCCGAG	CCGGCGGCGC	GGTCGCCGAG	GTCTATGCCG	AGGCCCGCCG	CGAGTTCGGC	180
CGGCTGCCCG	AGCCGCTCGC	CATGCTGTCC	CCGGACGAGG	GACTGCTCAC	CGCCGGCTGG	240
GCGACGTTGC	GCGAGACACT	GCTGGTGGGC	CAGGTGCCGC	GTGGCCGCAA	GGAAGCCGTC	300
GCCGCCGCCG	TCGCGGCCAG	CCTGCGCTGC	CCCTGGTGCG	TCGACGCACA	CACCACCATG	360
CTGTACGCGG	CAGGCCAAAC	CGACACCGCC	GCGGCGATCT	TGGCCGGCAC	AGCACCTGCC	420
GCCGGTGACC	CGAACGCGCC	GTATGTGGCG	TGGGCGGCAG	GAACCGGGAC	ACCGGCGGGA	480
CCGCCGGCAC	CGTTCGGCCC	GGATGTCGCC	GCCGAATACC	TGGGCACCGC	GGTGCAATTC	540
CACTICATCG	CACGCCTGGT	CCTGGTGCTG	CTGGACGAAA	CCTTCCTGCC	GGGGGGCCCG	600
CGCGCCCAAC	AGCTCATGCG	CCGCGCCGGT	GGACTGGTGT	TCGCCCGCAA	GGTGCGCGCG	660
GAGCATCGGC	CGGGCCGCTC	CACCCGCCGG	CTCGAGCCGC	GAACGCTGCC	CGACGATCTG	720
GCATGGGCAA	CACCGTCCGA	GCCCATAGCA	ACCGCGTTCG	CCGCGCTCAG	CCACCACCTG	780
GACACCGCGC	CGCACCTGCC	GCCACCGACT	CGTCAGGTGG	TCAGGCGGGT	CGTGGGGTCG	840
TGGCACGGCG	AGCCAATGCC	GATGAGCAGT	CGCTGGACGA	ACGAGCACAC	CGCCGAGCTG	900
CCCGCCGACC	TGCACGCGCC	CACCCGTCTT	GCCCTGCTGA	CCGGCCTGGC	CCCGCATCAG	960
GTGACCGACG	ACGACGTCGC	CGCGGCCCGA	TCCCTGCTCG	ACACCGATGC	GGCGCTGGTT	1020
GGCGCCCTGG	CCTGGGCCGC	CTTCACCGCC	GCGCGCGCA	TCGGCACCTG	GATCGGCGCC	1080
GCCGCCGAGG	GCCAGGTGTC	GCGGCAAAAÇ	CCGACTGGGT	GAGTGTGCGC	GCCCTGTCGG	1140
TAGGGTGTCA	TCGCTGGCCC	GAGGGATCTC	GCGGCGGCGA	ACGGAGGTGG	CGACACAGGT	1200
GGAAGCTGCG	CCCACTGGCT	TGCGCCCCAA	CGCCGTCGTG	GGCGTTCGGT	TGGCCGCACT	1260
GGCCGATCAG	GTCGGCGCCG	GCCCTTGGCC	GAAGGTCCAG	CTCAACGTGC	CGTCACCGAA	1320
GGACCGGACG	GTCACCGGGG	GTCACCCTGC	GCGCCCAAGG	AA		1362

### (2) INFORMATION FOR SEQ ID NO:8:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1458 base pairs

(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

GCGACGACCC	CGATATGCCG	GGCACCGTAG	CGAAAGCCGT	CGCCGACGCA	CTCGGGCGCG	60
GTATCGCTCC	CGTTGAGGAC	ATTCAGGACT	GCGTGGAGGC	CCGGCTGGGG	GAAGCCGGTC	120
TGGATGACGT	GGCCCGTGTT	TACATCATCT	ACCGGCAGCG	GCGCGCCGAG	CTGCGGACGG	180
CTAAGGCCTT	GCTCGGCGTG	CGGGACGAGT	TAAAGCTGAG	CTTGGCGGCC	GTGACGGTAC	240
TGCGCGAGCG	CTATCTGCTG	CACGACGAGC	AGGGCCGGCC	GGCCGAGTCG	ACCGGCGAGC	300
TGATGGACCG	ATCGGCGCGC	TGTGTCGCGG	CGGCCGAGGA	CCAGTATGAG	CCGGGCTCGT	360
CGAGGCGGTG	GGCCGAGCGG	TTCGCCACGC	TATTACGCAA	CCTGGAATTC	CTGCCGAATT	420
CGCCCACGTT	GATGAACTCT	GGCACCGACC	TGGGACTGCT	CGCCGGCTGT	TTTGTTCTGC	480
CGATTGAGGA	TTCGCTGCAA	TCGATCTTTG	CGACGCTGGG	ACAGGCCGCC	GAGCTGCAGC	540
GGGCTGGAGG	CGGCACCGGA	TATGCGTTCA	GCCACCTGCG	ACCCGCCGGG	GATCGGGTGG	600
CCTCCACGGG	CGGCACGGCC	AGCGGACCGG	TGTCGTTTCT	ACGGCTGTAT	GACAGTGCCG	660
CGGGTGTGGT	CTCCATGGGC	GGTCGCCGGC	GTGGCGCCTG	TATGGCTGTG	CTTGATGTGT	720
CGCACCCGGA	TATCTGTGAT	TTCGTCACCG	CCAAGGCCGA	ATCCCCCAGC	GAGCTCCCGC	780
ATTTCAACCT	ATCGGTTGGT	GTGACCGACG	CGTTCCTGCG	GGCCGTCGAA	CGCAACGGCC	840
TACACCGGCT	GGTCAATCCG	CGAACCGGCA	AGATCGTCGC	GCGGATGCCC	GCCGCCGAGC	900
TGTTCGACGC	CATCTGCAAA	GCCGCGCACG	CCGGTGGCGA	TCCCGGGCTG	GTGTTTCTCG	960
ACACGATCAA	TAGGGCAAAC	CCGGTGCCGG	GGAGAGGCCG	CATCGAGGCG	ACCAACCCGT	1020
GCGGGGAGGT	CCCACTGCTG	CCTTACGAGT	CATGTAATCT	CGGCTCGATC	AACCTCGCCC	1080
GGATGCTCGC	CGACGGTCGC	GTCGACTGGG	ACCGGCTCGA	GGAGGTCGCC	GGTGTGGCGG	1140
TGCGGTTCCT	TGATGACGTC	ATCGATGTCA	GCCGCTACCC	CTTCCCCGAA	CTGGGTGAGG	1200
CGGCCCGCGC	CACCCGCAAG	ATCGGGCTGG	GAGTCATGGG	TTTGGCGGAA	CIGCIIGCCG	1260
CACTGGGTAT	TCCGTACGAC	AGTGAAGAAG	CCGTGCGGTT	AGCCACCCGG	CTCATGCGTC	1320
GCATACAGCA	GGCGGCGCAC	ACGGCATCGC	GGAGGCTGGC	CGAAGAGCGG	GGCGCATTCC	1380
CGGCGTTCAC	CGATAGCCGG	TTCGCGCGGT	CGGGCCCGAG	GCGCAACGCA	CAGGTCACCT	1440
CCGTCGCTCC	GACGGGCA					1458

### (2) INFORMATION FOR SEQ ID NO:9:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 862 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

2	ACGGTGTAAT	CGTGCTGGAT	CTGGAACCGC	GTGGCCCGCT	ACCTACCGAG	ATCTACTGGC	60
(	GGCGCAGGGG	GCTGGCCCTG	GGCATCGCGG	TCGTCGTAGT	CGGGATCGCG	GTGGCCATCG	120
•	TCATCGCCTT	CGTCGACAGC	AGCGCCGGTG	CCAAACCGGT	CAGCGCCGAC	AAGCCGGCCT	180
(	CCGCCCAGAG	CCATCCGGGC	TCGCCGGCAC.	CCCAAGCACC	CCAGCCGGCC	GGGCAAACCG	240
2	AAGGTAACGC	CGCCGCGGCC	CCGCCGCAGG	GCCAAAACCC	CGAGACACCC	ACGCCCACCG	300
(	CCGCGGTGCA	GCCGCCGCCG	GTGCTCAAGG	AAGGGGACGA	TTGCCCCGAT	TCGACGCTGG	360
(	CCGTCAAAGG	TTTGACCAAC	GCGCCGCAGT	ACTACGTCGG	CGACCAGCCG	AAGTTCACCA	420
•	TGGTGGTCAC	CAACATCGGC	CTGGTGTCCT	GTAAACGCGA	CGTTGGGGCC	GCGGTGTTGG	480
(	CCGCCTACGT	TTACTCGCTG	GACAACAAGC	GGTTGTGGTC	CAACCTGGAC	TGCGCGCCCT	540
(	CGAATGAGAC	GCTGGTCAAG	ACGTTTTCCC	CCGGTGAGCA	GGTAACGACC	GCGGTGACCT	600

GGACCGGGAT	GGGATCGGCG	CCGCGCTGCC	CATTGCCGCG	GCCGGCGATC	GGGCCGGCA	660
CCTACAATCT	CGTGGTACAA	CTGGGCAATC	TGCGCTCGCT	GCCGGTTCCG	TTCATCCTGA	720
ATCAGCCGCC	GCCGCCGCCC	GGGCCGGTAC	CCGCTCCGGG	TCCAGCGCAG	GCGCCTCCGC	780
CGGAGTCTCC	CGCGCAAGGC	GGATAATTAT	TGATCGCTGA	TGGTCGATTC	CGCCAGCTGT	840
GACAACCCCT	CGCCTCGTGC	CG				862

## (2) INFORMATION FOR SEQ ID NO:10:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 622 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

TTGATCAGCA	CCGGCAAGGC	GTCACATGCC	TCCCTGGGTG	TGCAGGTGAC	CAATGACAAA	60
GACACCCCGG	GCGCCAAGAT	CGTCGAAGTA	GTGGCCGGTG	GTGCTGCCGC	GAACGCTGGA	120
GTGCCGAAGG	GCGTCGTTGT	CACCAAGGTC	GACGACCGCC	CGATCAACAG	CGCGGACGCG	180
TIGGTIGCCG	CCGTGCGGTC	CAAAGCGCCG	GGCGCCACGG	TGGCGCTAAC	CTTTCAGGAT	240
CCCTCGGGCG	GTAGCCGCAC	AGTGCAAGTC	ACCCTCGGCA	AGGCGGAGCA	GTGATGAAGG	300
TCGCCGCGCA	GTGTTCAAAG	CTCGGATATA	CGGTGGCACC	CATGGAACAG	CGTGCGGAGT	360
TGGTGGTTGG	CCGGGCACTT	GTCGTCGTCG	TTGACGATCG	CACGGCGCAC	GGCGATGAAG	420
ACCACAGCGG	GCCGCTTGTC	ACCGAGCTGC	TCACCGAGGC	CGGGTTTGTT	GTCGACGGCG	480
TGGTGGCGGT	GTCGGCCGAC	GAGGTCGAGA	TCCGAAATGC	GCTGAACACA	GCGGTGATCG	540
GCGGGGTGGA	CCTGGTGGTG	TCGGTCGGCG	GGACCGGNGT	GACGNCTCGC	GATGTCACCC	600
CGGAAGCCAC	CCGNGACATT	CT				622

### (2) INFORMATION FOR SEQ ID NO:11:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1200 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

GGCGCAGCGG	TAAGCCTGTT	GGCCGCCGGC	ACACTGGTGT	TGACAGCATG	CGGCGGTGGC	60
ACCAACAGCT	CGTCGTCAGG	CGCAGGCGGA	ACGTCTGGGT	CGGTGCACTG	CGGCGGCAAG	120
AAGGAGCTCC	ACTCCAGCGG	CTCGACCGCA	CAAGAAAATG	CCATGGAGCA	GTTCGTCTAT	180
GCCTACGTGC	GATCGTGCCC	GGGCTACACG	TTGGACTACA	ACGCCAACGG	GTCCGGTGCC	240
GGGGTGACCC	AGTTTCTCAA	CAACGAAACC	GATTTCGCCG	GCTCGGATGT	CCCGTTGAAT	300
CCGTCGACCG	GTCAACCTGA	CCGGTCGGCG	GAGCGGTGCG	GTTCCCCGGC	ATGGGACCTG	360
CCGACGGTGT	TCGGCCCGAT	CGCGATCACC	TACAATATCA	AGGGCGTGAG	CACGCTGAAT	420
CTTGACGGAC	CCACTACCGC	CAAGATTTTC	AACGGCACCA	TCACCGTGTG	GAATGATCCA	480
CAGATCCAAG	CCCTCAACTC	CGGCACCGAC	CTGCCGCCAA	CACCGATTAG	CGTTATCTTC	540
CGCAGCGACA	AGTCCGGTAC	GTCGGACAAC	TTCCAGAAAT	ACCTCGACGG	TGTATCCAAC	600
GGGGCGTGGG	GCAAAGGCGC	CAGCGAAACG	TTCAGCGGGG	GCGTCGGCGT	CGGCGCCAGC	660
GGGAACAACG	GAACGTCGGC	CCTACTGCAG	ACGACCGACG	GGTCGATCAC	CTACAACGAG	720
TGGTCGTTTG	CGGTGGGTAA	GCAGTTGAAC	ATGGCCCAGA	TCATCACGTC	GGCGGGTCCG	780
GATCCAGTGG	CGATCACCAC	CGAGTCGGTC	GGTAAGACAA	TCGCCGGGGC	CAAGATCATG	840
GGACAAGGCA	ACGACCTGGT	ATTGGACACG	TCGTCGTTCT	ACAGACCCAC	CCAGCCTGGC	900
TCTTACCCGA	TCGTGCTGGC	GACCTATGAG	ATCGTCTGCT	CGAAATACCC	GGATGCGACG	960
ACCGGTACTG	CGGTAAGGGC	GTTTATGCAA	GCCGCGATTG	GTCCAGGCCA	AGAAGGCCTG	1020

GACCAATACG	GCTCCATTCC	GTTGCCCAAA	TCGTTCCAAG	CAAAATTGGC	GGCCGCGGTG	1080
AATGCTATTT	CTTGACCTAG	TGAAGGGAAT	TCGACGGTGA	GCGATGCCGT	TCCGCAGGTA	1140
GGGTCGCAAT	TTGGGCCGTA	TCAGCTATTG	CGGCTGCTGG	GCCGAGGCGG	GATGGGCGAG	1200

### (2) INFORMATION FOR SEQ ID NO:12:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1155 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

GCAAGCAGCT	GCAGGTCGTG	CTGTTCGACG	AACTGGGCAT	GCCGAAGACC	AAACGCACCA	60
AGACCGGCTA	CACCACGGAT	GCCGACGCGC	TGCAGTCGTT	GTTCGACAAG	ACCGGGCATC	120
CGTTTCTGCA	ACATCTGCTC	GCCCACCGCG	ACGTCACCCG	GCTCAAGGTC	ACCGTCGACG	180
GGTTGCTCCA	AGCGGTGGCC	GCCGACGGCC	GCATCCACAC	CACGTTCAAC	CAGACGATCG	240
CCGCGACCGG	CCGGCTCTCC	TCGACCGAAC	CCAACCTGCA	GAACATCCCG	ATCCGCACCG	300
ACGCGGGCCG	GCGGATCCGG	GACGCGTTCG	TGGTCGGGGA	CGGTTACGCC	GAGTTGATGA	360
CGGCCGACTA	CAGCCAGATC	GAGATGCGGA	TCATGGGGCA	CCTGTCCGGG	GACGAGGCC	420
TCATCGAGGC	GTTCAACACC	GGGGAGGACC	TGTATTCGTT	CGTCGCGTCC	CGGGTGTTCG	480
GTGTGCCCAT	CGACGAGGTC	ACCGGCGAGT	TGCGGCGCCG	GGTCAAGGCG	ATGTCCTACG	540
GGCTGGTTTA	CGGGTTGAGC	GCCTACGGCC	TGTCGCAGCA	GTTGAAAATC	TCCACCGAGG	600
AAGCCAACGA	GCAGATGGAC	GCGTATTTCG	CCCGATTCGG	CGGGGTGCGC	GACTACCTGC	660
GCGCCGTAGT	CGAGCGGGCC	CGCAAGGACG	GCTACACCTC	GACGGTGCTG	GGCCGTCGCC	720
GCTACCTGCC	CGAGCTGGAC	AGCAGCAACC	GTCAAGTGCG	GGAGGCCGCC	GAGCGGGCGG	780
CGCTGAACGC	GCCGATCCAG	GGCAGCGCGG	CCGACATCAT	CAAGGTGGCC	ATGATCCAGG	840
TCGACAAGGC	GCTCAACGAG	GCACAGCTGG	CGTCGCGCAT	GCTGCTGCAG	GTCCACGACG	900
AGCTGCTGTT	CGAAATCGCC	CCCGGTGAAC	GCGAGCGGGT	CGAGGCCCTG	GTGCGCGACA	960
AGATGGGCGG	CGCTTACCCG	CTCGACGTCC	CGCTGGAGGT	GTCGGTGGGC	TACGGCCGCA	1020
GCTGGGACGC	GGCGGCGCAC	TGAGTGCCGA	GCGTGCATCT	GGGGCGGGAA	TTCGGCGATT	1080
TTTCCGCCCT	GAGTTCACGC	TCGGCGCAAT	CGGGACCGAG	TTTGTCCAGC	GTGTACCCGT	1140
CGAGTAGCCT	CGTCA					1155

### (2) INFORMATION FOR SEQ ID NO:13:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1771 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

GAGCGCCGTC	TGGTGTTTGA	ACGGTTTTAC	CGGTCGGCAT	CGGCACGGGC	GTTGCCGGGT	60
TCGGGCCTCG	GGTTGGCGAT	CGTCAAACAG	GTGGTGCTCA	ACCACGGCGG	ATTGCTGCGC	120
ATCGAAGACA	CCGACCCAGG	CGGCCAGCCC	CCTGGAACGT	CGATTTACGT	GCTGCTCCCC	180
GGCCGTCGGA	TGCCGATTCC	GCAGCTTCCC,	GGTGCGACGG	CTGGCGCTCG	GAGCACGGAC	240
ATCGAGAACT	CTCGGGGTTC	GGCGAACGTT	ATCTCAGTGG	AATCTCAGTC	CACGCGCGCA	300
ACCTAGTTGT	GCAGTTACTG	TTGAAAGCCA	CACCCATGCC	AGTCCACGCA	TGGCCAAGTT	360
GGCCCGAGTA	GTGGGCCTAG	TACAGGAAGA	GCAACCTAGC	GACATGACGA	ATCACCCACG	420
GTATTCGCCA	CCGCCGCAGC	AGCCGGGAAC	CCCAGGTTAT	GCTCAGGGGC	AGCAGCAAAC	480
GTACAGCCAG	CAGTTCGACT	GGCGTTACCC	ACCGTCCCCG	CCCCCGCAGC	CAACCCAGTA	540
CCGTCAACCC	TACGAGGCGT	TGGGTGGTAC	CCGGCCGGGT	CTGATACCTG	GCGTGATTCC	600

GACCATGACG	CCCCCTCCTG	GGATGGTTCG	CCAACGCCCT	CGTGCAGGCA	TGTTGGCCAT	660
CGGCGCGGTG	ACGATAGCGG	TGGTGTCCGC	CGGCATCGGC	GGCGCGGCCG	CATCCCTGGT	720
CGGGTTCAAC	CGGGCACCCG	CCGGCCCCAG	CGGCGGCCCA	GTGGCTGCCA	GCGCGGCGCC	780
AAGCATCCCC	GCAGCAAACA	TGCCGCCGGG	GTCGGTCGAA	CAGGTGGCGG	CCAAGGTGGT	840
GCCCAGTGTC	GTCATGTTGG	AAACCGATCT	GGGCCGCCAG	TCGGAGGAGG	GCTCCGGCAT	900
	GCCGAGGGGC			GTGATCGCGG	CGGCCGCCAA	960
GCCTCCCCTG	GGCAGTCCGC	CGCCGAAAAC	GACGGTAACC	TTCTCTGACG	GGCGGACCGC	1020
ACCCTTCACG			CAGTGATATC	GCCGTCGTCC	GTGTTCAGGG	1080
	CTCACCCCGA		TTCCTCCTCG	GACCTGAGGG	TCGGTCAGCC	1140
	ATCGGGTCGC		GGAGGGCACC	GTGACCACGG	GGATCGTCAG	1200
			CGAGGCCGGC	AACCAGAACA	CCGTGCTGGA	1260
	ACCGACGCCG		CGGTAACTCC	GGGGGCGCGC	TGGTGAACAT	1320
	CTCGTCGGAG	TCAACTCGGC	CATTGCCACG	CTGGGCGCGG	ACTCAGCCGA	1380
TGCGCAGAGC	GGCTCGATCG	GTCTCGGTTT	TGCGATTCCA	GTCGACCAGG	CCAAGCGCAT	1440
	TTGATCAGCA	CCGGCAAGGC	GTCACATGCC	TCCCTGGGTG	TGCAGGTGAC	1500
CAATGACAAA	GACACCCCGG	GCGCCAAGAT	CGTCGAAGTA	GTGGCCGGTG	GTGCTGCCGC	1560
GAACGCTGGA		GCGTCGTTGT	CACCAAGGTC	GACGACCGCC	CGATCAACAG	1620
CGCGGACGCG		CCGTGCGGTC		GGCGCCACGG	TGGCGCTAAC	1680
CTTTCAGGAT	CCCTCGGGCG	GTAGCCGCAC	AGTGCAAGTC	ACCCTCGGCA	AGGCGGAGCA	1740
GTGATGAAGG	TCGCCGCGCA	GTGTTCAAAG	C			1771

## (2) INFORMATION FOR SEQ ID NO:14:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1058 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

CTCCACCGCG	GTGGCGGCCG	CTCTAGAACT	AGTGGATCCC	CCGGGCTGCA	GGAATTCGGC	60
ACGAGGATCC		GTTGTCGAAC			GTCCATGCCT	120
AGCCCGGCGA	CGGCGAGCGC	CGGAATGGCG	CGAGTGAGGA	GGCGGGCAAT	TTGGCGGGGC	180
CCGGCGACGG	CGAGCGCCGG	AATGGCGCGA	GTGAGGAGGC	GGGCAGTCAT	GCCCAGCGTG	240
ATCCAATCAA	CCTGCATTCG	GCCTGCGGGC	CCATTTGACA	ATCGAGGTAG	TGAGCGCAAA	300
TGAATGATGG	AAAACGGGCG	GTGACGTCCG	CTGTTCTGGT	GGTGCTAGGT	GCCTGCCTGG	360
CGTTGTGGCT	ATCAGGATGT	TCTTCGCCGA	AACCTGATGC	CGAGGAACAG	GGTGTTCCCG	420
TGAGCCCGAC	GGCGTCCGAC	CCCGCGCTCC	TCGCCGAGAT	CAGGCAGTCG	CTTGATGCGA	480
CAAAAGGGTT		CACGTAGCGG	TCCGAACAAC	CGGGAAAGTC	GACAGCTTGC	540
TGGGTATTAC	CAGTGCCGAT	GTCGACGTCC	GGGCCAATCC	GCTCGCGGCA	AAGGGCGTAT	600
GCACCTACAA	CGACGAGCAG	GGTGTCCCGT	TTCGGGTACA	AGGCGACAAC	ATCTCGGTGA	660.
AACTGTTCGA	CGACTGGAGC	AATCTCGGCT	CGATTTCTGA	ACTGTCAACT	TCACGCGTGC	720
TCGATCCTGC	CGCTGGGGTG	ACGCAGCTGC	TGTCCGGTGT	CACGAACCTC	CAAGCGCAAG	780
GTACCGAAGT	GATAGACGGA	ATTTCGACCA	CCAAAATCAC	CGGGACCATC	CCCGCGAGCT	840
CTGTCAAGAT	GCTTGATCCT	GGCGCCAAGA	GTGCAAGGCC	GGCGACCGTG	TGGATTGCCC	900
AGGACGGCTC	GCACCACCTC	GTCCGAGCGA	GCATCGACCT	CGGATCCGGG	TCGATTCAGC	960
TCACGCAGTC	GAAATGGAAC	GAACCCGTCA	ACGTCGACTA	GGCCGAAGTT	GCGTCGACGC	1020
GTTGNTCGAA	ACGCCCTTGT	GAACGGTGTC	AACGGNAC			1058

## (2) INFORMATION FOR SEQ ID NO:15:

# (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 542 base pairs
- (B) TYPE: nucleic acid

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

GAATTCGGCA	CGAGAGGTGA	TCGACATCAT	CGGGACCAGC	CCCACATCCT	GGGAACAGGC	60
GGCGGCGGAG	GCGGTCCAGC	GGGCGCGGGA	TAGCGTCGAT	GACATCCGCG	TCGCTCGGGT	120
CATTGAGCAG	GACATGGCCG	TGGACAGCGC	CGGCAAGATC	ACCTACCGCA	TCAAGCTCGA	180
AGTGTCGTTC	AAGATGAGGC	CGGCGCAACC	GCGCTAGCAC	GGGCCGGCGA	GCAAGACGCA	240
AAATCGCACG	GTTTGCGGTT	GATTCGTGCG	ATTITGTGTC	TGCTCGCCGA	GGCCTACCAG	300
GCGCGGCCCA	GGTCCGCGTG	CTGCCGTATC	CAGGCGTGCA	TCGCGATTCC	GGCGGCCACG	360
CCGGAGTTAA	TGCTTCGCGT	CGACCCGAAC	TGGGCGATCC	GCCGGNGAGC	TGATCGATGA	420
CCGTGGCCAG	CCCGTCGATG	CCCGAGTTGC	CCGAGGAAAC	GTGCTGCCAG	GCCGGTAGGA	480
AGCGTCCGTA	GGCGGCGGTG	CTGACCGGCT	CTGCCTGCGC	CCTCAGTGCG	GCCAGCGAGC	540
GG						542

#### (2) INFORMATION FOR SEQ ID NO:16:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 913 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

CGGTGCCGCC	CGCGCCTCCG	TTGCCCCCAT	TGCCGCCGTC	GCCGATCAGC	TGCGCATCGC	60
CACCATCACC	GCCTTTGCCG	CCGGCACCGC	CGGTGGCGCC	GGGGCCGCCG	ATGCCACCGC	120
TTGACCCTGG	CCGCCGGCGC	CGCCATTGCC	ATACAGCACC	CCGCCGGGGG	CACCGTTACC	180
GCCGTCGCCA	CCGTCGCCGC	CGCTGCCGTT	TCAGGCCGGG	GAGGCCGAAT	GAACCGCCGC	240
CAAGCCCGCC	GCCGGCACCG	TTGCCGCCTT	TTCCGCCCGC	CCCGCCGGCG	CCGCCAATTG	300
CCGAACAGCC	AMGCACCGTT	GCCGCCAGCC	CCGCCGCCGT	TAACGGCGCT	GCCGGGCGCC	360
GCCGCCGGAC	CCGCCATTAC	CGCCGTTCCC	GTTCGGTGCC	CCGCCGTTAC	CGGCGCCGCC	420
GTTTGCCGCC	AATATTCGGC	GGGCACCGCC	AGACCCGCCG	GGGCCACCAT	TGCCGCCGGG	480
CACCGAAACA	ACAGCCCAAC	GGTGCCGCCG	GCCCCGCCGT	TTGCCGCCAT	CACCGGCCAT	540
TCACCGCCAG	CACCGCCGTT	AATGTTTATG	AACCCGGTAC	CGCCAGCGCG	GCCCCTATTG	600
CCGGGCGCCG	GAGNGCGTGC	CCGCCGGCGC	CGCCAACGCC	CAAAAGCCCG	GGGTTGCCAC	660
CGGCCCCGCC	GGACCCACCG	GTCCCGCCGA	TCCCCCCGTT	GCCGCCGGTG	CCGCCGCCAT	720
TGGTGCTGCT	GAAGCCGTTA	GCGCCGGTTC	CGCSGGTTCC	GGCGGTGGCG	CCNTGGCCGC	780
CGGCCCCGCC	GTTGCCGTAC	AGCCACCCC	CGGTGGCGCC	GTTGCCGCCA	TTGCCGCCAT	840
TGCCGCCGTT	GCCGCCATTG	CCGCCGTTCC	CGCCGCCACC	GCCGGNTTGG	CCGCCGGCGC	900
CGCCGGCGGC	CGC					913

## (2) INFORMATION FOR SEQ ID NO:17:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1872 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

GACTACGTTG GTGTAGAAA	ATCCTGCCGC	CCGGACCCTT	AAGGCTGGGA	CAATTTCTGA	60
TAGCTACCCC GACACAGGAC	GTTACGGGAT	GAGCAATTCG	CGCCGCCGCT	CACTCAGGTG	120

GTCATGGTTG	CTGAGCGTGC	TGGCTGCCGT	CGGGCTGGGC	CTGGCCACGG	CGCCGGCCCA	180.
GCCGCCCCG	CCGGCCTTGT	CGCAGGACCG	GTTCGCCGAC	TTCCCCGCGC	TGCCCCTCGA	240
CCCGTCCGCG	ATGGTCGCCC	AAGTGGCGCC	ACAGGTGGTC	AACATCAACA	CCAAACTGGG	300
CTACAACAAC	GCCGTGGGCG	CCGGGACCGG	CATCGTCATC	GATCCCAACG	GTGTCGTGCT	360
GACCAACAAC	CACGTGATCG	CGGGCGCCAC	CGACATCAAT	GCGTTCAGCG	TCGGCTCCGG	420
CCAAACCTAC	GGCGTCGATG	TGGTCGGGTA	TGACCGCACC	CAGGATGTCG	CGGTGCTGCA	480
GCTGCGCGGT	GCCGGTGGCC	TGCCGTCGGC	GGCGATCGGT	GCCGCCTCG	CGGTTGGTGA	540
GCCCGTCGTC	GCGATGGGCA	ACAGCGGTGG	GCAGGGCGGA	ACGCCCCGTG	CGGTGCCTGG	600
CAGGGTGGTC	GCGCTCGGCC	AAACCGTGCA	GGCGTCGGAT	TCGCTGACCG	GTGCCGAAGA	660
GACATTGAAC	GGGTTGATCC	AGTTCGATGC	CGCAATCCAG	CCCGGTGATT	CGGGCGGCC	720
CGTCGTCAAC	GGCCTAGGAC	AGGTGGTCGG	TATGAACACG	GCCGCGTCCG	ATAACTTCCA	780
GCTGTCCCAG	GGTGGGCAGG	GATTCGCCAT	TCCGATCGGG	CAGGCGATGG	CGATCGCGGG	840
CCAAATCCGA	TCGGGTGGGG	GGTCACCCAC	CGTTCATATC	GGGCCTACCG	CCTTCCTCGG	900
CTTGGGTGTT	GTCGACAACA	ACGGCAACGG	CGCACGAGTC	CAACGCGTGG	TCGGAAGCGC	960
			CGACGTGATC			1020
GATCAACTCG	GCCACCGCGA	TGGCGGACGC	GCTTAACGGG	CATCATCCCG	GTGACGTCAT	1080
CTCGGTGAAC	TGGCAAACCA	AGTCGGGCGG	CACGCGTACA	GGGAACGTGA	CATTGGCCGA	1140
GGGACCCCCG	GCCTGATTTG	TCGCGGATAC	CACCCGCCGG	CCGGCCAATT	GGATTGGCGC	1200
CAGCCGTGAT	TGCCGCGTGA	GCCCCGAGT	TCCGTCTCCC	GTGCGCGTGG	CATTGTGGAA	1260
GCAATGAACG	AGGCAGAACA			TGCAGGGCAG		1320
GGCGGTGTGG	TCGAGCATCC	GGATGCCAAG	GACTTCGGCA	GCGCCGCCGC	CCTGCCCGCC	1380
GATCCGACCT	GGTTTAAGCA		TACGAGGTGC	TGGTCCGGGC	GTTCTTCGAC	1440
	ACGGTTCCGN		GGACTCATCG	ATCGCCTCGA	CTACCTGCAG	1500
= :	TCGACTGCAT		CGTTCCTACG	ACTCACCGCT	GCGCGACGGC	1560
GGTTACGACA	TTCGCGACTT		CTGCCCGAAT	TCGGCACCGT		1620
GTCGCCCTGG			GGTATCCGCA	TCATCACCGA	CCTGGTGATG	1680
AATCACACCT		CCCCTGGTTT		GCCGCGACCC		1740
			AGCGAGCGCT			1800
		GAACTGGTCA	TTCGATCCTG	TCCGCCGACA	GTTNCTACTG	1860
GCACCGATTC	TT					1872

## (2) INFORMATION FOR SEQ ID NO:18:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1482 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

CTTCGCCGAA	ACCTGATGCC	GAGGAACAGG	GTGTTCCCGT	GAGCCCGACG	GCGTCCGACC	60
CCGCGCTCCT	CGCCGAGATC	AGGCAGTCGC	TTGATGCGAC	AAAAGGGTTG	ACCAGCGTGC	120
ACGTAGCGGT	CCGAACAACC	GGGAAAGTCG	ACAGCTTGCT	GGGTATTACC	AGTGCCGATG	180
TCGACGTCCG	GGCCAATCCG	CTCGCGGCAA	AGGGCGTATG	CACCTACAAC	GACGAGCAGG	240
GTGTCCCGTT	TCGGGTACAA	GGCGACAACA	TCTCGGTGAA	ACTGTTCGAC	GACTGGAGCA	300
ATCTCGGCTC	GATTTCTGAA	CTGTCAACTT	CACGCGTGCT	CGATCCTGCC	GCTGGGGTGA	360
CGCAGCTGCT	GTCCGGTGTC	ACGAACCTCC	AAGCGCAAGG	TACCGAAGTG	ATAGACGGAA	420
TTTCGACCAC	CAAAATCACC	GGGACCATCC	CCGCGAGCTC	TGTCAAGATG	CTTGATCCTG	480
GCGCCAAGAG	TGCAAGGCCG	GCGACCGTGT	GGATTGCCCA	GGACGGCTCG	CACCACCTCG	540
TCCGAGCGAG	CATCGACCTC	GGATCCGGGT	CGATTCAGCT	CACGCAGTCG	AAATGGAACG	600
AACCCGTCAA	CGTCGACTAG	GCCGAAGTTG	CGTCGACGCG	TTGCTCGAAA	CGCCCTTGTG	660
AACGGTGTCA	ACGGCACCCG	AAAACTGACC	CCCTGACGGC	ATCTGAAAAT	TGACCCCCTA	720
GACCGGGCGG	TTGGTGGTTA	TTCTTCGGTG	GTTCCGGCTG	GTGGGACGCG	GCCGAGGTCG	780
CGGTCTTTGA	GCCGGTAGCT	GTCGCCTTTG	AGGGCGACGA	CTTCAGCATG	GTGGACGAGG	840

CGGTCGATCA	TGGCGGCAGC	AACGACGTCG	TCGCCGCCGA	AAACCTCGCC	CCACCGGCCG	900
AAGGCCTTAT	TGGACGTGAC	GATCAAGCTG	GCCCGCTCAT	ACCGGGAGGA	CACCAGCTGG	960
AAGAAGAGGT	TGGCGGCCTC	GGGCTCAAAC	GGAATGTAAC	CGACTTCGTC	AACCACCAGG	1020
AGCGGATAGC	GGCCAAACCG	GGTGAGTTCG	GCGTAGATGC	GCCCGGCGTG	GTGAGCCTCG	1080
GCGAACCGTG	CTACCCATTC	GGCGGCGGTG	GCGAACAGCA	CCCGATGACC	GGCCTGACAC	1140
GCGCGTATCG	CCAGGCCGAC	CGCAAGATGA	GTCTTCCCGG	TGCCAGGCGG	GGCCCAAAAA	1200
CACGACGTTA	TCGCGGGCGG	TGATGAAATC	CAGGGTGCCC	AGATGTGCGA	TGGTGTCGCG	1260
TTTGAGGCCA	CGAGCATGCT	CAAAGTCGAA	CTCTTCCAAC	GACTTCCGAA	CCGGGAAGCG	1320
GGCGGCGCGG	ATGCGGCCCT	CACCACCATG	GGACTCCCGG	GCTGACACTT	CCCGCTGCAG	1380
GCAGGCGGCC	AGGTATTCTT	CGTGGCTCCA	GTTCTCGGCG	CGGGCGCGAT	CGGCCAGCCG	1440
GGACACTGAC	TCACGCAGGG	TGGGAGCTTT	CAATGCTCTT	GT		1482

#### (2) INFORMATION FOR SEQ ID NO:19:

#### (i) SEQUENCE CHARACTERISTICS:

(D) TOPOLOGY: linear

(A) LENGTH: 876 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

GAATTCGGCA CGAGCCGGCG ATAGCTTCTG GGCCGCGGCC GACCAGATGG CTCGAGGGTT 60 CGTGCTCGGG GCCACCGCG GGCGCACCAC CCTGACCGGT GAGGGCCTGC AACACGCCGA 120 CGGTCACTCG TTGCTGCTGG ACGCCACCAA CCCGGCGGTG GTTGCCTACG ACCCGGCCTT 180 CGCCTACGAA ATCGGCTACA TCGNGGAAAG CGGACTGGCC AGGATGTGCG GGGAGAACCC 240 GGAGAACATC TTCTTCTACA TCACCGTCTA CAACGAGCCG TACGTGCAGC CGCCGGAGCC 300 GGAGAACTIC GATCCCGAGG GCGTGCTGGG GGGTATCTAC CGNTATCACG CGGCCACCGA 360 GCAACGCACC AACAAGGNGC AGATCCTGGC CTCCGGGGTA GCGATGCCCG CGGCGCTGCG 420 GGCAGCACAG ATGCTGGCCG CCGAGTGGGA TGTCGCCGCC GACGTGTGGT CGGTGACCAG 480 TTGGGGCGAG CTAAACCGCG ACGGGGTGGT CATCGAGACC GAGAAGCTCC GCCACCCCGA 540 TCGGCCGGCG GGCGTGCCCT ACGTGACGAG AGCGCTGGAG AATGCTCGGG GCCCGGTGAT 600 CGCGGTGTCG GACTGGATGC GCGCGGTCCC CGAGCAGATC CGACCGTGGG TGCCGGGCAC 660 ATACCTCACG TTGGGCACCG ACGGGTTCGG TTTTTCCGAC ACTCGGCCCG CCGGTCGTCG TTACTTCAAC ACCGACGCCG AATCCCAGGT TGGTCGCGGT TTTGGGAGGG GTTGGCCGGG 780 TCGACGGGTG AATATCGACC CATTCGGTGC CGGTCGTGGG CCGCCCGCCC AGTTACCCGG 840 ATTCGACGAA GGTGGGGGGT TGCGCCCGAN TAAGTT 876

#### (2) INFORMATION FOR SEQ ID NO:20:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1021 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

ATCCCCCCGG	GCTGCAGGAA	TTCGGCACGA-	GAGACAAAAT	TCCACGCGTT	AATGCAGGAA	60
CAGATTCATA	ACGAATTCAC	AGCGGCACAA	CAATATGTCG	CGATCGCGGT	TTATTTCGAC	120
AGCGAAGACC	TGCCGCAGTT	GGCGAAGCAT	TTTTACAGCC	AAGCGGTCGA	GGAACGAAAC	180
CATGCAATGA	TGCTCGTGCA	ACACCTGCTC	GACCGCGACC	TTCGTGTCGA	AATTCCCGGC	240
GTAGACACGG	TGCGAAACCA	GTTCGACAGA	CCCCGCGAGG	CACTGGCGCT	GGCGCTCGAT	300
CAGGAACGCA	CAGTCACCGA	CCAGGTCGGT	CGGCTGACAG	CGGTGGCCCG	CGACGAGGGC	360
GATTTCCTCG	GCGAGCAGTT	CATGCAGTGG	TTCTTGCAGG	AACAGATCGA	AGAGGTGGCC	420

TTGATGGCAA	CCCTGGTGCG	GGTTGCCGAT	CGGGCCGGGG	CCAACCTGTT	CGAGCTAGAG	480
AACTTCGTCG	CACGTGAAGT	GGATGTGGCG	CCGGCCGCAT	CAGGCGCCCC	GCACGCTGCC	540
GGGGGCCGCC	TCTAGATCCC	TGGGGGGGAT	CAGCGAGTGG	TCCCGTTCGC	CCGCCCGTCT	600
TCCAGCCAGG	CCTTGGTGCG	GCCGGGGTGG	TGAGTACCAA	TCCAGGCCAC	CCCGACCTCC	660
CGGNAAAAGT	CGATGTCCTC	GTACTCATCG	ACGTTCCAGG	AGTACACCGC	CCGGCCCTGA	720
GCTGCCGAGC	GGTCAACGAG	TTGCGGATAT	TCCTTTAACG	CAGGCAGTGA	GGGTCCCACG	780
GCGGTTGGCC	CGACCGCCGT	GGCCGCACTG	CTGGTCAGGT	ATCGGGGGGT	CTTGGCGAGC	840
AACAACGTCG	GCAGGAGGGG	TGGAGCCCGC	CGGATCCGCA	GACCGGGGGG	GCGAAAACGA	900
CATCAACACC	GCACGGGATC	GATCTGCGGA	GGGGGGTGCG	GGAATACCGA	ACCGGTGTAG	960
GAGCGCCAGC	AGTTGTTTTT	CCACCAGCGA	AGCGTTTTCG	GGTCATCGGN	GGCNNTTAAG	1020
T						1021

### (2) INFORMATION FOR SEQ ID NO:21:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 321 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

CGTGCCGACG	AACGGAAGAA	CACAACCATG	AAGATGGTGA	AATCGATCGC	CGCAGGTCTG	60
ACCGCCGCGG	CTGCAATCGG	CGCCGCTGCG	GCCGGTGTGA	CTTCGATCAT	GGCTGGCGGN	120
CCGGTCGTAT	ACCAGATGCA	GCCGGTCGTC	TTCGGCGCGC	CACTGCCGTT	GGACCCGGNA	180
TCCGCCCCTG	ANGTCCCGAC	CGCCGCCCAG	TGGACCAGNC	TGCTCAACAG	NCTCGNCGAT	240
CCCAACGTGT	CGTTTGNGAA	CAAGGGNAGT	CTGGTCGAGG	GNGGNATCGG	NGGNANCGAG	300
GGNGNGNATC	GNCGANCACA	A				321

### (2) INFORMATION FOR SEQ ID NO:22:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 373 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

TCTTATCGGT	TCCGGTTGGC	GACGGGTTTT	GGGNGCGGGT	GGTTAACCCG	CTCGGCCAGC	60
CGATCGACGG	GCGCGGAGAC	GTCGACTCCG	ATACTCGGCG	CGCGCTGGAG	CTCCAGGCGC	120
CCTCGGTGGT	GNACCGGCAA	GGCGTGAAGG	AGCCGTTGNA	GACCGGGATC	AAGGCGATTG	180
ACGCGATGAC	CCCGATCGGC	CGCGGGCAGC	GCCAGCTGAT	CATCGGGGAC	CGCAAGACCG	240
GCAAAAACCG	CCGTCTGTGT	CGGACACCAT	CCTCAAACCA	GCGGGAAGAA	CTGGGAGTCC	300
GGTGGATCCC	AAGAAGCAGG	TGCGCTTGTG	TATACGTTGG	CCATCGGGCA	AGAAGGGGAA	360
CTTACCATCG	CCG					373

### (2) INFORMATION FOR SEQ ID NO:23:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 352 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

GTGACGCCGT	GATGGGATTC	CTGGGCGGGG	CCGGTCCGCT	GGCGGTGGTG	GATCAGCAAC	60
TGGTTACCCG	GGTGCCGCAA	GGCTGGTCGT	TTGCTCAGGC	AGCCGCTGTG	CCGGTGGTGT	120
TCTTGACGGC	CTGGTACGGG	TTGGCCGATT	TAGCCGAGAT	CAAGGCGGGC	GAATCGGTGC	180
TGATCCATGC	CGGTACCGGC	GGTGTGGGCA	TGGCGGCTGT	GCAGCTGGCT	CGCCAGTGGG	240
GCGTGGAGGT	TTTCGTCACC	GCCAGCCGTG	GNAAGTGGGA	CACGCTGCGC	GCCATNGNGT	300
TTGACGACGA	NCCATATCGG	NGATTCCCNC	ACATNCGAAG	TTCCGANGGA	GA	352

## (2) INFORMATION FOR SEQ ID NO:24:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 726 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

GAAATCCGCG	TTCATTCCGT	TCGACCAGCG	GCTGGCGATA	ATCGACGAAG	TGATCAAGCC	60
GCGGTTCGCG	GCGCTCATGG	GTCACAGCGA	GTAATCAGCA	AGTTCTCTGG	TATATCGCAC	120
CTAGCGTCCA	GTTGCTTGCC	AGATCGCTTT	CGTACCGTCA	TCGCATGTAC	CGGTTCGCGT	180
GCCGCACGCT	CATGCTGGCG	GCGTGCATCC	TGGCCACGGG	TGTGGCGGGT	CTCGGGGTCG	240
GCGCGCAGTC	CGCAGCCCAA	ACCGCGCCGG	TGCCCGACTA	CTACTGGTGC	CCGGGGCAGC	300
CTTTCGACCC	CGCATGGGGG	CCCAACTGGG	ATCCCTACAC	CTGCCATGAC	GACTTCCACC	360
GCGACAGCGA	CGGCCCCGAC	CACAGCCGCG	ACTACCCCGG	ACCCATCCTC	GAAGGTCCCG	420
TGCTTGACGA	TCCCGGTGCT	GCGCCGCCGC	CCCCGGCTGC	CGGTGGCGGC	GCATAGCGCT	480
CGTTGACCGG	GCCGCATCAG	CGAATACGCG	TATAAACCCG	GGCGTGCCCC	CGGCAAGCTA	540
CGACCCCCGG	CGGGGCAGAT	TTACGCTCCC	GTGCCGATGG	ATCGCGCCGT	CCGATGACAG	600
AAAATAGGCG	ACGGTTTTGG	CAACCGCTTG	GAGGACGCTT	GAAGGGAACC	TGTCATGAAC	660
GGCGACAGCG	CCTCCACCAT	CGACATCGAC	AAGGTTGTTA	CCCGCACACC	CGTTCGCCGG	720
ATCGTG						726

#### (2) INFORMATION FOR SEQ ID NO:25:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 580 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

CGCGACGACG	ACGAACGTCG	GGCCCACCAC	CGCCTATGCG	TTGATGCAGG	CGACCGGGAT	60
GGTCGCCGAC	CATATCCAAG	CATGCTGGGT	GCCCACTGAG	CGACCTTTTG	ACCAGCCGGG	120
CTGCCCGATG	GCGGCCCGGT	GAAGTCATTG	CGCCGGGGCT	TGTGCACCTG	ATGAACCCGA	180
ATAGGGAACA	ATAGGGGGGT	GATTTGGCAG	TTCAATGTCG	GGTATGGCTG	GAAATCCAAT	240
GGCGGGGCAT	GCTCGGCGCC	GACCAGGCTC	GCGCAGGCGG	GCCAGCCCGA	ATCTGGAGGG	300
AGCACTCAAT	GGCGGCGATG	AAGCCCCGGA	CCGGCGACGG	TCCTTTGGAA	GCAACTAAGG	360
AGGGGCGCGG	CATTGTGATG	CGAGTACCAC	TTGAGGGTGG	CGGTCGCCTG	GTCGTCGAGC	420
TGACACCCGA	CGAAGCCGCC	GCACTGGGTG	ACGAACTCAA	AGGCGTTACT	AGCTAAGACC	480
AGCCCAACGG	CGAATGGTCG	GCGTTACGCG	CACACCTTCC	GGTAGATGTC	CAGTGTCTGC	540
TCGGCGATGT	ATGCCCAGGA	GAACTCTTGG	ATACAGCGCT			580

### (2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:	•
(A) LENGTH: 160 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
, ,	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:	
AACGGAGGCG CCGGGGGTTT TGGCGGGGGCC GGGGCGGTCG GCGGCAACGG CGGGGCCGGC	60
GGTACCGCCG GGTTGTTCGG TGTCGGCGGG GCCGGTGGGG CCGGAGGCAA CGGCATCGCC	-
GGTGTCACGG GTACGTCGGC CAGCACACCG GGTGGATCCG	160
	100
(2) INFORMATION FOR SEQ ID NO:27:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 272 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:	
GACACCGATA CGATGGTGAT GTACGCCAAC GTTGTCGACA CGCTCGAGGC GTTCACGATC	60
CAGCGCACAC CCGACGGCGT GACCATCGGC GATGCGGCCC CGTTCGCGGA GGCGGCTGCC	120
AAGGCGATGG GAATCGACAA GCTGCGGGTA ATTCATACCG GAATGGACCC CGTCGTCGCT	180
GAACGCGAAC AGTGGGACGA CGGCAACAAC ACGTTGGCGT TGGCGCCCGG TGTCGTTGTC	240
GCCTACGAGC GCAACGTACA GACCAACGCC CG	272
(2) INFORMATION FOR SEQ ID NO:28:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 317 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:	
(XI) SEQUENCE DESCRIPTION: SEQ ID NO:20:	
GCAGCCGGTG GTTCTCGGAC TATCTGCGCA CGGTGACGCA GCGCGACGTG CGCGAGCTGA	6
AGCGGATCGA GCAGACGGAT CGCCTGCCGC GGTTCATGCG CTACCTGGCC GCTATCACCG	12
CGCAGGAGCT GAACGTGGCC GAAGCGGCGC GGGTCATCGG GGTCGACGCG GGGACGATCC	18
GTTCGGATCT GGCGTGGTTC GAGACGGTCT ATCTGGTACA TCGCCTGCCC GCCTGGTCGC	24
GGAATCTGAC CGCGAAGATC AAGAAGCGGT CAAAGATCCA CGTCGTCGAC AGTGGCTTCG	30
CGGCCTGGTT GCGCGGG	31
(2) INFORMATION FOR SEQ ID NO:29:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 182 base pairs	
(B) TYPE: nucleic acid	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

GATCGTGGAG CTGTCGATGA ACAGCGTTGC CGGACGCGCG GCGGCCAGCA CGTCGGTGTA	60
GCAGCGCCGG ACCACCTCGC CGGTGGGCAG CATGGTGATG ACCACGTCGG CCTCGGCCAC	120
CGCTTCGGGC GCGCTACGAA ACACCGCGAC ACCGTGCGCG GCGGCGCCGG ACGCCGCCGT	180
GG	182
(2) INFORMATION FOR SEQ ID NO:30:	
(2) INFORMATION FOR SEQ ID NO:30:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 308 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(b) Topologi: Timear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:	
GATCGCGAAG TTTGGTGAGC AGGTGGTCGA CGCGAAAGTC TGGGCGCCTG CGAAGCGGGT	60
CGGCGTTCAC GAGGCGAAGA CACGCCTGTC CGAGCTGCTG CGGCTCGTCT ACGGCGGGCA	120
GAGGTTGAGA TTGCCCGCCG CGGCGAGCCG GTAGCAAAGC TTGTGCCGCT GCATCCTCAT	180
GAGACTCGGC GGTTAGGCAT TGACCATGGC GTGTACCGCG TGCCCGACGA TTTGGACGCT	240
CCGTTGTCAG ACGACGTGCT CGAACGCTTT CACCGGTGAA GCGCTACCTC ATCGACACCC	300
ACGTTTGG	308
(2) INFORMATION FOR SEQ ID NO:31:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 267 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:	
CCGACGACGA GCAACTCACG TGGATGATGG TCGGCAGCGG CATTGAGGAC GGAGAGAATC	60
CGGCCGAAGC TGCCGCGCG CAAGTGCTCA TAGTGACCGG CCGTAGAGGG CTCCCCCGAT	120
GGCACCGGAC TATTCTGGTG TGCCGCTGGC CGGTAAGAGC GGGTAAAAGA ATGTGAGGGG	180
ACACGATGAG CAATCACACC TACCGAGTGA TCGAGATCGT CGGGACCTCG CCCGACGGCG	240
TCGACGCGGC AATCCAGGGC GGTCTGG	267
(2) INFORMATION FOR SEQ ID NO:32:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 1539 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:	
CMCCMCCCC1	۰.
CTCGTGCCGA AAGAATGTGA GGGGACACGA TGAGCAATCA CACCTACCGA GTGATCGAGA TCGTCGGGAC CTCGCCCGAC GGCGTCGACG CGGCAATCCA GGGCGGTCTG GCCCGAGCTG	60 120
CGCAGACCAT GCGCGCGCTG GACTGGTTCG AAGTACAGTC AATTCGAGGC CACCTGGTCG	18
ACGGAGCGGT CGCGCACTTC CAGGTGACTA TGAAAGTCGG CTTCCGCTGG AGGATTCCTG	24
AACCTTCAAG CGCGGCCGAT AACTGAGGTG CATCATTAAG CGACTTTTCC AGAACATCCT	30
GACGCGCTCG AAACGCGGTT CAGCCGACGG TGGCTCCGCC GAGGCGCTGC CTCCAAAATC	36
CCTGCGACAA TTCGTCGGCG GCGCCTACAA GGAAGTCGGT GCTGAATTCG TCGGGTATCT	42

GGTCGACCTG	TGTGGGCTGC	AGCCGGACGA	AGCGGTGCTC	GACGTCGGCT	GCGGCTCGGG	480
GCGGATGGCG	TTGCCGCTCA	CCGGCTATCT	GAACAGCGAG	GGACGCTACG	CCGGCTTCGA	540
TATCTCGCAG	AAAGCCATCG	CGTGGTGCCA	GGAGCACATC	ACCTCGGCGC	ACCCCAACTT	600
CCAGTTCGAG	GTCTCCGACA	TCTACAACTC	GCTGTACAAC	CCGAAAGGGA	AATACCAGTC	660
ACTAGACTTT	CGCTTTCCAT	ATCCGGATGC	GTCGTTCGAT	GTGGTGTTTC	TTACCTCGGT	720
GTTCACCCAC	ATGTTTCCGC	${\tt CGGACGTGGA}$	GCACTATCTG	GACGAGATCT	CCCGCGTGCT	780
GAAGCCCGGC	GGACGATGCC	TGTGCACGTA	CTTCTTGCTC	AATGACGAGT	CGTTAGCCCA	840
CATCGCGGAA	GGAAAGAGTG	CGCACAACTT	CCAGCATGAG	GGACCGGGTT	ATCGGACAAT	900
CCACAAGAAG	CGGCCCGAAG	AAGCAATCGG	CTTGCCGGAG	ACCTTCGTCA	GGGATGTCTA	960
TGGCAAGTTC	GGCCTCGCCG	TGCACGAACC	ATTGCACTAC	GGCTCATGGA	GTGGCCGGGA	1020
ACCACGCCTA	AGCTTCCAGG	ACATCGTCAT	CGCGACCAAA	ACCGCGAGCT	AGGTCGGCAT	1080
CCGGGAAGCA	TCGCGACACC	GTGGCGCCGA	GCGCCGCTGC	CGGCAGGCCG	ATTAGGCGGG	1140
CAGATTAGCC	CGCCGCGGCT	CCCGGCTCCG	AGTACGGCGC	CCCGAATGGC	GTCACCGGCT	1200
GGTAACCACG	CTTGCGCGCC	TGGGCGGCGG	CCTGCCGGAT	CAGGTGGTAG	ATGCCGACAA	1260
AGCCTGCGTG	ATCGGTCATC	ACCAACGGTG	ACAGCAGCCG	GTTGTGCACC	AGCGCGAACG	1320
CCACCCCGGT	CTCCGGGTCT	GTCCAGCCGA	TCGAGCCGCC	CAAGCCCACA	TGACCAAACC	1380
CCGGCATCAC	GTTGCCGATC	GGCATACCGT	GATAGCCAAG	ATGAAAATTT	AAGGGCACCA	1440
ATAGATTTCG	ATCCGGCAGA	ACTTGCCGTC	GGTTGCGGGT	CAGGCCCGTG	ACCAGCTCCC	1500
GCGACAAGAA	CCGTATGCCG	TCGATCTCGC	CTCGTGCCG			1539

#### (2) INFORMATION FOR SEQ ID NO:33:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 851 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

CTGCAGGGTG	GCGTGGATGA	GCGTCACCGC	GGGGCAGGCC	GAGCTGACCG	CCGCCCAGGT	60
CCGGGTTGCT	GCGGCGGCCT	ACGAGACGGC	GTATGGGCTG	ACGGTGCCCC	CGCCGGTGAT	120
CGCCGAGAAC	CGTGCTGAAC	TGATGATTCT	GATAGCGACC	AACCTCTTGG	GGCAAAACAC	180
CCCGGCGATC	GCGGTCAACG	AGGCCGAATA	CGGCGAGATG	TGGGCCCAAG	ACGCCGCCGC	240
GATGTTTGGC	TACGCCGCGG	CGACGGCGAC	GGCGACGGCG	ACGTTGCTGC	CGTTCGAGGA	300
GGCGCCGGAG	ATGACCAGCG	CGGGTGGGCT	CCTCGAGCAG	GCCGCCGCGG	TCGAGGAGGC	360
CTCCGACACC	GCCGCGGCGA	ACCAGTTGAT	GAACAATGTG	CCCCAGGCGC	TGAAACAGTT	420
GGCCCAGCCC	ACGCAGGGCA	CCACGCCTTC	TTCCAAGCTG	GGTGGCCTGT	GGAAGACGGT	480
CTCGCCGCAT	CGGTCGCCGA	TCAGCAACAT	GGTGTCGATG	GCCAACAACC	ACATGTCGAT	540
GACCAACTCG	GGTGTGTCGA	TGACCAACAC	CTTGAGCTCG	ATGTTGAAGG	GCTTTGCTCC	600
GGCGGCGGCC	GCCCAGGCCG	TGCAAACCGC	GGCGCAAAAC	GGGGTCCGGG	CGATGAGCTC	660
GCTGGGCAGC	TCGCTGGGTT	CTTCGGGTCT	GGGCGGTGGG	GTGGCCGCCA	ACTTGGGTCG	720
GGCGGCCTCG	GTACGGTATG	GTCACCGGGA	TGGCGGAAAA	TATGCANAGT	CTGGTCGGCG	780
GAACGGTGGT	CCGGCGTAAG	GTTTACCCCC	GTTTTCTGGA	TGCGGTGAAC	TTCGTCAACG	840
GAAACAGTTA	C					851

## (2) INFORMATION FOR SEQ ID NO:34:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 254 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

GATCGATCGG	GCGGAAATTT	GGACCAGATT	CGCCTCCGGC	GATAACCCAA	TCAATCGAAC	60
CTAGATTTAT	TCCGTCCAGG	GGCCCGAGTA	ATGGCTCGCA	GGAGAGGAAC	CTTACTGCTG	120
CGGGCACCTG	TCGTAGGTCC	TCGATACGGC	GGAAGGCGTC	GACATTTTCC	ACCGACACCC	180
CCATCCAAAC	GTTCGAGGGC	CACTCCAGCT	TGTGAGCGAG	GCGACGCAGT	CGCAGGCTGC	240
GCTTGGTCAA	GATC					254

#### (2) INFORMATION FOR SEQ ID NO:35:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1227 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

GATCCTGACC	GAAGCGGCCG	CCGCCAAGGC	GAAGTCGCTG	TTGGACCAGG	AGGGACGGGA	60
CGATCTGGCG	CTGCGGATCG	CGGTTCAGCC	GGGGGGGTGC	GCTGGATTGC	GCTATAACCT	120
TTTCTTCGAC	GACCGGACGC	TGGATGGTGA	CCAAACCGCG	GAGTTCGGTG	GTGTCAGGTT	180
GATCGTGGAC	CGGATGAGCG	CGCCGTATGT	GGAAGGCGCG	TCGATCGATT	TCGTCGACAC	240
TATTGAGAAG	CAAGGTTCAC	CATCGACAAT	CCCAACGCCA	CCGGCTCCTG	CGCGTGCGGG	300
GATTCGTTCA	ACTGATAAAA	CGCTAGTACG	ACCCCGCGGT	GCGCAACACG	TACGAGCACA	360
CCAAGACCTG	ACCGCGCTGG	AAAAGCAACT	GAGCGATGCC	TTGCACCTGA	CCGCGTGGCG	420
GGCCGCCGGC	GGCAGGTGTC	ACCTGCATGG	TGAACAGCAC	CTGGGCCTGA	TATTGCGACC	480
AGTACACGAT	TTTGTCGATC	GAGGTCACTT	CGACCTGGGA	GAACTGCTTG	CGGAACGCGT	540
CGCTGCTCAG	CTTGGCCAAG	GCCTGATCGG	AGCGCTTGTC	GCGCACGCCG	TCGTGGATAC	600
CGCACAGCGC	ATTGCGAACG	ATGGTGTCCA	CATCGCGGTT	CTCCAGCGCG	TTGAGGTATC	660
CCTGAATCGC	GGTTTTGGCC	GGTCCCTCCG	AGAATGTGCC	TGCCGTGTTG	GCTCCGTTGG	720
TGCGGACCCC	GTATATGATC	GCCGCCGTCA	TAGCCGACAC	CAGCGCGAGG	GCTACCACAA	780
TGCCGATCAG	CAGCCGCTTG	TGCCGTCGCT	TCGGGTAGGA	CACCTGCGGC	GGCACGCCGG	840
GATATGCGGC	GGGCGGCAGC	GCCGCGTCGT	CTGCCGGTCC	CGGGGCGAAG	GCCGGTTCGG	900
CGGCGCCGAG	GTCGTGGGGG	TAGTCCAGGG	CTTGGGGTTC	GTGGGATGAG	GGCTCGGGGT	960
ACGGCGCCGG	TCCGTTGGTG	CCGACACCGG	GGTTCGGCGA	GTGGGGACCG	GGCATTGTGG	1020
TICICCTAGG	GTGGTGGACG	GGACCAGCTG	CTAGGGCGAC	AACCGCCCGT	CGCGTCAGCC	1080
GGCAGCATCG	GCAATCAGGT	GAGCTCCCTA	GGCAGGCTAG	CGCAACAGCT	GCCGTCAGCT	1140
CTCAACGCGA	CGGGGCGGGC	CGCGGCGCCG	ATAATGTTGA	AAGACTAGGC	AACCTTAGGA	1200
ACGAAGGACG	GAGATTTTGT	GACGATC				1227

#### (2) INFORMATION FOR SEQ ID NO:36:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 181 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

GCGGTGTCGG	CGGATCCGGC	GGGTGGTTGA	ACGGCAACGG	CGGGGCCGGC	GGGGCCGGCG	60
GGACCGGCGC	TAACGGTGGT	GCCGGCGGCA	ACGCCTGGTT	GTTCGGGGCC	GGCGGGTCCG	120
GCGGNGCCGG	CACCAATGGT	GGNGTCGGCG	GGTCCGGCGG	ATTTGTCTAC	GGCAACGGCG	180
G				-		181

#### (2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 290 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:	
GCGGTGTCGG CGGATCCGGC GGGTGGTTGA ACGGCAACGG CGGTGTCGGC GGCCGGGGCG GCGACGGCGT CTTTGCCGGT GCCGCGGCC AGGGCGGCCT CGGTGGCAG GGCGGCAATG GCGGCGGCTC CACCGGCGGC AACGGCGGTC TTGGCGGCGC GGGCGGTGGC GGAGGCAACG CCCCGGACGG CGGCTTCGGT GGCAACGGCG GTAAGGGTGG CCAGGGCGGN ATTGGCGGCG GCACTCAGAG CGCGACCGGC CTCGGNGGTG ACGGCGGTGAC 25	30
(2) INFORMATION FOR SEQ ID NO:38:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 34 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:	
GATCCAGTGG CATGGNGGGT GTCAGTGGAA GCAT	3 4
(2) INFORMATION FOR SEQ ID NO:39:	, ,
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 155 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:	
GATCGCTGCT CGTCCCCCC TTGCCGCCGA CGCCACCGGT CCCACCGTTA CCGAACAAGC TGGCGTGGTC GCCAGCACCCC CCGACGCCGGA GTCGAACAAT GGCACCGTCG TATCCCCCACC ATTGCCGCCG GNCCCACCGG CACCG	2 (
(2) INFORMATION FOR SEQ ID NO:40:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 53 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:	
ATGGCGTTCA CGGGGCGCCG GGGACCGGGC AGCCCGGNGG GGCCGGGGGG TGG	5:
(2) INFORMATION FOR SEQ ID NO:41:	

89

WO 99/42076 PCT/US99/03268

(1) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 132 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:	
GATCCACCGC GGGTGCAGAC GGTGCCCGCG GCGCCACCCC GACCAGCGGC GGCAACGGCG	6
GCACCGGCGG CAACGGCGCG AACGCCACCG TCGTCGGNGG GGCCGGCGGG GCCGGCGGCA	120
AGGGCGGCAA CG	13:
	13.
(2) INFORMATION FOR SEQ ID NO:42:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 132 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:	
GATCGGCGGC CGGNACGGNC GGGGACGGCG GCAAGGGCGG NAACGGGGGC GCCGNAGCCA	6
CCNGCCAAGA ATCCTCCGNG TCCNCCAATG GCGCGAATGG CGGACAGGGC GGCAACGGCG	120
GCANCGGCGG CA	13:
(2) INFORMATION FOR SEQ ID NO:43:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 702 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:	
CGGCACGAGG ATCGGTACCC CGCGGCATCG GCAGCTGCCG ATTCGCCGGG TTTCCCCACC	6
CGAGGAAAGC CGCTACCAGA TGGCGCTGCC GAAGTAGGGC GATCCGTTCG CGATGCCGGC	12
ATGAACGGGC GGCATCAAAT TAGTGCAGGA ACCTTTCAGT TTAGCGACGA TAATGGCTAT	18
AGCACTAAGG AGGATGATCC GATATGACGC AGTCGCAGAC CGTGACGGTG GATCAGCAAG	24
AGATTTTGAA CAGGGCCAAC GAGGTGGAGG CCCCGATGGC GGACCCACCG ACTGATGTCC	30
CCATCACACC GTGCGAACTC ACGGNGGNTA AAAACGCCGC CCAACAGNTG GTNTTGTCCG	36
CCGACAACAT GCGGGAATAC CTGGCGGCCG GTGCCAAAGA GCGGCAGCGT CTGGCGACCT	42
CGCTGCGCAA CGCGGCCAAG GNGTATGGCG AGGTTGATGA GGAGGCTGCG ACCGCGCTGG	48
ACAACGACGG CGAAGGAACT GTGCAGGCAG AATCGGCCGG GGCCGTCGGA GGGGACAGTT	54
CGGCCGAACT AACCGATACG CCGAGGGTGG CCACGGCCGG TGAACCCAAC TTCATGGATC	60
TCAAAGAAGC GGCAAGGAAG CTCGAAACGG GCGACCAAGG CGCATCGCTC GCGCACTGNG	66
GGGATGGGTG GAACACTTNC ACCCTGACGC TGCAAGGCGA CG	70:
(2) INFORMATION FOR SEQ ID NO:44:	
(2) INCOMMITTON FOR SEQ ID NO:44:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 298 base pairs	
(B) TYPE: nucleic acid	

(C) STRANDEDNESS: single

90

## (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

GAAGCCGCAG	CGCTGTCGGG	CGACGTGGCG	GTCAAAGCGG	CATCGCTCGG	TGGCGGTGGA	60
GGCGGCGGG	TGCCGTCGGC	GCCGTTGGGA	TCCGCGATCG	GGGGCGCCGA	ATCGGTGCGG	120
					CGGCGCCGCG	180
					AGGGGGCGCC	240
				CCGAGGATCC		298

## (2) INFORMATION FOR SEQ ID NO:45:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1058 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

•						
CGGCACGAGG	ATCGAATCGC	GTCGCCGGGA	GCACAGCGTC	GCACTGCACC	AGTGGAGGAG	60
CCATGACCTA	CTCGCCGGGT	AACCCCGGAT	ACCCGCAAGC	GCAGCCCGCA	GGCTCCTACG	120
GAGGCGTCAC	ACCCTCGTTC	GCCCACGCCG	ATGAGGGTGC	GAGCAAGCTA	CCGATGTACC	180
TGAACATCGC	GGTGGCAGTG	CTCGGTCTGG	CTGCGTACTT	CGCCAGCTTC	GGCCCAATGT	240
TCACCCTCAG	TACCGAACTC	GGGGGGGTG	ATGGCGCAGT	GTCCGGTGAC	ACTGGGCTGC	300
CGGTCGGGGT	GGCTCTGCTG	GCTGCGCTGC	TTGCCGGGGT	GGTTCTGGTG	CCTAAGGCCA	360
AGAGCCATGT	GACGGTAGTT	GCGGTGCTCG	GGGTACTCGG	CGTATTTCTG	ATGGTCTCGG	420
CGACGTTTAA	CAAGCCCAGC	GCCTATTCGA	CCGGTTGGGC	ATTGTGGGTT	GTGTTGGCTT	480
TCATCGTGTT	CCAGGCGGTT	GCGGCAGTCC	TGGCGCTCTT	GGTGGAGACC	GGCGCTATCA	540
CCGCGCCGGC	GCCGCGGCCC	AAGTTCGACC	CGTATGGACA	GTACGGGCGG	TACGGGCAGT	600
ACGGGCAGTA	CGGGGTGCAG	CCGGGTGGGT	ACTACGGTCA	GCAGGGTGCT	CAGCAGGCCG	660
CGGGACTGCA	GTCGCCCGGC	CCGCAGCAGT	CTCCGCAGCC	TCCCGGATAT	GGGTCGCAGT	720
ACGGCGGCTA	TTCGTCCAGT	CCGAGCCAAT	CGGGCAGTGG	ATACACTGCT	CAGCCCCCGG	780
CCCAGCCGCC	GGCGCAGTCC	GGGTCGCAAC	AATCGCACCA	GGGCCCATCC	ACGCCACCTA	840
CCGGCTTTCC	GAGCTTCAGC	CCACCACCAC	CGGTCAGTGC	CGGGACGGGG	TCGCAGGCTG	900
GTTCGGCTCC	AGTCAACTAT	TCAAACCCCA	GCGGGGGCGA	GCAGTCGTCG	TCCCCCGGG	960
GGGCGCCGGT	CTAACCGGGC	GTTCCCGCGT	CCGGTCGCGC	GTGTGCGCGA	AGAGTGAACA	1020
GGGTGTCAGC	AAGCGCGGAC					1058

## (2) INFORMATION FOR SEQ ID NO:46:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 327 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:

CGGCACGAGA GACCGATGCC	GCTACCCTCG	CGCAGGAGGC	AGGTAATTTC	GAGCGGATCT	60
CCGGCGACCT GAAAACCCAG	ATCGACCAGG	TGGAGTCGAC	GGCAGGTTCG	TTGCAGGGCC	120
AGTGGCGCGG CGCGGCGGG	ACGGCCGCCC	AGGCCGCGGT	GGTGCGCTTC	CAAGAAGCAG	180
CCAATAAGCA GAAGCAGGAA	CTCGACGAGA	TCTCGACGAA	TATTCGTCAG	GCCGGCGTCC	240
AATACTCGAG GGCCGACGAG	GAGCAGCAGC	AGGCGCTGTC	CTCGCAAATG	GGCTTCTGAC	300
CCGCTAATAC GAAAAGAAAC					327

(2) INFORMATION FOR SEQ ID NO:47:

<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 170 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:	
CGGTCGCGAT GATGGCGTTG TCGAACGTGA CCGATTCTGT ACCGCCGTCG TTGAGATCAA CCAACAACGT GTTGGCGTCG GCAAATGTGC CGNACCCGTG GATCTCGGTG ATCTTGTTCT TCTTCATCAG GAAGTGCACA CCGGCCACCC TGCCCTCGGN TACCTTTCGG	
(2) INFORMATION FOR SEQ ID NO:48:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 127 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:	
GATCCGGCGG CACGGGGGGT GCCGGCGGCA GCACCGCTGG CGCTGGCGGC AACGGCGGGG CCGGGGGTGG CGGCGGAACC GGTGGGTTGC TCTTCGGCAA CGGCGGTGCC GGCGGGCACG GGGCCGT	60 120 127
(2) INFORMATION FOR SEQ ID NO:49:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 81 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:	
CGGCGGCAAG GGCGCACCG CCGGCAACGG GAGCGGCGCG GCCGGCGGCA ACGGCGGCAA CGGCGGCTCC GGCCTCAACG G	60 81
(2) INFORMATION FOR SEQ ID NO:50:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 149 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:	
GATCAGGGCT GGCCGGCTCC GGCCAGAAGG GCGGTAACGG AGGAGCTGCC GGATTGTTTG GCAACGGCGG GGCCGGNGGT GCCGGCGCGT CCAACCAAGC CGGTAACGGC GGNGCCGGCG GAAACGGTGG TGCCGGTGGG CTGATCTGG	60 120 149

### (2) INFORMATION FOR SEQ ID NO:51:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 355 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

CGGCACGAGA	TCACACCTAC	CGAGTGATCG	AGATCGTCGG	GACCTCGCCC	GACGGTGTCG	60
ACGCGGNAAT	CCAGGGCGGT	CTGGCCCGAG	CTGCGCAGAC	CATGCGCGCG	CTGGACTGGT	120
TCGAAGTACA	GTCAATTCGA	GGCCACCTGG	TCGACGGAGC	GGTCGCGCAC	TTCCAGGTGA	180
CTATGAAAGT	CGGCTTCCGC	CTGGAGGATT	CCTGAACCTT	CAAGCGCGGC	CGATAACTGA	240
GGTGCATCAT	TAAGCGACTT	TTCCAGAACA	TCCTGACGCG	CTCGAAACGC	GGTTCAGCCG	300
ACGGTGGCTC	CGCCGAGGCG	CTGCCTCCAA	AATCCCTGCG	ACAATTCGTC	GGCGG	355

### (2) INFORMATION FOR SEQ ID NO:52:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 999 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

ATGCATCACC	ATCACCATCA	CATGCATCAG	GTGGACCCCA	ACTTGACACG	TCGCAAGGGA	. 60
CGATTGGCGG	CACTGGCTAT	CGCGGCGATG	GCCAGCGCCA	GCCTGGTGAC	CGTTGCGGTG	120
CCCGCGACCG	CCAACGCCGA	TCCGGAGCCA	GCGCCCCGG	TACCCACAAC	GGCCGCCTCG	180
CCGCCGTCGA	CCGCTGCAGC	GCCACCCGCA	CCGGCGACAC	CTGTTGCCCC	CCCACCACCG	240
GCCGCCGCCA	ACACGCCGAA	TGCCCAGCCG	GGCGATCCCA	ACGCAGCACC	TCCGCCGGCC	300
GACCCGAACG	CACCGCCGCC	ACCTGTCATT	GCCCCAAACG	CACCCCAACC	TGTCCGGATC	360
GACAACCCGG	TTGGAGGATT	CAGCTTCGCG	CTGCCTGCTG	GCTGGGTGGA	GTCTGACGCC	420
GCCCACTTCG	ACTACGGTTC	AGCACTCCTC	AGCAAAACCA	CCGGGGACCC	GCCATTTCCC	480
GGACAGCCGC	CGCCGGTGGC	CAATGACACC	CGTATCGTGC	TCGGCCGGCT	AGACCAAAAG	540
CTTTACGCCA	GCGCCGAAGC	CACCGACTCC	AAGGCCGCGG	CCCGGTTGGG	CTCGGACATG	600
GGTGAGTTCT	ATATGCCCTA	CCCGGGCACC	CGGATCAACC	AGGAAACCGT	CTCGCTCGAC	660
GCCAACGGGG	TGTCTGGAAG	CGCGTCGTAT	TACGAAGTCA	AGTTCAGCGA	TCCGAGTAAG	720
CCGAACGGCC	AGATCTGGAC	GGGCGTAATC	GGCTCGCCCG	CGGCGAACGC	ACCGGACGCC	780
GGGCCCCCTC	AGCGCTGGTT	TGTGGTATGG	CTCGGGACCG	CCAACAACCC	GGTGGACAAG	840
GGCGCGGCCA	AGGCGCTGGC	CGAATCGATC	CGGCCTTTGG	TCGCCCCGCC	GCCGGCGCCG	900
GCACCGGCTC	CTGCAGAGCC	CGCTCCGGCG	CCGGCGCCGG	CCGGGGAAGT	CGCTCCTACC	960
CCGACGACAC	CGACACCGCA	GCGGACCTTA	CCGGCCTGA			999

## (2) INFORMATION FOR SEQ ID NO:53:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 332 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

Met His His His His His Met His Gln Val Asp Pro Asn Leu Thr Arg Arg Lys Gly Arg Leu Ala Ala Leu Ala Ile Ala Ala Met Ala Ser Ala Ser Leu Val Thr Val Ala Val Pro Ala Thr Ala Asn Ala Asp Pro 40 Glu Pro Ala Pro Pro Val Pro Thr Thr Ala Ala Ser Pro Pro Ser Thr Ala Ala Pro Pro Ala Pro Ala Thr Pro Val Ala Pro Pro Pro Pro Ala Ala Ala Asn Thr Pro Asn Ala Gln Pro Gly Asp Pro Asn Ala Ala Pro Pro Pro Ala Asp Pro Asn Ala Pro Pro Pro Pro Val Ile Ala Pro 105 Asn Ala Pro Gln Pro Val Arg Ile Asp Asn Pro Val Gly Gly Phe Ser Phe Ala Leu Pro Ala Gly Trp Val Glu Ser Asp Ala Ala His Phe Asp 135 140 Tyr Gly Ser Ala Leu Leu Ser Lys Thr Thr Gly Asp Pro Pro Phe Pro 150 155 Gly Gln Pro Pro Pro Val Ala Asn Asp Thr Arg Ile Val Leu Gly Arg 170 Leu Asp Gln Lys Leu Tyr Ala Ser Ala Glu Ala Thr Asp Ser Lys Ala 185 Ala Ala Arg Leu Gly Ser Asp Met Gly Glu Phe Tyr Met Pro Tyr Pro 200 Gly Thr Arg Ile Asn Gln Glu Thr Val Ser Leu Asp Ala Asn Gly Val 215 Ser Gly Ser Ala Ser Tyr Tyr Glu Val Lys Phe Ser Asp Pro Ser Lys 230 Pro Asn Gly Gln Ile Trp Thr Gly Val Ile Gly Ser Pro Ala Ala Asn 250 Ala Pro Asp Ala Gly Pro Pro Gln Arg Trp Phe Val Val Trp Leu Gly 265 Thr Ala Asn Asn Pro Val Asp Lys Gly Ala Ala Lys Ala Leu Ala Glu Ser Ile Arg Pro Leu Val Ala Pro Pro Pro Ala Pro Ala Pro Ala Pro Ala Glu Pro Ala Pro Ala Pro Ala Gly Glu Val Ala Pro Thr 310 315 Pro Thr Thr Pro Thr Pro Gln Arg Thr Leu Pro Ala 325

## (2) INFORMATION FOR SEQ ID NO:54:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 amino acids
  - (B) TYPE: amino acid =
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

Asp Pro Val Asp Ala Val Ile Asn Thr Thr Xaa Asn Tyr Gly Gln Val

94

10 15 Val Ala Ala Leu (2) INFORMATION FOR SEQ ID NO:55: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:55: Ala Val Glu Ser Gly Met Leu Ala Leu Gly Thr Pro Ala Pro Ser 10 (2) INFORMATION FOR SEQ ID NO:56: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:56: Ala Ala Met Lys Pro Arg Thr Gly Asp Gly Pro Leu Glu Ala Ala Lys Glu Gly Arg (2) INFORMATION FOR SEQ ID NO:57: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:57: Tyr Tyr Trp Cys Pro Gly Gln Pro Phe Asp Pro Ala Trp Gly Pro (2) INFORMATION FOR SEQ ID NO:58: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 14 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:

Asp Ile Gly Ser Glu Ser Thr Glu Asp Gln Gln Xaa Ala Val (2) INFORMATION FOR SEQ ID NO:59: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 13 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:59: Ala Glu Glu Ser Ile Ser Thr Xaa Glu Xaa Ile Val Pro 5 (2) INFORMATION FOR SEQ ID NO:60: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:60: Asp Pro Glu Pro Ala Pro Pro Val Pro Thr Ala Ala Ala Pro Pro 5 10 1 Ala (2) INFORMATION FOR SEQ ID NO:61: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:61: Ala Pro Lys Thr Tyr Xaa Glu Glu Leu Lys Gly Thr Asp Thr Gly (2) INFORMATION FOR SEQ ID NO:62: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:

Asp Pro Ala Ser Ala Pro Asp Val Pro Thr Ala Ala Gln Gln Thr Ser

10

Leu Leu Asn Asn Leu Ala Asp Pro Asp Val Ser Phe Ala Asp
20 25 30

## (2) INFORMATION FOR SEQ ID NO:63:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 187 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

Thr Gly Ser Leu Asn Gln Thr His Asn Arg Arg Ala Asn Glu Arg Lys Asn Thr Thr Met Lys Met Val Lys Ser Ile Ala Ala Gly Leu Thr Ala Ala Ala Ala Ile Gly Ala Ala Ala Gly Val Thr Ser Ile Met Ala 40 Gly Gly Pro Val Val Tyr Gln Met Gln Pro Val Val Phe Gly Ala Pro 55 Leu Pro Leu Asp Pro Ala Ser Ala Pro Asp Val Pro Thr Ala Ala Gln Leu Thr Ser Leu Leu Asn Ser Leu Ala Asp Pro Asn Val Ser Phe Ala 90 Asn Lys Gly Ser Leu Val Glu Gly Gly Ile Gly Gly Thr Glu Ala Arg 105 Ile Ala Asp His Lys Leu Lys Lys Ala Ala Glu His Gly Asp Leu Pro 120 Leu Ser Phe Ser Val Thr Asn Ile Gln Pro Ala Ala Ala Gly Ser Ala 135 Thr Ala Asp Val Ser Val Ser Gly Pro Lys Leu Ser Ser Pro Val Thr 150 155 Gln Asn Val Thr Phe Val Asn Gln Gly Gly Trp Met Leu Ser Arg Ala 170 Ser Ala Met Glu Leu Leu Gln Ala Ala Gly Xaa

## (2) INFORMATION FOR SEQ ID NO:64:

(i) SEQUENCE CHARACTERISTICS:

180

- (A) LENGTH: 148 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

 WO 99/42076 PCT/US99/03268

97

50 55 Ala Gly Arg His Pro Asp Ser Asp Ile Phe Leu Asp Asp Val Thr Val 70 75 Ser Arg Arg His Ala Glu Phe Arg Leu Glu Asn Asn Glu Phe Asn Val 90 Val Asp Val Gly Ser Leu Asn Gly Thr Tyr Val Asn Arg Glu Pro Val 100 105 Asp Ser Ala Val Leu Ala Asn Gly Asp Glu Val Gln Ile Gly Lys Leu 120 Arg Leu Val Phe Leu Thr Gly Pro Lys Gln Gly Glu Asp Asp Gly Ser 135 Thr Gly Gly Pro 145

### (2) INFORMATION FOR SEQ ID NO:65:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 230 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

Thr Ser Asn Arg Pro Ala Arg Arg Gly Arg Arg Ala Pro Arg Asp Thr 10 Gly Pro Asp Arg Ser Ala Ser Leu Ser Leu Val Arg His Arg Arg Gln 25 Gln Arg Asp Ala Leu Cys Leu Ser Ser Thr Gln Ile Ser Arg Gln Ser 40 Asn Leu Pro Pro Ala Ala Gly Gly Ala Ala Asn Tyr Ser Arg Arg Asn 55 Phe Asp Val Arg Ile Lys Ile Phe Met Leu Val Thr Ala Val Val Leu 70 75 Leu Cys Cys Ser Gly Val Ala Thr Ala Ala Pro Lys Thr Tyr Cys Glu 90 Glu Leu Lys Gly Thr Asp Thr Gly Gln Ala Cys Gln Ile Gln Met Ser 100 105 Asp Pro Ala Tyr Asn Ile Asn Ile Ser Leu Pro Ser Tyr Tyr Pro Asp 120 Gln Lys Ser Leu Glu Asn Tyr Ile Ala Gln Thr Arg Asp Lys Phe Leu 135 - 140 Ser Ala Ala Thr Ser Ser Thr Pro Arg Glu Ala Pro Tyr Glu Leu Asn 150 155 Ile Thr Ser Ala Thr Tyr Gln Ser Ala Ile Pro Pro Arg Gly Thr Gln 165 170 Ala Val Val Leu Xaa Val Tyr His Asn Ala Gly Gly Thr His Pro Thr 185 Thr Thr Tyr Lys Ala Phe Asp Trp Asp Gln Ala Tyr Arg Lys Pro Ile 200 Thr Tyr Asp Thr Leu Trp Gln Ala Asp Thr Asp Pro Leu Pro Val Val 215 Phe Pro Ile Val Ala Arg

#### (2) INFORMATION FOR SEQ ID NO:66:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 132 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

Thr Ala Ala Ser Asp Asn Phe Gln Leu Ser Gln Gly Gln Gly Phe

Ala Ile Pro Ile Gly Gln Ala Met Ala Ile Ala Gly Gln Ile Arg Ser 20 25 30

Gly Gly Ser Pro Thr Val His Ile Gly Pro Thr Ala Phe Leu Gly
35 40 45

Leu Gly Val Val Asp Asn Asn Gly Asn Gly Ala Arg Val Gln Arg Val 50 55 60

Val Gly Ser Ala Pro Ala Ala Ser Leu Gly Ile Ser Thr Gly Asp Val 65 70 75 80

Ile Thr Ala Val Asp Gly Ala Pro Ile Asn Ser Ala Thr Ala Met Ala 85 90 95

Asp Ala Leu Asn Gly His His Pro Gly Asp Val Ile Ser Val Asn Trp
100 105 110

Gln Thr Lys Ser Gly Gly Thr Arg Thr Gly Asn Val Thr Leu Ala Glu 115 120 125

Gly Pro Pro Ala

130

#### (2) INFORMATION FOR SEQ ID NO:67:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 100 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:

Val Pro Leu Arg Ser Pro Ser Met Ser Pro Ser Lys Cys Leu Ala Ala

Ala Gln Arg Asn Pro Val Ile Arg Arg Arg Arg Leu Ser Asn Pro Pro 20 25 30

Pro Arg Lys Tyr Arg Ser Met Pro Ser Pro Ala Thr Ala Ser Ala Gly

Met Ala Arg Val Arg Arg Ala Ile Trp Arg Gly Pro Ala Thr Xaa

Ser Ala Gly Met Ala Arg Val Arg Arg Trp Xaa Val Met Pro Xaa Val 65 70 75 80

Ile Gln Ser Thr Xaa Ile Arg Xaa Xaa Gly Pro Phe Asp Asn Arg Gly
85 90 95

Ser Glu Arg Lys

(2) INFORMATION FOR SEQ ID NO:68:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 163 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:

Met Thr Asp Asp Ile Leu Leu Ile Asp Thr Asp Glu Arg Val Arg Thr

1 10 15

Leu Thr Leu Asn Arg Pro Gln Ser Arg Asn Ala Leu Ser Ala Ala Leu 20 25 30

Arg Asp Arg Phe Phe Ala Xaa Leu Xaa Asp Ala Glu Xaa Asp Asp Asp 35 40 45

Ile Asp Val Val Ile Leu Thr Gly Ala Asp Pro Val Phe Cys Ala Gly 50 55 60

Leu Asp Leu Lys Val Ala Gly Arg Ala Asp Arg Ala Ala Gly His Leu 65 70 75 80

Thr Ala Val Gly Gly His Asp Gln Ala Gly Asp Arg Arg Asp Gln Arg

Arg Arg Gly His Arg Arg Ala Arg Thr Gly Ala Val Leu Arg His Pro 100 105 110

Asp Arg Leu Arg Ala Arg Pro Leu Arg Arg His Pro Arg Pro Gly Gly
115 120 125

Ala Ala Ala His Leu Gly Thr Gln Cys Val Leu Ala Ala Lys Gly Arg 130 135 140

His Arg Xaa Gly Pro Val Asp Glu Pro Asp Arg Arg Leu Pro Val Arg 145 150 155 160

Asp Arg Arg

- (2) INFORMATION FOR SEQ ID NO:69:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 344 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

Met Lys Phe Val Asn His Ile Glu Pro Val Ala Pro Arg Arg Ala Gly

Gly Ala Val Ala Glu Val Tyr Ala Glu Ala Arg Arg Glu Phe Gly Arg

Leu Pro Glu Pro Leu Ala Met Leu Ser Pro Asp Glu Gly Leu Leu Thr 35 40 45

Ala Gly Trp Ala Thr Leu Arg Glu Thr Leu Leu Val Gly Gln Val Pro 50 55. 60

Arg Gly Arg Lys Glu Ala Val Ala Ala Val Ala Ala Ser Leu Arg 65 70 75 80

Cys Pro Trp Cys Val Asp Ala His Thr Thr Met Leu Tyr Ala Ala Gly 85 90 95

Gln Thr Asp Thr Ala Ala Ala Ile Leu Ala Gly Thr Ala Pro Ala Ala 100 105 110

Gly Asp Pro Asn Ala Pro Tyr Val Ala Trp Ala Ala Gly Thr Gly Thr 120 Pro Ala Gly Pro Pro Ala Pro Phe Gly Pro Asp Val Ala Ala Glu Tyr 135 Leu Gly Thr Ala Val Gln Phe His Phe Ile Ala Arg Leu Val Leu Val 150 Leu Leu Asp Glu Thr Phe Leu Pro Gly Gly Pro Arg Ala Gln Gln Leu 170 Met Arg Arg Ala Gly Gly Leu Val Phe Ala Arg Lys Val Arg Ala Glu His Arg Pro Gly Arg Ser Thr Arg Arg Leu Glu Pro Arg Thr Leu Pro 200 Asp Asp Leu Ala Trp Ala Thr Pro Ser Glu Pro Ile Ala Thr Ala Phe 215 220 Ala Ala Leu Ser His His Leu Asp Thr Ala Pro His Leu Pro Pro Pro 230 235 Thr Arg Gln Val Val Arg Arg Val Val Gly Ser Trp His Gly Glu Pro 250 Met Pro Met Ser Ser Arg Trp Thr Asn Glu His Thr Ala Glu Leu Pro 260 265 Ala Asp Leu His Ala Pro Thr Arg Leu Ala Leu Leu Thr Gly Leu Ala 280 Pro His Gln Val Thr Asp Asp Val Ala Ala Ala Arg Ser Leu Leu 295 Asp Thr Asp Ala Ala Leu Val Gly Ala Leu Ala Trp Ala Ala Phe Thr 310 315 Ala Ala Arg Arg Ile Gly Thr Trp Ile Gly Ala Ala Ala Glu Gly Gln 325 330 Val Ser Arg Gln Asn Pro Thr Gly 340

#### (2) INFORMATION FOR SEQ ID NO:70:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 485 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

qzA	Gln	Tyr 115	Glu	Pro	Gly	Ser	Ser 120	Arg	Arg	Trp	Ala	Glu 125	Arg	Phe	Ala
Thr	Leu 130	Leu	Arg	Asn	Leu	Glu 135	Phe	Leu	Pro	Asn	Ser 140	Pro	Thr	Leu	Met
Asn	Ser	Gly	Thr	Asp	Leu	Gly	Leu	Leu	Ala	Gly	Cys	Phe	Val	Leu	Pro
145					150					155	•				160
Ile	Glu	Asp	Ser	Leu 165	Gln	Ser	Ile	Phe	Ala 170	Thr	Leu	Gly	Gln	Ala 175	Ala
Glu	Leu	Gln	Arg 180	Ala	Gly	Gly	Gly	Thr 185	Gly	Tyr	Ala	Phe	Ser 190		Leu
Arg	Pro	Ala 195	Gly	Asp	Arg	Val	Ala 200		Thr	Gly	Gly	Thr 205		Ser	Gly
Pro	Val		Phe	Leu	Ara	Leu		Asn	Ser	Δla	Δla		Va l	Va 1	Car
	210				3	215	-7-				220	9-1	164	<b>V</b> 4.1	Jer
Met	Gly	Gly	Arg	Arg	Arg	Gly	Ala	Cvs	Met	Ala		Leu	Asp	Val	Ser
225	-	-	_	_	230	4		-3-		235					240
His	Pro	Asp	Ile	Cys	Asp	Phe	Val	Thr	Ala	Lys	Ala	Glu	Ser	Pro	
				245					250	_				255	
Glu	Leu	Pro	His	Phe	Asn	Leu	Ser	Val	Gly	Val	Thr	Asp	Ala	Phe	Leu
			260					265					270		
Arg	Ala	Val 275	Glu	Arg	Asn	Gly	Leu 280	His	Arg	Leu	Val	Asn 285	Pro	Arg	Thr
Gly	Lys	Ile	Val	Ala	Arg	Met	Pro	Ala	Ala	Glu	Leu	Phe	Asp	Ala	Ile
	290					295					300				
	Lys	Ala	Ala	His		Gly	Gly	Asp	Pro	Gly	Leu	Val	Phe	Leu	Asp
305		_			310					315					320
			Arg	325					330					335	
Thr	Asn	Pro	Cys 340	Gly	Glu	Val	Pro	Leu 345	Leu	Pro	Tyr	Glu	Ser	Cys	Asn
Leu	Gly	Ser	Ile	Asn	Leu	Ala	Ara		Leu	Ala	Asp	Glv		Val	Asp
	-	355					360				<b>E</b>	365	3		2
Trp	Asp	Arg	Leu	Glu	Glu	Val	Ala	Gly	Val	Ala	Val	Arg	Phe	Leu	Asp
	370					375					380				
	Val	Ile	Asp	Val	Ser	Arg	Tyr	Pro	Phe	Pro	Glu	Leu	Gly	Glu	Ala
385		_			390					395					400
Ala	Arg	Ala	Thr	Arg 405	Lys	Ile	Gly	Leu	Gly 410	Val	Met	Gly	Leu	Ala 415	Glu
Leu	Leu	Ala	Ala		Glv	Tle	Pro	Tur		Sar	Glu	G] 11	212		7 <b></b> -
			420		<b>-</b>			425	den	Ser	314	914	430	AGT.	Aug
Leu	Ala	Thr	Arg	Leu	Met	Ara	Arg		Gln	Gln	Ala	Ala		Thr	Δla
		435	_			3	440					445			
Ser	Arg		Leu	Ala	Glu	Glu		Gly	Ala	Phe	Pro		Phe	Thr	Asp
	450	_				455	- J				460			~~~	
Ser	Arg	Phe	Ala	Arg	Ser		Pro	Arg	Arg	Asn		Gln	Val	Thr	Ser
465				•	470	•		_	•	475			_		480
Val	Ala	Pro	Thr	Gly											
				485											

# (2) INFORMATION FOR SEQ ID NO:71:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 267 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single

102

## (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:

Gly Val Ile Val Leu Asp Leu Glu Pro Arg Gly Pro Leu Pro Thr Glu Ile Tyr Trp Arg Arg Gly Leu Ala Leu Gly Ile Ala Val Val Val Gly Ile Ala Val Ala Ile Val Ile Ala Phe Val Asp Ser Ser Ala 40 Gly Ala Lys Pro Val Ser Ala Asp Lys Pro Ala Ser Ala Gln Ser His Pro Gly Ser Pro Ala Pro Gln Ala Pro Gln Pro Ala Gly Gln Thr Glu 75 Gly Asn Ala Ala Ala Pro Pro Gln Gly Gln Asn Pro Glu Thr Pro 90 Thr Pro Thr Ala Ala Val Gln Pro Pro Pro Val Leu Lys Glu Gly Asp 105 Asp Cys Pro Asp Ser Thr Leu Ala Val Lys Gly Leu Thr Asn Ala Pro 120 Gln Tyr Tyr Val Gly Asp Gln Pro Lys Phe Thr Met Val Val Thr Asn 135 140 Ile Gly Leu Val Ser Cys Lys Arg Asp Val Gly Ala Ala Val Leu Ala 150 155 Ala Tyr Val Tyr Ser Leu Asp Asn Lys Arg Leu Trp Ser Asn Leu Asp 170 Cys Ala Pro Ser Asn Glu Thr Leu Val Lys Thr Phe Ser Pro Gly Glu 180 185 Gln Val Thr Thr Ala Val Thr Trp Thr Gly Met Gly Ser Ala Pro Arg 200 Cys Pro Leu Pro Arg Pro Ala Ile Gly Pro Gly Thr Tyr Asn Leu Val 215 220 Val Gln Leu Gly Asn Leu Arg Ser Leu Pro Val Pro Phe Ile Leu Asn 230 235 Gln Pro Pro Pro Pro Gly Pro Val Pro Ala Pro Gly Pro Ala Gln Ala Pro Pro Pro Glu Ser Pro Ala Gln Gly Gly 260

# (2) INFORMATION FOR SEQ ID NO:72:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 97 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:72:

103

Lys Val Asp Asp Arg Pro Ile Asn Ser Ala Asp Ala Leu Val Ala Ala Val Arg Ser Lys Ala Pro Gly Ala Thr Val Ala Leu Thr Phe Gln Asp 70 Pro Ser Gly Gly Ser Arg Thr Val Gln Val Thr Leu Gly Lys Ala Glu 90 Gln

## (2) INFORMATION FOR SEQ ID NO:73:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 364 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

Gly Ala Ala Val Ser Leu Leu Ala Ala Gly Thr Leu Val Leu Thr Ala Cys Gly Gly Gly Thr Asn Ser Ser Ser Ser Gly Ala Gly Gly Thr Ser 25 Gly Ser Val His Cys Gly Gly Lys Lys Glu Leu His Ser Ser Gly Ser 40 Thr Ala Gln Glu Asn Ala Met Glu Gln Phe Val Tyr Ala Tyr Val Arg 55 Ser Cys Pro Gly Tyr Thr Leu Asp Tyr Asn Ala Asn Gly Ser Gly Ala 70 Gly Val Thr Gln Phe Leu Asn Asn Glu Thr Asp Phe Ala Gly Ser Asp 85 Val Pro Leu Asn Pro Ser Thr Gly Gln Pro Asp Arg Ser Ala Glu Arg 105 Cys Gly Ser Pro Ala Trp Asp Leu Pro Thr Val Phe Gly Pro Ile Ala 120 Ile Thr Tyr Asn Ile Lys Gly Val Ser Thr Leu Asn Leu Asp Gly Pro 135 140 Thr Thr Ala Lys Ile Phe Asn Gly Thr Ile Thr Val Trp Asn Asp Pro 150 155 Gln Ile Gln Ala Leu Asn Ser Gly Thr Asp Leu Pro Pro Thr Pro Ile 170 Ser Val Ile Phe Arg Ser Asp Lys Ser Gly Thr Ser Asp Asn Phe Gln 185 Lys Tyr Leu Asp Gly Val Ser Asn Gly Ala Trp Gly Lys Gly Ala Ser 200 Glu Thr Phe Ser Gly Gly Val Gly Val Gly Ala Ser Gly Asn Asn Gly 215 Thr Ser Ala Leu Leu Gln Thr Thr Asp Gly Ser Ile Thr Tyr Asn Glu 235 Trp Ser Phe Ala Val Gly Lys. Gln Leu Asn Met Ala Gln Ile Ile Thr 245 250 Ser Ala Gly Pro Asp Pro Val Ala Ile Thr Thr Glu Ser Val Gly Lys Thr Ile Ala Gly Ala Lys Ile Met Gly Gln Gly Asn Asp Leu Val Leu 280 Asp Thr Ser Ser Phe Tyr Arg Pro Thr Gln Pro Gly Ser Tyr Pro Ile

PCT/US99/03268 WO 99/42076

295 300 Val Leu Ala Thr Tyr Glu Ile Val Cys Ser Lys Tyr Pro Asp Ala Thr 310 315 Thr Gly Thr Ala Val Arg Ala Phe Met Gln Ala Ala Ile Gly Pro Gly 325 330 Gln Glu Gly Leu Asp Gln Tyr Gly Ser Ile Pro Leu Pro Lys Ser Phe 345 Gln Ala Lys Leu Ala Ala Ala Val Asn Ala Ile Ser 355 360

104

# (2) INFORMATION FOR SEQ ID NO:74:

# (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 309 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

Gln Ala Ala Gly Arg Ala Val Arg Arg Thr Gly His Ala Glu Asp Gln Thr His Gln Asp Arg Leu His His Gly Cys Arg Arg Ala Ala Val 25 Val Val Arg Gln Asp Arg Ala Ser Val Ser Ala Thr Ser Ala Arg Pro 40 Pro Arg Arg His Pro Ala Gln Gly His Arg Arg Arg Val Ala Pro Ser 55 Gly Gly Arg Arg Pro His Pro His His Val Gln Pro Asp Asp Arg 70 75 Arg Asp Arg Pro Ala Leu Leu Asp Arg Thr Gln Pro Ala Glu His Pro Asp Pro His Arg Arg Gly Pro Ala Asp Pro Gly Arg Val Arg Gly Arg 105 Gly Arg Leu Arg Arg Val Asp Asp Gly Arg Leu Gln Pro Asp Arg Asp 120 Ala Asp His Gly Ala Pro Val Arg Gly Arg Gly Pro His Arg Gly Val 135 140 Gln His Arg Gly Gly Pro Val Phe Val Arg Arg Val Pro Gly Val Arg 150 155 Cys Ala His Arg Arg Gly His Arg Arg Val Ala Ala Pro Gly Gln Gly 165 170 Asp Val Leu Arg Ala Gly Leu Arg Val Glu Arg Leu Arg Pro Val Ala Ala Val Glu Asn Leu His Arg Gly Ser Gln Arg Ala Asp Gly Arg Val 200 Phe Arg Pro Ile Arg Arg Gly Ala Arg Leu Pro Ala Arg Arg Ser Arg 215 Ala Gly Pro Gln Gly Arg Leu His Leu Asp Gly Ala Gly Pro Ser Pro 230 235 Leu Pro Ala Arg Ala Gly Gln Gln Pro Ser Ser Ala Gly Gly Arg 245 Arg Ala Gly Gly Ala Glu Arg Ala Asp Pro Gly Gln Arg Gly Arg His 265 His Gln Gly Gly His Asp Pro Gly Arg Gln Gly Ala Gln Arg Gly Thr 275 280 285

Ala Gly Val Ala His Ala Ala Ala Gly Pro Arg Arg Ala Ala Val Arg
290 295 300

Asn Arg Pro Arg Arg
305

#### (2) INFORMATION FOR SEQ ID NO:75:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 580 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEO ID NO:75:

Ser Ala Val Trp Cys Leu Asn Gly Phe Thr Gly Arg His Arg His Gly Arg Cys Arg Val Arg Ala Ser Gly Trp Arg Ser Ser Asn Arg Trp Cys Ser Thr Thr Ala Asp Cys Cys Ala Ser Lys Thr Pro Thr Gln Ala Ala Ser Pro Leu Glu Arg Arg Phe Thr Cys Cys Ser Pro Ala Val Gly Cys Arg Phe Arg Ser Phe Pro Val Arg Arg Leu Ala Leu Gly Ala Arg Thr 75 Ser Arg Thr Leu Gly Val Arg Arg Thr Leu Ser Gln Trp Asn Leu Ser 85 90 Pro Arg Ala Gln Pro Ser Cys Ala Val Thr Val Glu Ser His Thr His 105 Ala Ser Pro Arg Met Ala Lys Leu Ala Arg Val Val Gly Leu Val Gln 120 Glu Glu Gln Pro Ser Asp Met Thr Asn His Pro Arg Tyr Ser Pro Pro 135 Pro Gln Gln Pro Gly Thr Pro Gly Tyr Ala Gln Gly Gln Gln Thr 150 155 Tyr Ser Gln Gln Phe Asp Trp Arg Tyr Pro Pro Ser Pro Pro Pro Gln 170 Pro Thr Gln Tyr Arg Gln Pro Tyr Glu Ala Leu Gly Gly Thr Arg Pro 185 Gly Leu Ile Pro Gly Val Ile Pro Thr Met Thr Pro Pro Pro Gly Met 200 Val Arg Gln Arg Pro Arg Ala Gly Met Leu Ala Ile Gly Ala Val Thr Ile Ala Val Val Ser Ala Gly Ile Gly Gly Ala Ala Ala Ser Leu Val 235 Gly Phe Asn Arg Ala Pro Ala Gly Pro Ser Gly Gly Pro Val Ala Ala 250 Ser Ala Ala Pro Ser Ile Pro Ala Ala Asn Met Pro Pro Gly Ser Val 265 Glu Gln Val Ala Ala Lys Val Val Pro Ser Val Val Met Leu Glu Thr 280 Asp Leu Gly Arg Gin Ser Glu Glu Gly Ser Gly Ile Ile Leu Ser Ala Glu Gly Leu Ile Leu Thr Asn Asn His Val Ile Ala Ala Ala Lys

305					310					315					320
Pro	Pro	Leu	Gly	Ser 325	Pro	Pro	Pr	Lys	Thr 330	Thr	Val	Thr	Phe	Ser	Asp
Gly	Arg	Thr	Ala 340	Pro	Phe	Thr	Val	Val 345	Gly	Ala	Asp	Pr	Thr 350		Asp
Ile	Ala	Val 355	Val	Arg	Val	Gln	Gly 360	Val	Ser	Gly	Leu	Thr 365		Ile	Ser
Leu	Gly 370	Ser	Ser	Ser	Asp	Leu 375	Arg	Val	Gly	Gln	Pro 380		Leu	Ala	Ile
Gly 385	Ser	Pro	Leu	Gly	Leu 390	Glu	Gly	Thr	Val	Thr 395		Gly	Ile	Val	Ser 400
Ala	Leu	Asn	Arg	Pro 405	Val	Ser	Thr	Thr	Gly 410		Ala	Gly	Asn	Gln 415	Asn
Thr	Val	Leu	Asp 420		Ile	Gln	Thr	Asp 425		Ala	Ile	Asn	Pro 430	Gly	Asn
Ser	Gly	Gly 435	Ala	Leu	Val	Asn	Met		Ala	Gln	Leu	Val		Val	Asn
Ser	Ala 450	Ile	Ala	Thr	Leu	Gly 455		Asp	Ser	Ala	Asp		Gln	Ser	Gly
Ser 465	Ile	Gly	Leu	Gly	Phe 470		Ile	Pro	Val	Asp 475		Ala	Lys	Arg	Ile
Ala	Asp	Glu	Leu	Ile 485		Thr	Gly	Lys	Ala 490		His	Ala	Ser	Leu 495	
Val	Gln	Val	Thr 500		Asp	Lys	Asp	Thr 505		Gly	Ala	Lys	Ile 510		Glu
Val	Val	Ala 515	Gly	Gly	Ala	Ala	Ala 520		Ala	Gly	Val	Pro 525		Gly	Val
Val	Val 530	Thr	Lys	Val	Asp	Asp 535		Pro	Ile	Asn	Ser 540		Asp	Ala	Leu
Val 545	Ala	Ala	Val	Arg	Ser 550		Ala	Pro	Gly	Ala 555		Val	Ala	Leu	Thr 560
Phe	Gln	Asp	Pro	Ser 565	Gly	Gly	Ser	Arg	Thr 570		Gln	Val	Thr	Leu 575	
Lys	Ala	Glu	Gln 580						2.0					J., J	

# (2) INFORMATION FOR SEQ ID NO:76:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 233 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:

PCT/US99/03268

70 Leu Gly Ile Thr Ser Ala Asp Val Asp Val Arg Ala Asn Pro Leu Ala 90 Ala Lys Gly Val Cys Thr Tyr Asn Asp Glu Gln Gly Val Pro Phe Arg 105 Val Gln Gly Asp Asn Ile Ser Val Lys Leu Phe Asp Asp Trp Ser Asn 120 Leu Gly Ser Ile Ser Glu Leu Ser Thr Ser Arg Val Leu Asp Pro Ala 135 140 Ala Gly Val Thr Gln Leu Leu Ser Gly Val Thr Asn Leu Gln Ala Gln 150 Gly Thr Glu Val Ile Asp Gly Ile Ser Thr Thr Lys Ile Thr Gly Thr 165 170 Ile Pro Ala Ser Ser Val Lys Met Leu Asp Pro Gly Ala Lys Ser Ala 185 Arg Pro Ala Thr Val Trp Ile Ala Gln Asp Gly Ser His His Leu Val 200 Arg Ala Ser Ile Asp Leu Gly Ser Gly Ser Ile Gln Leu Thr Gln Ser 215 220 Lys Trp Asn Glu Pro Val Asn Val Asp 225 230

#### (2) INFORMATION FOR SEQ ID NO:77:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 66 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:77:

Val Ile Asp Ile Ile Gly Thr Ser Pro Thr Ser Trp Glu Gln Ala Ala 1 5 10 15

Ala Glu Ala Val Gln Arg Ala Arg Asp Ser Val Asp Asp Ile Arg Val 20 25 30

Ala Arg Val Ile Glu Gln Asp Met Ala Val Asp Ser Ala Gly Lys Ile 35 40 45

Thr Tyr Arg Ile Lys Leu Glu Val Ser Phe Lys Met Arg Pro Ala Gln 50 55 60

Pro Arg

65

#### (2) INFORMATION FOR SEQ ID NO:78:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 69 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:

Val Pro Pro Ala Pro Pro Leu Pro Pro Leu Pro Pro Ser Pro Ile Ser 1 5 10 15 WO 99/42076 PCT/US99/03268

Cys Ala Ser Pro Pro Ser Pro Pr Leu Pro Pro Ala Pro Pro Val Ala 25 Pro Gly Pro Pro Met Pro Pro Leu Asp Pro Trp Pr Pro Ala Pro Pro

108

40 Leu Pro Tyr Ser Thr Pro Pro Gly Ala Pro Leu Pro Pro Ser Pro Pro

55

Ser Pro Pro Leu Pro 65

275

## (2) INFORMATION FOR SEQ ID NO:79:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 355 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:

Met Ser Asn Ser Arg Arg Ser Leu Arg Trp Ser Trp Leu Leu Ser Val Leu Ala Ala Val Gly Leu Gly Leu Ala Thr Ala Pro Ala Gln Ala Ala Pro Pro Ala Leu Ser Gln Asp Arg Phe Ala Asp Phe Pro Ala Leu Pro Leu Asp Pro Ser Ala Met Val Ala Gln Val Ala Pro Gln Val Val Asn Ile Asn Thr Lys Leu Gly Tyr Asn Asn Ala Val Gly Ala Gly Thr 75 Gly Ile Val Ile Asp Pro Asn Gly Val Val Leu Thr Asn Asn His Val 90 Ile Ala Gly Ala Thr Asp Ile Asn Ala Phe Ser Val Gly Ser Gly Gln 105 Thr Tyr Gly Val Asp Val Val Gly Tyr Asp Arg Thr Gln Asp Val Ala 120 Val Leu Gln Leu Arg Gly Ala Gly Gly Leu Pro Ser Ala Ala Ile Gly 135 Gly Gly Val Ala Val Gly Glu Pro Val Val Ala Met Gly Asn Ser Gly 150 155 Gly Gln Gly Gly Thr Pro Arg Ala Val Pro Gly Arg Val Val Ala Leu 165 170 Gly Gln Thr Val Gln Ala Ser Asp Ser Leu Thr Gly Ala Glu Glu Thr Leu Asn Gly Leu Ile Gln Phe Asp Ala Ala Ile Gln Pro Gly Asp Ser 200 Gly Gly Pro Val Val Asn Gly Leu Gly Gln Val Val Gly Met Asn Thr 215 Ala Ala Ser Asp Asn Phe Gln Leu Ser Gln Gly Gln Gly Phe Ala 230 235 Ile Pro Ile Gly Gln Ala Met Ala Ile Ala Gly Gln Ile Arg Ser Gly 245 250 Gly Gly Ser Pro Thr Val His Ile Gly Pro Thr Ala Phe Leu Gly Leu

265 Gly Val Val Asp Asn Asn Gly Asn Gly Ala Arg Val Gln Arg Val Val

280

## (2) INFORMATION FOR SEQ ID NO:80:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 205 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:

Ser Pro Lys Pro Asp Ala Glu Glu Gln Gly Val Pro Val Ser Pro Thr Ala Ser Asp Pro Ala Leu Leu Ala Glu Ile Arg Gln Ser Leu Asp Ala Thr Lys Gly Leu Thr Ser Val His Val Ala Val Arg Thr Thr Gly Lys Val Asp Ser Leu Leu Gly Ile Thr Ser Ala Asp Val Asp Val Arg Ala 55 Asn Pro Leu Ala Ala Lys Gly Val Cys Thr Tyr Asn Asp Glu Gln Gly Val Pro Phe Arg Val Gln Gly Asp Asn Ile Ser Val Lys Leu Phe Asp 85 90 Asp Trp Ser Asn Leu Gly Ser Ile Ser Glu Leu Ser Thr Ser Arg Val 105 Leu Asp Pro Ala Ala Gly Val Thr Gln Leu Leu Ser Gly Val Thr Asn 120 Leu Gln Ala Gln Gly Thr Glu Val Ile Asp Gly Ile Ser Thr Thr Lys 140 Ile Thr Gly Thr Ile Pro Ala Ser Ser Val Lys Met Leu Asp Pro Gly 145 150 155 Ala Lys Ser Ala Arg Pro Ala Thr Val Trp Ile Ala Gln Asp Gly Ser 170 His His Leu Val Arg Ala Ser Ile Asp Leu Gly Ser Gly Ser Ile Gln 185 Leu Thr Gln Ser Lys Trp Asn Glu Pro Val Asn Val Asp 200 205

## (2) INFORMATION FOR SEQ ID NO:81:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 286 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

WO 99/42076 PCT/US99/03268

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:

Gly Asp Ser Phe Trp Ala Ala Ala Asp Gln Met Ala Arg Gly Phe Val 10 Leu Gly Ala Thr Ala Gly Arg Thr Thr Leu Thr Gly Glu Gly Leu Gln His Ala Asp Gly His Ser Leu Leu Leu Asp Ala Thr Asn Pro Ala Val 40 Val Ala Tyr Asp Pro Ala Phe Ala Tyr Glu Ile Gly Tyr Ile Xaa Glu Ser Gly Leu Ala Arg Met Cys Gly Glu Asn Pro Glu Asn Ile Phe Phe 75 Tyr Ile Thr Val Tyr Asn Glu Pro Tyr Val Gln Pro Pro Glu Pro Glu 85 90 Asn Phe Asp Pro Glu Gly Val Leu Gly Gly Ile Tyr Arg Tyr His Ala 105 Ala Thr Glu Gln Arg Thr Asn Lys Xaa Gln Ile Leu Ala Ser Gly Val 120 Ala Met Pro Ala Ala Leu Arg Ala Ala Gln Met Leu Ala Ala Glu Trp 135 Asp Val Ala Ala Asp Val Trp Ser Val Thr Ser Trp Gly Glu Leu Asn 150 155 Arg Asp Gly Val Val Ile Glu Thr Glu Lys Leu Arg His Pro Asp Arg 170 Pro Ala Gly Val Pro Tyr Val Thr Arg Ala Leu Glu Asn Ala Arg Gly 185 Pro Val Ile Ala Val Ser Asp Trp Met Arg Ala Val Pro Glu Gln Ile 200 Arg Pro Trp Val Pro Gly Thr Tyr Leu Thr Leu Gly Thr Asp Gly Phe 215 Gly Phe Ser Asp Thr Arg Pro Ala Gly Arg Arg Tyr Phe Asn Thr Asp 230 235 Ala Glu Ser Gln Val Gly Arg Gly Phe Gly Arg Gly Trp Pro Gly Arg Arg Val Asn Ile Asp Pro Phe Gly Ala Gly Arg Gly Pro Pro Ala Gln 265 Leu Pro Gly Phe Asp Glu Gly Gly Leu Arg Pro Xaa Lys

## (2) INFORMATION FOR SEQ ID NO:82:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 173 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:82:

40 Asn His Ala Met Met Leu Val Gln His Leu Leu Asp Arg Asp Leu Arg Val Glu Ile Pro Gly Val Asp Thr Val Arg Asn Gln Phe Asp Arg Pro 70 Arg Glu Ala Leu Ala Leu Ala Leu Asp Gln Glu Arg Thr Val Thr Asp 90 Gln Val Gly Arg Leu Thr Ala Val Ala Arg Asp Glu Gly Asp Phe Leu 105 Gly Glu Gln Phe Met Gln Trp Phe Leu Gln Glu Gln Ile Glu Glu Val 120 Ala Leu Met Ala Thr Leu Val Arg Val Ala Asp Arg Ala Gly Ala Asn 135 Leu Phe Glu Leu Glu Asn Phe Val Ala Arg Glu Val Asp Val Ala Pro 150 155 Ala Ala Ser Gly Ala Pro His Ala Ala Gly Gly Arg Leu

#### (2) INFORMATION FOR SEQ ID NO:83: .

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 107 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:83:

## (2) INFORMATION FOR SEQ ID NO:84:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 125 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:

Val Leu Ser Val Pro Val Gly Asp Gly Phe Trp Xaa Arg Val Val Asn
1 5 10 15
Pro Leu Gly Gln Pro Ile Asp Gly Arg Gly Asp Val Asp Ser Asp Thr

#### (2) INFORMATION FOR SEQ ID NO:85:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 117 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:

## (2) INFORMATION FOR SEQ ID NO:86:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 103 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:

Met Tyr Arg Phe Ala Cys Arg Thr Leu Met Leu Ala Ala Cys Ile Leu 1 5 10 15 Ala Thr Gly Val Ala Gly Leu Gly Val Gly Ala Gln Ser Ala Ala Gln 20 25 30

## (2) INFORMATION FOR SEQ ID NO:87:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 88 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:87:

 Val
 Gln
 G

#### (2) INFORMATION FOR SEQ ID NO:88:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 95 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

85 90 95

## (2) INFORMATION FOR SEQ ID NO:89:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 166 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:

Met Thr Gln Ser Gln Thr Val Thr Val Asp Gln Gln Glu Ile Leu Asn

Arg Ala Asn Glu Val Glu Ala Pro Met Ala Asp Pro Pro Thr Asp Val 20 25 30

Pro Ile Thr Pro Cys Glu Leu Thr Xaa Xaa Lys Asn Ala Ala Gln Gln 35 40 45

Xaa Val Leu Ser Ala Asp Asn Met Arg Glu Tyr Leu Ala Ala Gly Ala 50 55 60

Lys Glu Arg Gln Arg Leu Ala Thr Ser Leu Arg Asn Ala Ala Lys Xaa 65 70 75 80

Tyr Gly Glu Val Asp Glu Glu Ala Ala Thr Ala Leu Asp Asn Asp Gly
85 90 95

Glu Gly Thr Val Gln Ala Glu Ser Ala Gly Ala Val Gly Gly Asp Ser

Ser Ala Glu Leu Thr Asp Thr Pro Arg Val Ala Thr Ala Gly Glu Pro 115 120 125

Asn Phe Met Asp Leu Lys Glu Ala Ala Arg Lys Leu Glu Thr Gly Asp 130 135 140

Gln Gly Ala Ser Leu Ala His Xaa Gly Asp Gly Trp Asn Thr Xaa Thr 145 150 155 160

Leu Thr Leu Gln Gly Asp

(2) INFORMATION FOR SEQ ID NO:90:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:

Arg Ala Glu Arg Met

### (2) INFORMATION FOR SEQ ID NO:91:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 263 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

WO 99/42076 PCT/US99/03268

115

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:

Val Ala Trp Met Ser Val Thr Ala Gly Gln Ala Glu Leu Thr Ala Ala Gln Val Arg Val Ala Ala Ala Tyr Glu Thr Ala Tyr Gly Leu Thr 25 Val Pro Pro Pro Val Ile Ala Glu Asn Arg Ala Glu Leu Met Ile Leu 40 Ile Ala Thr Asn Leu Leu Gly Gln Asn Thr Pro Ala Ile Ala Val Asn Glu Ala Glu Tyr Gly Glu Met Trp Ala Gln Asp Ala Ala Ala Met Phe 75 Gly Tyr Ala Ala Ala Thr Ala Thr Ala Thr Ala Thr Leu Leu Pro Phe 85 90 Glu Glu Ala Pro Glu Met Thr Ser Ala Gly Gly Leu Leu Glu Gln Ala Ala Ala Val Glu Glu Ala Ser Asp Thr Ala Ala Ala Asn Gln Leu Met 120 Asn Asn Val Pro Gln Ala Leu Lys Gln Leu Ala Gln Pro Thr Gln Gly 135 140 Thr Thr Pro Ser Ser Lys Leu Gly Gly Leu Trp Lys Thr Val Ser Pro 150 155 His Arg Ser Pro Ile Ser Asn Met Val Ser Met Ala Asn Asn His Met 165 170 Ser Met Thr Asn Ser Gly Val Ser Met Thr Asn Thr Leu Ser Ser Met 185 Leu Lys Gly Phe Ala Pro Ala Ala Ala Ala Gln Ala Val Gln Thr Ala 200 Ala Gln Asn Gly Val Arg Ala Met Ser Ser Leu Gly Ser Ser Leu Gly 215 Ser Ser Gly Leu Gly Gly Gly Val Ala Ala Asn Leu Gly Arg Ala Ala 230 235 Ser Val Arg Tyr Gly His Arg Asp Gly Gly Lys Tyr Ala Xaa Ser Gly 245 250 Arg Arg Asn Gly Gly Pro Ala 260

## (2) INFORMATION FOR SEQ ID NO:92:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 303 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:92:

Met Thr Tyr Ser Pro Gly Asn Pro Gly Tyr Pro Gln Ala Gln Pro Ala . 5 10 Gly Ser Tyr Gly Gly Val Thr Pro Ser Phe Ala His Ala Asp Glu Gly Ala Ser Lys Leu Pro Met Tyr Leu Asn Ile Ala Val Ala Val Leu Gly 40 Leu Ala Ala Tyr Phe Ala Ser Phe Gly Pro Met Phe Thr Leu Ser Thr WO 99/42076 PCT/US99/03268

116

Glu Leu Gly Gly Gly Asp Gly Ala Val Ser Gly Asp Thr Gly Leu Pro 70 Val Gly Val Ala Leu Leu Ala Ala Leu Leu Ala Gly Val Val Leu Val 90 Pro Lys Ala Lys Ser His Val Thr Val Val Ala Val Leu Gly Val Leu 105 Gly Val Phe Leu Met Val Ser Ala Thr Phe Asn Lys Pro Ser Ala Tyr 120 Ser Thr Gly Trp Ala Leu Trp Val Val Leu Ala Phe Ile Val Phe Gln 135 140 Ala Val Ala Ala Val Leu Ala Leu Leu Val Glu Thr Gly Ala Ile Thr 150 Ala Pro Ala Pro Arg Pro Lys Phe Asp Pro Tyr Gly Gln Tyr Gly Arg 170 Tyr Gly Gln Tyr Gly Gln Tyr Gly Val Gln Pro Gly Gly Tyr Tyr Gly 185 Gln Gln Gly Ala Gln Gln Ala Ala Gly Leu Gln Ser Pro Gly Pro Gln 200 205 Gln Ser Pro Gln Pro Pro Gly Tyr Gly Ser Gln Tyr Gly Gly Tyr Ser 215 Ser Ser Pro Ser Gln Ser Gly Ser Gly Tyr Thr Ala Gln Pro Pro Ala 230 235 Gln Pro Pro Ala Gln Ser Gly Ser Gln Gln Ser His Gln Gly Pro Ser Thr Pro Pro Thr Gly Phe Pro Ser Phe Ser Pro Pro Pro Pro Val Ser 265 Ala Gly Thr Gly Ser Gln Ala Gly Ser Ala Pro Val Asn Tyr Ser Asn 280 Pro Ser Gly Gly Glu Gln Ser Ser Pro Gly Gly Ala Pro Val 295

## (2) INFORMATION FOR SEQ ID NO:93:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 28 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:93:

Gly Cys Gly Glu Thr Asp Ala Ala Thr Leu Ala Gln Glu Ala Gly Asn 10 Phe Glu Arg Ile Ser Gly Asp Leu Lys Thr Gln Ile

## (2) INFORMATION FOR SEQ ID NO:94:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 16 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:94:

Asp Gln Val Glu Ser Thr Ala Gly Ser Leu Gln Gly Gln Trp Arg Gly

1 10 15

- (2) INFORMATION FOR SEQ ID NO:95:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 27 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

Gly Cys Gly Ser Thr Ala Gly Ser Leu Gln Gly Gln Trp Arg Gly Ala

1 5 10 15

Ala Gly Thr Ala Ala Gln Ala Ala Val Val Arg

20 25

- (2) INFORMATION FOR SEQ ID NO:96:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 27 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

Gly Cys Gly Gly Thr Ala Ala Gln Ala Ala Val Val Arg Phe Gln Glu

1 5 10 15

Ala Ala Asn Lys Gln Lys Gln Glu Leu Asp Glu
20 25

- (2) INFORMATION FOR SEQ ID NO:97:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 27 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:97:

Gly Cys Gly Ala Asn Lys Gln Lys Gln Glu Leu Asp Glu Ile Ser Thr

1 5 10 15

Asn Ile Arg Gln Ala Gly Val Gln Tyr Ser Arg

20 25

- (2) INFORMATION FOR SEQ ID NO:98:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 28 amino acids

- (B) TYPE: amino acid(C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:98:

Gly Cys Gly Ile Arg Gln Ala Gly Val Gln Tyr Ser Arg Ala Asp Glu

1 5 10 15

Glu Gln Gln Gln Ala Leu Ser Ser Gln Met Gly Phe
20 25

#### (2) INFORMATION FOR SEQ ID NO:99:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 507 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:

ATGAAGATGG	TGAAATCGAT	CGCCGCAGGT	CTGACCGCCG	CGGCTGCAAT	CGGCGCCGCT	60
GCGGCCGGTG	TGACTTCGAT	CATGGCTGGC	GGCCCGGTCG	TATACCAGAT	GCAGCCGGTC	120
GTCTTCGGCG	CGCCACTGCC	GTTGGACCCG	GCATCCGCCC	CTGACGTCCC	GACCGCCGCC	180
CAGTTGACCA	GCCTGCTCAA	CAGCCTCGCC	GATCCCAACG	TGTCGTTTGC	GAACAAGGGC	240
AGTCTGGTCG	AGGGCGGCAT	CGGGGGCACC	GAGGCGCGCA	TCGCCGACCA	CAAGCTGAAG	300
AAGGCCGCCG	AGCACGGGGA	TCTGCCGCTG	TCGTTCAGCG	TGACGAACAT	CCAGCCGGCG	360
GCCGCCGGTT	CGGCCACCGC	CGACGTTTCC	GTCTCGGGTC	CGAAGCTCTC	GTCGCCGGTC	420
ACGCAGAACG	TCACGTTCGT	GAATCAAGGC	GGCTGGATGC	TGTCACGCGC	ATCGGCGATG	480
GAGTTGCTGC	AGGCCGCAGG	GAACTGA				507

#### (2) INFORMATION FOR SEQ ID NO:100:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 168 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:100:

 Met
 Lys
 Met
 Val
 Lys
 Ser
 Ile
 Ala
 Ala
 Gly
 Leu
 Thr
 Ala
 Ala
 Ala
 Ala
 Ala
 Ala
 Gly
 Val
 Thr
 Ser
 Ile
 Met
 Ala
 Gly
 Pro

 Ile
 Gly
 Ala
 Ala
 Gly
 Val
 Thr
 Ser
 Ile
 Met
 Ala
 Gly
 Pro

 Val
 Val
 Tyr
 Gly
 Ala
 Pro
 Val
 Val
 Phe
 Gly
 Ala
 Pro
 Leu

 Asp
 Pro
 Ala
 Pro
 Asp
 Val
 Pro
 Thr
 Ala
 Ala
 Gly
 Gly
 Fro
 Ala
 Ala

			100					105					110		
Ser	Val	Thr	Asn	Ile	Gln	Pro	Ala	Ala	Ala	Gly	Ser	Ala	Thr	Ala	Asp
		115					120					125			
Val	Ser	Val	Ser	Gly	Pro	Lys	Leu	Ser	Ser	Pro	Val	Thr	Gln	Asn	Val
	130					135					140				
Thr	Phe	Val	Asn	Gln	Gly	Gly	Trp	Met	Leu	Ser	Arg	Ala	Ser	Ala	Met
145					150					155					160
Glu	Leu	Leu	Gln	Ala	Ala	Gly	Asn								
				165											

#### (2) INFORMATION FOR SEQ ID NO:101:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 500 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:101:

CGTGGCAATG TCGTTGACCG	TCGGGGCCGG	GGTCGCCTCC	GCAGATCCCG	TGGACGCGGT	60
CATTAACACC ACCTGCAATT	ACGGGCAGGT	AGTAGCTGCG	CTCAACGCGA	CGGATCCGGG	120
GGCTGCCGCA CAGTTCAACG	CCTCACCGGT	GGCGCAGTCC	TATTTGCGCA	ATTTCCTCGC	180
CGCACCGCCA CCTCAGCGCG	CTGCCATGGC	CGCGCAATTG	CAAGCTGTGC	CGGGGGCGGC	240
ACAGTACATC GGCCTTGTCG	AGTCGGTTGC	CGGCTCCTGC	AACAACTATT	AAGCCCATGC	300
GGGCCCCATC CCGCGACCCG	GCATCGTCGC	CGGGGCTAGG	CCAGATTGCC	CCGCTCCTCA	360
ACGGGCCGCA TCCCGCGACC	CGGCATCGTC	GCCGGGGCTA	GGCCAGATTG	CCCCGCTCCT	420
CAACGGGCCG CATCTCGTGC	CGAATTCCTG	CAGCCCGGGG	GATCCACTAG	TTCTAGAGCG	480
GCCGCCACCG CGGTGGAGCT					500

#### (2) INFORMATION FOR SEQ ID NO:102:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 96 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:102:

 Val Ala Met
 Ser Leu Thr
 Val Gly Ala Gly Val Ala Ser Ala Asp Pro

 1
 5
 10
 15

 Val Asp Ala Val Ile Asn Thr
 Thr Thr Cys Asn Tyr Gly Gln Val Val Ala 20
 30

 Ala Leu Asn Ala Thr Asp Pro Gly Ala Ala Ala Gln Phe Asn Ala Ser 35
 40
 45

 Pro Val Ala Gln Ser Tyr Leu Arg Asn Phe Leu Ala Ala Pro Pro Pro 50
 55
 60

 Gln Arg Ala Ala Met Ala Ala Gln Leu Gln Ala Val Pro Gly Ala Ala 65
 70
 75
 80

 Gln Tyr Ile Gly Leu Val Glu Ser Val Ala Gly Ser Cys Asn Asn Tyr

#### (2) INFORMATION FOR SEQ ID NO:103:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 154 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:103:	
ATGACAGAGC AGCAGTGGAA TTTCGCGGGT ATCGAGGCCG CGGCAAGCGC AATCCAGGGA AATGTCACGT CCATTCATTC CCTCCTTGAC GAGGGGAAGC AGTCCCTGAC CAAGCTCGCA GCGGCCTGGG GCGGTAGCGG TTCGGAAGCG TACC	60 120 154
(2) INFORMATION FOR SEQ ID NO:104:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 51 amino acids	
(B) TYPE: amino acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:104:	
Met Thr Glu Gln Gln Trp Asn Phe Ala Gly Ile Glu Ala Ala Ala Ser	
1 5 10 15	
Ala Ile Gln Gly Asn Val Thr Ser Ile His Ser Leu Leu Asp Glu Gly	
20 25 30	
Lys Gln Ser Leu Thr Lys Leu Ala Ala Trp Gly Gly Ser Gly Ser 35 40	
Glu Ala Tyr	
50	
(2) INFORMATION FOR SEQ ID NO:105:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 282 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:	
CGGTCGCGCA CTTCCAGGTG ACTATGAAAG TCGGCTTCCG NCTGGAGGAT TCCTGAACCT	60
TCAAGCGCGG CCGATAACTG AGGTGCATCA TTAAGCGACT TTTCCAGAAC ATCCTGACGC	120
GCTCGAAACG CGGCACAGCC GACGGTGGCT CCGNCGAGGC GCTGNCTCCA AAATCCCTGA	180
GACAATTCGN CGGGGGCGCC TACAAGGAAG TCGGTGCTGA ATTCGNCGNG TATCTGGTCG	240
ACCTGTGTGG TCTGNAGCCG GACGAAGCGG TGCTCGACGT CG	282
(2) INFORMATION FOR SEQ ID NO:106:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 3058 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:106:

GATCGTACCC	GTGCGAGTGC	TCGGGCCGTT	TGAGGATGGA	GTGCACGTGT	CTTTCGTGAT	60
GGCATACCCA	GAGATGTTGG	cgccgccgc	TGACACCCTG	CAGAGCATCG	GTGCTACCAC	120
TGTGGCTAGC	AATGCCGCTG	CGGCGGCCCC	GACGACTGGG	GTGGTGCCCC	CCGCTGCCGA	180
TGAGGTGTCG	GCGCTGACTG	CGGCGCACTT	CGCCGCACAT	GCGGCGATGT	ATCAGTCCGT	240
GAGCGCTCGG	GCTGCTGCGA	TTCATGACCA	GTTCGTGGCC	ACCCTTGCCA	GCAGCGCCAG	300
CTCGTATGCG	GCCACTGAAG	TCGCCAATGC	GCCGCCGCC	AGCTAAGCCA	GGAACAGTCG	360
GCACGAGAAA	CCACGAGAAA	TAGGGACACG	TAATGGTGGA	TTTCGGGGCG	TTACCACCGG	420
AGATCAACTC	CGCGAGGATG	TACGCCGGCC	CGGGTTCGGC	CTCGCTGGTG	GCCGCGGCTC	480
AGATGTGGGA	CAGCGTGGCG	AGTGACCTGT	TTTCGGCCGC	GTCGGCGTTT	CAGTCGGTGG	540
TCTGGGGTCT	GACGGTGGGG	TCGTGGATAG	GTTCGTCGGC	GGGTCTGATG	GTGGCGGCGG	600
CCTCGCCGTA	TGTGGCGTGG	ATGAGCGTCA	CCGCGGGGCA	GGCCGAGCTG	ACCGCCGCCC	660
AGGTCCGGGT	TGCTGCGGCG	GCCTACGAGA	CGGCGTATGG	GCTGACGGTG	CCCCCCCCG	720
TGATCGCCGA	GAACCGTGCT	GAACTGATGA	TTCTGATAGC	GACCAACCTC	TTGGGGCAAA	780
ACACCCCGGC	GATCGCGGTC	AACGAGGCCG	AATACGGCGA	GATGTGGGCC	CAAGACGCCG	840
CCGCGATGTT	TGGCTACGCC	GCGGCGACGG	CGACGGCGAC	GGCGACGTTG	CTGCCGTTCG	900
AGGAGGCGCC	GGAGATGACC	AGCGCGGGTG	GGCTCCTCGA	GCAGGCCGCC	GCGGTCGAGG	960
AGGCCTCCGA	CACCGCCGCG	GCGAACCAGT	TGATGAACAA	TGTGCCCCAG	GCGCTGCAAC	1020
AGCTGGCCCA	GCCCACGCAG	GGCACCACGC	CTTCTTCCAA	GCTGGGTGGC	CTGTGGAAGA	1080
CGGTCTCGCC	GCATCGGTCG	CCGATCAGCA	ACATGGTGTC	GATGGCCAAC	AACCACATGT	1140
CGATGACCAA	CTCGGGTGTG	TCGATGACCA	ACACCTTGAG	CTCGATGTTG	AAGGGCTTTG	1200
CTCCGGCGGC	GGCCGCCCAG	GCCGTGCAAA	CCGCGGCGCA	AAACGGGGTC	CGGGCGATGA	1260
GCTCGCTGGG	CAGCTCGCTG	GGTTCTTCGG	GTCTGGGCGG	TGGGGTGGCC	GCCAACTTGG	1320
GTCGGGCGGC	: CTCGGTCGGT	TCGTTGTCGG	TGCCGCAGGC	CTGGGCCGCG	GCCAACCAGG	1380
CAGTCACCC	: GGCGGCGCGG	GCGCTGCCGC	TGACCAGCCT	GACCAGCGCC	GCGGAAAGAG	1440
GGCCCGGGC	A GATGCTGGGC	GGGCTGCCGG	TGGGGCAGAI	. GGGCGCCYGG	GCCGGTGGTG	1500
GGCTCAGTG	G TGTGCTGCGT	GTTCCGCCGC	GACCCTATGI	GATGCCGCAT	TCTCCGGCGG	1560
CCGGCTAGG	A GAGGGGGCGC	AGACTGTCGT	TATTTGACCA	GTGATCGGCG	GTCTCGGTGT	1620

TTCCGCGGCC GGCTATGACA ACAGTCAATG TGCATGACAA GTTACAGGTA TTAGGTCCAG 1680 GTTCAACAAG GAGACAGGCA ACATGGCCTC ACGTTTTATG ACGGATCCGC ACGCGATGCG 1740 GGACATGGCG GGCCGTTTTG AGGTGCACGC CCAGACGGTG GAGGACGAGG CTCGCCGGAT 1800 GTGGGCGTCC GCGCAAAACA TTTCCGGTGC GGGCTGGAGT GGCATGGCCG AGGCGACCTC 1860 GCTAGACACC ATGGCCCAGA TGAATCAGGC GTTTCGCAAC ATCGTGAACA TGCTGCACGG 1920 GGTGCGTGAC GGGCTGGTTC GCGACGCCAA CAACTACGAG CAGCAAGAGC AGGCCTCCCA 1980 GCAGATCCTC AGCAGCTAAC GTCAGCCGCT GCAGCACAAT ACTTTTACAA GCGAAGGAGA 2040 ACAGGTTCGA TGACCATCAA CTATCAATTC GGGGATGTCG ACGCTCACGG CGCCATGATC 2100 CGCGCTCAGG CCGGGTTGCT GGAGGCCGAG CATCAGGCCA TCATTCGTGA TGTGTTGACC 2160 GCGAGTGACT TTTGGGGCGG CGCCGGTTCG GCGGCCTGCC AGGGGTTCAT TACCCAGTTG 2220 GGCCGTAACT TCCAGGTGAT CTACGAGCAG GCCAACGCCC ACGGGCAGAA GGTGCAGGCT 2280 GCCGGCAACA ACATGGCGCA AACCGACAGC GCCGTCGGCT CCAGCTGGGC CTGACACCAG 2340 GCCAAGGCCA GGGACGTGGT GTACGAGTGA AGTTCCTCGC GTGATCCTTC GGGTGGCAGT 2400 CTAAGTGGTC AGTGCTGGGG TGTTGGTGGT TTGCTGCTTG GCGGGTTCTT CGGTGCTGGT 2460 CAGTGCTGCT CGGGCTCGGG TGAGGACCTC GAGGCCCAGG TAGCGCCGTC CTTCGATCCA 2520 TTCGTCGTGT TGTTCGGCGA GGACGGCTCC GACGAGGCGG ATGATCGAGG CGCGGTCGGG 2580 GAAGATGCCC ACGACGTCGG TTCGGCGTCG TACCTCTCGG TTGAGGCGTT CCTGGGGGTT 2640 GTTGGACCAG ATTTGGCGCC AGATCTGCTT GGGGAAGGCG GTGAACGCCA GCAGGTCGGT 2700 GCGGGCGGTG TCGAGGTGCT CGGCCACCGC GGGGAGTTTG TCGGTCAGAG CGTCGAGTAC 2760 CCGATCATAT TGGGCAACAA CTGATTCGGC GTCGGGCTGG TCGTAGATGG AGTGCAGCAG 2820 GGTGCGCACC CACGGCCAGG AGGGCTTCGG GGTGGCTGCC ATCAGATTGG CTGCGTAGTG 2880 GGTTCTGCAG CGCTGCCAGG CCGCTGCGGG CAGGGTGGCG CCGATCGCGG CCACCAGGCC GGCGTGGGCG TCGCTGGTGA CCAGCGCGAC CCCGGACAGG CCGCGGGCGA CCAGGTCGCG 3000 GAAGAACGCC AGCCAGCCGG CCCCGTCCTC GGCGGAGGTG ACCTGGATGC CCAGGATC 3058

#### (2) INFORMATION FOR SEQ ID NO:107:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 391 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single

## (D) TOPOLOGY: linear

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:107:
- Met Val Asp Phe Gly Ala Leu Pro Pro Glu Ile Asn Ser Ala Arg Met

  1 10 15
- Tyr Ala Gly Pro Gly Ser Ala Ser Leu Val Ala Ala Ala Gln Met Trp 20 25 30
- Asp Ser Val Ala Ser Asp Leu Phe Ser Ala Ala Ser Ala Phe Gln Ser 35 40 45
- Val Val Trp Gly Leu Thr Val Gly Ser Trp Ile Gly Ser Ser Ala Gly 50 55 60
- Leu Met Val Ala Ala Ser Pro Tyr Val Ala Trp Met Ser Val Thr
  65 70 75 80
- Ala Gly Gln Ala Glu Leu Thr Ala Ala Gln Val Arg Val Ala Ala Ala 85 90 95
- Ala Tyr Glu Thr Ala Tyr Gly Leu Thr Val Pro Pro Pro Val Ile Ala 100 105 110
- Glu Asn Arg Ala Glu Leu Met Ile Leu Ile Ala Thr Asn Leu Leu Gly
  115 120 125
- Gln Asn Thr Pro Ala Ile Ala Val Asn Glu Ala Glu Tyr Gly Glu Met 130 135 140
- Trp Ala Gln Asp Ala Ala Ala Met Phe Gly Tyr Ala Ala Ala Thr Ala 145 150 155 160
- Thr Ala Thr Ala Thr Leu Leu Pro Phe Glu Glu Ala Pro Glu Met Thr 165 170 175
- Ser Ala Gly Gly Leu Leu Glu Gln Ala Ala Ala Val Glu Glu Ala Ser 180 185 190
- Asp Thr Ala Ala Ala Asn Gln Leu Met Asn Asn Val Pro Gln Ala Leu
  195 200 205
- Gln Gln Leu Ala Gln Pro Thr Gln Gly Thr Thr Pro Ser Ser Lys Leu 210 215 220
- Gly Gly Leu Trp Lys Thr Val Ser Pro His Arg Ser Pro Ile Ser Asn 230 235 236
- Met Val Ser Met Ala Asn Asn His Met Ser Met Thr Asn Ser Gly Val 245 250 255
- Ser Met Thr Asn Thr Leu Ser Ser Met Leu Lys Gly Phe Ala Pro Ala 260 265 270

Ala	Ala	Ala 275	Gln	Ala	Val	Gln	Thr 280	Ala	Ala	Gln	Asn	Gly 285	Val	Arg	Ala
Met	Ser 290	Ser	Leu	Gly	Ser	Ser 295	Leu	Gly	Ser	Ser	Gly 300	Leu	Gly	Gly	Gly
Val 305	Ala	Ala	Asn	Leu	Gly 310	Arg	Ala	Ala	Ser	Val 315	Gly	Ser	Leu	Ser	Val 320
Pro	Gln	Ala	Trp	Ala 325	Ala	Ala	Asn	Gln	Ala 330	Val	Thr	Pro	Ala	Ala 335	Arg
Ala	Leu	Pro	Leu 340	Thr	Ser	Leu	Thr	Ser 345	Ala	Ala	Glu	Arg	Gly 350	Pro	Gly
Gln	Met	Leu 355	Gly	Gly	Leu	Pro	Val 360	Gly	Gln	Met	Gly	Ala 365	Arg	Ala	Gly
Gly	Gly 370	Leu	Ser	Gly	Val	Leu 375	Arg	Val	Pro	Pro	Arg 380	Pro	Tyr	Val	Met
Pro	His	Ser	Pro	Ala	Ala	Gly									

## (2) INFORMATION FOR SEQ ID NO:108:

385

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1725 base pairs

390

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:108:

GACGTCAGCA	CCCGCCGTGC	AGGGCTGGAG	CGTGGTCGGT	TTTGATCTGC	GGTCAAGGTG	60
ACGTCCCTCG	GCGTGTCGCC	GGCGTGGATG	CAGACTCGAT	GCCGCTCTTT	AGTGCAACTA	120
ATTTCGTTGA	AGTGCCTGCG	AGGTATAGGA	CTTCACGATT	GGTTAATGTA	GCGTTCACCC	180
CGTGTTGGGG	TCGATTTGGC	CGGACCAGTC	GTCACCAACG	CTTGGCGTGC	GCGCCAGGCG	240
GGCGATCAGA	TCGCTTGACT	ACCAATCAAT	CTTGAGCTCC	CGGGCCGATG	CTCGGGCTAA	300
ATGAGGAGGA	GCACGCGTGT	CTTTCACTGC	GCAACCGGAG	ATGTTGGCGG	CCGCGGCTGG	360
CGAACTTCGT	TCCCTGGGGG	CAACGCTGAA	GGCTAGCAAT	GCCGCCGCAG	CCGTGCCGAC	420
GACTGGGGTG	GTGCCCCGG	CTGCCGACGA	GGTGTCGCTG	CTGCTTGCCA	CACAATTCCG	480
TACGCATGCG	GCGACGTATC	AGACGGCCAG	CGCCAAGGCC	GCGGTGATCC	ATGAGCAGTT	540
TGTGACCACG	CTGGCCACCA	GCGCTAGTTC	ATATGCGGAC	ACCGAGGCCG	CCAACGCTGT	600
GGTCACCGGC	TAGCTGACCT	GACGGTATTC	GAGCGGAAGG	ATTATCGAAG	TGGTGGATTT	660

720	GTTCGGCCTC	GCCGGCCCGG	GAGGATGTAC	TCAACTCCGC	CCACCGGAGA	CGGGGCGTTA
780	CGGCCGCGTC	GACCTGTTTT	CGTGGCGAGT	TGTGGGACAG	GCCGCGAAGA	GCTGGTGGCC
840	CGTCGGCGGG	TGGATAGGTT	GGTGGGGTCG	GGGGTCTGAC	TCGGTGGTCT	GGCGTTTCAG
900	CGGGGCAGGC	AGCGTCACCG	GGCGTGGATG	CGCCGTATGT	GCGGCGCCT	TCTGATGGCG
960	CGTATAGGCT	TACGAGACAG	TGCGGCGGCC	TCCGGGTTGC	GCCGCCCAGG	CCAGCTGACC
1020	TGACCGCGAC	CTGATGACGC	CCGTACCGAA	TCGCCGAGAA	CCGCCGGTGA	GACGGTGCCC
1080	ACAGCCAGAT	CAGGCCGCAT	CGAGGCCAAT	CGCCGGCGAT	GGGCAAAACA	CAACCTCTTG
1140	CGGCGACCGA	ACGGCGGCGA	CTACGCCGCC	CGATGTATGG	GACGCGGAGG	GTGGGGCCAA
1200	TCCTTGAGCA	CCCGGCGGGC	GATCACCAAC	ACGCCCCACT	CCGTTCGAGG	GGCGTTGCTG
1260	TGAACAATGT	AACCAGTTGA	CGCCGCGGCG	CCATCGACAC	GTCGAGGAGG	GGCCGTCGCG
1320	CTTCCAAGCT	GTCGTACCTT	AGCGCAGGGC	TGGCCCAGCC	CTGCAACAGC	GCCCCAAGCG
1380	TCAGTTCGAT	CTCAGCAACG	TCTGTCGCCG	TCTCGCCGCA	TGGACGGCGG	GGGTGGGCTG
1440	CCTTGCACTC	ATGACCAACA	GGGTGTGTCG	TGATGGGCAC	CACATGTCGA	AGCCAACAAC
1500	CGGAAAACGG	GAAACCGCGG	TCAGGCCGTG	CGGCGGCGGC	GGCTTAGCTC	gatgttgaag
1560	CTTCGGGTCT	TCGCTGGGTT	GCTGGGTTCG	TGGGCAGCCA	ATGAGCTCGC	GGTCTGGGCG
1620	TGTCGGTGCC	GTCGGTTCGT	GGCGGCCTCG	ACTTGGGTCG	GTGGCCGCCA	GGGCGCTGGG
1680	TGCCGCTGAC	GCGCGGGCGC	CACCCCGGCG	ACCAGGCGGT	GCCGCGGCCA	GCCAGCATGG
1725		CTGGG	CGGACACATG	AAACCGCCCC	AGCGCCGCCC	CAGCCTGACC

#### (2) INFORMATION FOR SEQ ID NO:109:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 359 amino acids

(B) TYPE: amino acid

- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:109:

Val Val Asp Phe Gly Ala Leu Pro Pro Glu Ile Asn Ser Ala Arg Met

1 5 10 15

Tyr Ala Gly Pro Gly Ser Ala Ser Leu Val Ala Ala Ala Lys Met Trp 20 25 30

Asp Ser Val Ala Ser Asp Leu Phe Ser Ala Ala Ser Ala Phe Gln Ser 35 40

Val	Val 50	Trp	Gly	Leu	Thr	Val 55	Gly	Ser	Trp	Ile	Gly 60	Ser	Ser	Ala	Gly
Leu 65	Met	Ala	Ala	Ala	Ala 70	Ser	Pro	Tyr	Val	Ala 75	Trp	Met	Ser	Val	Thr 80
Ala	Gly	Gln	Ala	Gln 85	Leu	Thr	Ala	Ala	Gln 90	Val	Arg	Val	Ala	Ala 95	Ala
Ala	Tyr	Glu	Thr 100	Ala	Tyr	Arg	Leu	Thr 105	Val	Pro	Pro	Pro	Val 110	Ile	Ala
Glu	Asn	Arg 115	Thr	Glu	Leu	Met	Thr 120	Leu	Thr	Ala	Thr	Asn 125	Leu	Leu	Gly
Gln	Asn 130	Thr	Pro	Ala	Ile	Glu 135	Ala	Asn	Gln	Ala	Ala 140	Tyr	Ser	Gln	Met
Trp 145	Gly	Gln	Asp	Ala	Glu 150	Ala	Met	Tyr	Gly	Tyr 155	Ala	Ala	Thr	Ala	Ala 160
Thr	Ala	Thr	Glu	Ala 165	Leu	Leu	Pro	Phe	Glu 170	Asp	Ala	Pro	Leu	Ile 175	Thr
Asn	Pro	Gly	Gly 180	Leu	Leu	Glu	Gln	Ala 185	Val	Ala	Val	Glu	Glu 190	Ala	Ile
Asp	Thr	Ala 195	Ala	Ala	Asn	Gln	Leu 200	Met	Asn	Asn	Val	Pro 205	Gln	Ala	Leu
Gln	Gln 210	Leu	Ala	Gln	Pro	Ala 215	Gln	Gly	Val	Val	Pro 220	Ser	Ser	Lys	Leu
Gly 225	Gly	Leu	Trp	Thr	Ala 230	Val	Ser	Pro	His	Leu 235	Ser	Pro	Leu	Ser	Asn 240
Val	Ser	Ser	Ile	Ala 245	Asn	Asn	His	Met	Ser 250	Met	Met	Gly	Thr	Gly 255	Val
Ser	Met	Thr	Asn 260	Thr	Leu	His	Ser	Met 265	Leu	Lys	Gly	Leu	Ala 270	Pro	Ala
Ala	Ala	Gln 275	Ala	Val	Glu	Thr	Ala 280	Ala	Glu	Asn	Gly	Val 285	Trp	Ala	Met
Ser	Ser 290	Leu	Gly	Ser	Gln	Leu 295	Gly	Ser	Ser	Leu	Gly 300	Ser	Ser	Gly	Leu
Gly 305	Ala	Gly	Val	Ala	Ala 310	Asn	Leu	Gly	Arg	Ala 315	Ala	Ser	Val	Gly	Ser 320
Leu	Ser	Val	Pro	Pro 325	Ala	Trp	Ala	Ala	Ala 330	Asn	Gln	Ala	Val	Thr 335	Pro

Ala Ala Arg Ala Leu Pro Leu Thr Ser Leu Thr Ser Ala Ala Gln Thr 340 345 350

Ala Pro Gly His Met Leu Gly 355

#### (2) INFORMATION FOR SEQ ID NO:110:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 3027 base pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:110:

AGTTCAGTCG AGAATGATAC TGACGGGCTG TATCCACGAT GGCTGAGACA ACCGAACCAC 60 CGTCGGACGC GGGGACATCG CAAGCCGACG CGATGGCGTT GGCCGCCGAA GCCGAAGCCG 120 CCGAAGCCGA AGCGCTGGCC GCCGCGGCGC GGGCCCGTGC CCGTGCCGCC CGGTTGAAGC 180 GTGAGGCGCT GGCGATGGCC CCAGCCGAGG ACGAGAACGT CCCCGAGGAT ATGCAGACTG 240 GGAAGACGCC GAAGACTATG ACGACTATGA CGACTATGAG GCCGCAGACC AGGAGGCCGC 300 ACGGTCGGCA TCCTGGCGAC GGCGGTTGCG GGTGCGGTTA CCAAGACTGT CCACGATTGC 360 CATGGCGGCC GCAGTCGTCA TCATCTGCGG CTTCACCGGG CTCAGCGGAT ACATTGTGTG 420 GCAACACCAT GAGGCCACCG AACGCCAGCA GCGCGCCGCG GCGTTCGCCG CCGGAGCCAA 480 GCAAGGTGTC ATCAACATGA CCTCGCTGGA CTTCAACAAG GCCAAAGAAG ACGTCGCGCG 540 TGTGATCGAC AGCTCCACCG GCGAATTCAG GGATGACTTC CAGCAGCGGG CAGCCGATTT 600 CACCAAGGTT GTCGAACAGT CCAAAGTGGT CACCGAAGGC ACGGTGAACG CGACAGCCGT 660 CGAATCCATG AACGAGCATT CCGCCGTGGT GCTCGTCGCG GCGACTTCAC GGGTCACCAA 720 TTCCGCTGGG GCGAAAGACG AACCACGTGC GTGGCGGCTC AAAGTGACCG TGACCGAAGA 780 GGGGGGACAG TACAAGATGT CGAAAGTTGA GTTCGTACCG TGACCGATGA CGTACGCGAC 840 GTCAACACCG AAACCACTGA CGCCACCGAA GTCGCTGAGA TCGACTCAGC CGCAGGCGAA 900 GCCGGTGATT CGGCGACCGA GGCATTTGAC ACCGACTCTG CAACGGAATC TACCGCGCAG 960 AAGGGTCAGC GGCACCGTGA CCTGTGGCGA ATGCAGGTTA CCTTGAAACC CGTTCCGGTG 1020 ATTCTCATCC TGCTCATGTT GATCTCTGGG GGCGCGACGG GATGGCTATA CCTTGAGCAA 1080 TACGACCCGA TCAGCAGACG GACTCCGGCG CCGCCCGTGC TGCCGTCGCC GCGGCGTCTG 1140 ACGGGACAAT CGCGCTGTTG TGTATTCACC CGACACGTCG ACCAAGACTT CGCTACCGCC 1200

AGGTCGCACC	TCGCCGGCGA	TTTCCTGTCC	TATACGACCA	GTTCACGCAG	CAGATCGTGG	1260
CTCCGGCGGC	CAAACAGAAG	TCACTGAAAA	CCACCGCCAA	GGTGGTGCGC	GCGGCCGTGT	1320
CGGAGCTACA	TCCGGATTCG	GCCGTCGTTC	TGGTTTTTGT	CGACCAGAGC	ACTACCAGTA	1380
AGGACAGCCC	CAATCCGTCG	ATGGCGGCCA	GCAGCGTGAT	GGTGACCCTA	GCCAAGGTCG	1440
ACGGCAATTG	GCTGATCACC	AAGTTCACCC	CGGTTTAGGT	TGCCGTAGGC	GGTCGCCAAG	1500
TCTGACGGGG	GCGCGGGTGG	CTGCTCGTGC	GAGATACCGG	CCGTTCTCCG	GACAATCACG	1560
GCCCGACCTC	AAACAGATCT	CGGCCGCTGT	CTAATCGGCC	GGGTTATTTA	AGATTAGTTG	1620
CCACTGTATT	TACCTGATGT	TCAGATTGTT	CAGCTGGATT	TAGCTTCGCG	GCAGGGCGGC	1680
TGGTGCACTT	TGCATCTGGG	GTTGTGACTA	CTTGAGAGAA	TTTGACCTGT	TGCCGACGTT	1740
GTTTGCTGTC	CATCATTGGT	GCTAGTTATG	GCCGAGCGGA	AGGATTATCG	AAGTGGTGGA	1800
CTTCGGGGCG	TTACCACCGG	AGATCAACTC	CGCGAGGATG	TACGCCGGCC	CGGGTTCGGC	1860
CTCGCTGGTG	GCCGCCGCGA	AGATGTGGGA	CAGCGTGGCG	AGTGACCTGT	TTTCGGCCGC	1920
GTCGGCGTTT	CAGTCGGTGG	TCTGGGGTCT	GACGACGGGA	TCGTGGATAG	GTTCGTCGGC	1980
GGGTCTGATG	GTGGCGGCGG	CCTCGCCGTA	TGTGGCGTGG	ATGAGCGTCA	CCGCGGGGCA	2040
GGCCGAGCTG	ACCGCCGCCC	AGGTCCGGGT	TGCTGCGGCG	GCCTACGAGA	CGGCGTATGG	2100
GCTGACGGTG	CCCCCGCCGG	TGATCGCCGA	GAACCGTGCT	GAACTGATGA	TTCTGATAGC	2160
GACCAACCTC	TTGGGGCAAA	ACACCCCGGC	GATCGCGGTC	AACGAGGCCG	AATACGGGGA	2220
GATGTGGGCC	CAAGACGCCG	CCGCGATGTT	TGGCTACGCC	GCCACGGCGG	CGACGGCGAC	2280
CGAGGCGTTG	CTGCCGTTCG	AGGACGCCCC	ACTGATCACC	AACCCCGGCG	GGCTCCTTGA	2340
GCAGGCCGTC	GCGGTCGAGG	AGGCCATCGA	CACCGCCGCG	GCGAACCAGT	TGATGAACAA	2400
TGTGCCCCAA	GCGCTGCAAC	AACTGGCCCA	GCCCACGAAA	AGCATCTGGC	CGTTCGACCA	2460
ACTGAGTGAA	CTCTGGAAAG	CCATCTCGCC	GCATCTGTCG	CCGCTCAGCA	ACATCGTGTC	2520
GATGCTCAAC	AACCACGTGT	CGATGACCAA	CTCGGGTGTG	TCGATGGCCA	GCACCTTGCA	2580
CTCAATGTTG	AAGGCTTTG	CTCCGGCGGC	GGCTCAGGCC	GTGGAAACCG	CGGCGCAAAA	2640
CGGGGTCCAG	GCGATGAGCT	CGCTGGGCAG	CCAGCTGGGT	TCGTCGCTGG	GTTCTTCGGG	270
TCTGGGCGCT	GGGGTGGCCG	CCAACTTGGG	TCGGCCGCC	TCGGTCGGTT	CGTTGTCGGT	276
GCCGCAGGCC	TGGGCCGCGG	CCAACCAGGC	GGTCACCCCG	GCGGCGCGG	CGCTGCCGCT	282

GACCAGCCTG ACCAGCGCCG CCCAAACCGC CCCCGGACAC ATGCTGGGCG GGCTACCGCT 2880
GGGGCAACTG ACCAATAGCG GCGGCGGGTT CGGCGGGGTT AGCAATGCGT TGCGGATGCC 2940
GCCGCGGGGCG TACGTAATGC CCCGTGTGCC CGCCGCCGGG TAACGCCGAT CCGCACGCAA 3000
TGCGGGGCCCT CTATGCGGGC AGCGATC 3027

#### (2) INFORMATION FOR SEQ ID NO:111:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 396 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:111:

Val Val Asp Phe Gly Ala Leu Pro Pro Glu Ile Asn Ser Ala Arg Met

1 5 10 15

Tyr Ala Gly Pro Gly Ser Ala Ser Leu Val Ala Ala Ala Lys Met Trp 20 25 30

Asp Ser Val Ala Ser Asp Leu Phe Ser Ala Ala Ser Ala Phe Gln Ser 35 40 45

Val Val Trp Gly Leu Thr Thr Gly Ser Trp Ile Gly Ser Ser Ala Gly 50 55 60

Leu Met Val Ala Ala Ala Ser Pro Tyr Val Ala Trp Met Ser Val Thr 65 70 75 80

Ala Gly Gln Ala Glu Leu Thr Ala Ala Gln Val Arg Val Ala Ala Ala 85 90 95

Ala Tyr Glu Thr Ala Tyr Gly Leu Thr Val Pro Pro Pro Val Ile Ala 100 105 110

Glu Asn Arg Ala Glu Leu Met Ile Leu Ile Ala Thr Asn Leu Leu Gly
115 120 125

Gln Asn Thr Pro Ala Ile Ala Val Asn Glu Ala Glu Tyr Gly Glu Met 130 140

Trp Ala Gln Asp Ala Ala Ala Met Phe Gly Tyr Ala Ala Thr Ala Ala 145 150 155 160

Thr Ala Thr Glu Ala Leu Leu Pro Phe Glu Asp Ala Pro Leu Ile Thr 165 170 175

Asn Pro Gly Gly Leu Leu Glu Gln Ala Val Ala Val Glu Glu Ala Ile 180 185 190

Asp Thr Ala Ala Ala Asn Gln Leu Met Asn Asn Val Pro Gln Ala Leu

		•	195					200					205				
G1	n G1 21		Leu	Ala	Gln	Pro	Thr 215	Lys	Ser	Ile	Trp	Pro 220	Phe	Asp	Gln	Leu	
Se 22		lu 1	Leu	Trp	Lys	Ala 230	Ile	Ser	Pro	His	Leu 235	Ser	Pro	Leu	Ser	Asn 240	
11	e Va	al S	Ser	Met	Leu 245	Asn	Asn	His	Val	Ser 250	Met	Thr	Asn	Ser	Gly 255	Val	
Se	r Me	et 1	Ala	Ser 260	Thr	Leu	His	Ser	Met 265	Leu	Lys	Gly	Phe	Ala 270	Pro	Ala	
<b>A1</b>	a Al		Gln 275	Ala	Val	Glu	Thr	Ala 280	Ala	Gln	Asn	Gly	Val 285	Gln	Ala	Met	
Se		er 1	Leu	Gly	Ser	Gln	Leu 295	Gly	Ser	Ser	Leu	Gly 300	Ser	Ser	Gly	Leu	
G)		La (	Gly	Val	Ala	Ala 310	Asn	Leu	Gly	Arg	Ala 315	Ala	Ser	Val	Gly	Ser 320	
Le	u Se	er '	Val	Pro	Gln 325	Ala	Trp	Ala	Ala	Ala 330	Asn	Gln	Ala	Val	Thr 335	Pro	
Al	a A	La i	Arg	Ala 340	Leu	Pro	Leu	Thr	Ser 345	Leu	Thr	Ser	Ala	Ala 350	Gln	Thr	
A	.a P:		Gly 355	His	Met	Leu	Gly	Gly 360	Leu	Pro	Leu	Gly	Gln 365	Leu	Thr	Asn	
Se		ly (	Gly	Gly	Phe	Gly	Gly 375	Val	Ser	Asn	Ala	Leu 380	Arg	Met	Pro	Pro	
	g A.	la '	Tyr	Val	Met	Pro 390	-	Val	Pro	Ala	Ala 395	Gly					
(2) IN	FORM	ATI	on i	FOR :	SEQ	ID N	0:11	2:									
(:		(A) (B) (C)	LEI TYI STI	ngth Pe::: Rand:	: 16 nucl EDNE	TERI 16 b eic SS: line	ase acid sing	pair	s								
( <b>x</b> :	i) s	EQU	ENC:	E DE	SCRI	PTIO	พ: ร	EQ I	OM C	:112	:						
CATCGG	AGGG	AG	TGA'	TCAC	C AT	GCTG	TGGC	ACG	CAAT	GCC	ACCG	GAGT	'AA A	TACC	GCAC	:G	60
GCTGAT	GCC	GG	CGC	GGGT	C CG	GCTC	CAAT	GCT	TGCG	GCG	GCCG	CGGG	AT G	GCAG	ACG	T	120
TTCGGC	GCT	CI	'GGA	CGCT	C AG	GCCG	TCGA	. GII	GACC	:GCG	CGCC	TGAA	cr c	TCTG	GGAC	SA	180

AGCCTGGACT GGAGGTGGCA GCGACAAGGC GCTTGCGGCT GCAACGCCGA TGGTGGTCTG

GCTACAAACC	GCGTCAACAC	AGGCCAAGAC	CCGTGCGATG	CAGGCGACGG	CGCAAGCCGC	300
GGCATACACC	CAGGCCATGG	CCACGACGCC	GTCGCTGCCG	GAGATCGCCG	CCAACCACAT	360
CACCCAGGCC	GTCCTTACGG	CCACCAACTT	CTTCGGTATC	AACACGATCC	CGATCGCGTT	420
GACCGAGATG	GATTATTTCA	TCCGTATGTG	GAACCAGGCA	GCCCTGGCAA	TGGAGGTCTA	480
CCAGGCCGAG	ACCGCGGTTA	ACACGCTTTT	CGAGAAGCTC	GAGCCGATGG	CGTCGATCCT	540
TGATCCCGGC	GCGAGCCAGA	GCACGACGAA	CCCGATCTTC	GGAATGCCCT	CCCCTGGCAG	600
CTCAACACCG	GTTGGCCAGT	TGCCGCCGGC	GGCTACCCAG	ACCCTCGGCC	AACTGGGTGA	660
GATGAGCGGC	CCGATGCAGC	AGCTGACCCA	GCCGCTGCAG	CAGGTGACGT	CGTTGTTCAG	720
CCAGGTGGGC	GGCACCGGCG	GCGGCAACCC	AGCCGACGAG	GAAGCCGCGC	AGATGGGCCT	780
GCTCGGCACC	AGTCCGCTGT	CGAACCATCC	GCTGGCTGGT	GGATCAGGCC	CCAGCGCGGG	840
CGCGGGCCTG	CTGCGCGCGG	AGTCGCTACC	TGGCGCAGGT	GGGTCGTTGA	CCCGCACGCC	900
GCTGATGTCT	CAGCTGATCG	AAAAGCCGGT	TGCCCCTCG	GTGATGCCGG	CGGCTGCTGC	960
CGGATCGTCG	GCGACGGGTG	GCGCCGCTCC	GGTGGGTGCG	GGAGCGATGG	GCCAGGGTGC	1020
GCAATCCGGC	GGCTCCACCA	GGCCGGGTCT	GGTCGCGCCG	GCACCGCTCG	CGCAGGAGCG	1080
TGAAGAAGAC	GACGAGGACG	ACTGGGACGA	AGAGGACGAC	TGGTGAGCTC	CCGTAATGAC	1140
AACAGACTTC	CCGGCCACCC	GGGCCGGAAG	ACTTGCCAAC	ATTTTGGCGA	GGAAGGTAAA	1200
GAGAGAAAGT	AGTCCAGCAT	GGCAGAGATG	AAGACCGATG	CCGCTACCCT	CGCGCAGGAG	1260
GCAGGTAATT	TCGAGCGGAT	CTCCGGCGAC	CTGAAAACCC	AGATCGACCA	GGTGGAGTCG	1320
ACGGCAGGTT	CGTTGCAGGG	CCAGTGGCGC	GGCGCGGCGG	GGACGGCCGC	CCAGGCCGCG	1380
GTGGTGCGCT	TCCAAGAAGC	AGCCAATAAG	CAGAAGCAGG	AACTCGACGA	GATCTCGACG	1440
AATATTCGTC	AGGCCGGCGT	CCAATACTCG	AGGGCCGACG	AGGAGCAGCA	GCAGGCGCTG	1500
TCCTCGCAAA	TGGGCTTCTG	ACCCGCTAAT	ACGAAAAGAA	ACGGAGCAAA	AACATGACAG	1560
AGCAGCAGTG	GAATTTCGCG	GGTATCGAGG	CCGCGGCAAG	CGCAATCCAG	GGAAAT	1616

## (2) INFORMATION FOR SEQ ID NO:113:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 432 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(	(xi)	SEQU	ENCE	DES	CRIP	TION	: SE	Q ID	NO:	113:						
CTAGI	GGAT	G GG	ACCA	TGGC	CAT	TTTC	TGC .	agtc	TCAC	TG C	CTTC	TGTG'	r TG	ACAT	TTTG	
GCACG	CCGG	C GG	AAAC	GAAG	CAC	TGGG	GTC	gaag	AACG	GC T	GCGC	TGCC	A TA	TCGT	CCGG	
AGCTI	CCAT	A CC	TTCG	TGCG	GCC	GGAA	GAG	CTTG	TCGT	AG T	CGGC	CGCC	A TG	ACAA	CCTC	
TCAG	\GTGC	G CT	CAAA	.CGTA	TAA	ACAC	GAG .	aaag	GGCG	ag a	CCGA	CGGA	A GG	TCGA	ACTC	
GCCC	EATCC	C GT	GTTT	CGCT	ATT	CTAC	GCG .	AACT	CGGC	GT T	GCCC	TATG	C GA	ACAT	CCCA	
GTGACGTTGC CTTCGGTCGA AGCCATTGCC TGACCGGCTT CGCTGATCGT CCGCGCCAGG																
TTCTGCAGCG CGTTGTTCAG CTCGGTAGCC GTGGCGTCCC ATTTTTGCTG GACACCCTGG																
TACG	CTCC	g aa	•													
(2)	NFOR	MATI	ON F	OR S	EQ I	D NO	:114	:								
	(i)	(A) (B) (C)	LEN TYP STR	GTH: PE: a PANDE	368 mino DNES	ERIS ami aci SS: s	no a d ingl	cids								
	(xi)	SEQU	ENCE	DES	CRIE	PTION	: SE	Q ID	NO:	114:						
	Met 1	Leu	Trp	His	Ala 5	Met	Pro	Pro	Glu	Xaa 10	Asn	Thr	Ala	Arg	Leu 15	Met
	Ala	Gly	Ala	Gly 20	Pro	Ala	Pro	Met	Leu 25	Ala	Ala	Ala	Ala	Gly 30	Trp	Gln
	Thr	Leu	Ser 35	Ala	Ala	Leu	Asp	Ala 40	Gln	Ala	Val	Glu	Leu 45	Thr	Ala	Arg
	Leu	Asn 50	Ser	Leu	Gly	Glu	Ala 55	Trp	Thr	Gly	Gly	Gly 60	Ser	Asp	Lys	Ala
	Leu 65	Ala	Ala	Ala	Thr	Pro 70	Met	Val	Val	Trp	Leu 75	Gln	Thr	Ala	Ser	Thr 80
	Gln	Ala	Lys	Thr	Arg 85	Ala	Met	Gln	Ala	Thr 90	Ala	Gln	Ala	Ala	Ala 95	Tyr
	Thr	Gln	Ala	Met 100	Ala	Thr	Thr	Pro	Ser 105	Leu	Pro	Glu	Ile	Ala 110	Ala	Asn
	His	Ile	Thr 115	Gln	Ala	Val	Leu	Thr 120	Ala	Thr	Asn	Phe	Phe 125	Gly	Ile	Asn
	Thr	Ile 130	Pro	Ile	Ala	Leu	Thr 135		Met	Asp	Tyr	Phe 140	Ile	Arg	Met	Trp

Asn	Gln	Ala	Ala	Leu	Ala	Met	Glu	Val	Tyr	Gln	Ala	Glu	Thr	Ala	Val
145					150					155					160

- Asn Thr Leu Phe Glu Lys Leu Glu Pro Met Ala Ser Ile Leu Asp Pro 165 170 175
- Gly Ala Ser Gln Ser Thr Thr Asn Pro Ile Phe Gly Met Pro Ser Pro 180 185 190
- Gly Ser Ser Thr Pro Val Gly Gln Leu Pro Pro Ala Ala Thr Gln Thr 195 200 205
- Leu Gly Gln Leu Gly Glu Met Ser Gly Pro Met Gln Gln Leu Thr Gln 210 215 220
- Pro Leu Gln Gln Val Thr Ser Leu Phe Ser Gln Val Gly Gly Thr Gly 225 230 235 240
- Gly Gly Asn Pro Ala Asp Glu Glu Ala Ala Gln Met Gly Leu Leu Gly 245 250 255
- Thr Ser Pro Leu Ser Asn His Pro Leu Ala Gly Gly Ser Gly Pro Ser 260 265 270
- Ala Gly Ala Gly Leu Leu Arg Ala Glu Ser Leu Pro Gly Ala Gly Gly 275 280 285
- Ser Leu Thr Arg Thr Pro Leu Met Ser Gln Leu Ile Glu Lys Pro Val 290 295 300
- Ala Pro Ser Val Met Pro Ala Ala Ala Ala Gly Ser Ser Ala Thr Gly 305 310 315 320
- Gly Ala Ala Pro Val Gly Ala Gly Ala Met Gly Gln Gly Ala Gln Ser 325 330 335
- Gly Gly Ser Thr Arg Pro Gly Leu Val Ala Pro Ala Pro Leu Ala Gln 340 345 350
- Glu Arg Glu Glu Asp Asp Glu Asp Asp Trp Asp Glu Glu Asp Asp Trp 355 360 365

#### (2) INFORMATION FOR SEQ ID NO:115:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 100 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:115:
- Met Ala Glu Met Lys Thr Asp Ala Ala Thr Leu Ala Gln Glu Ala Gly

  1 10 15

A	sn Phe	Glu	Arg 20	Ile	Ser	Gly	Asp	Leu 25	Lys	Thr	Gln	Ile	Asp 30	Gln	Val	
G.	lu Ser	Thr 35	Ala	Gly	Ser	Leu	Gln 40	Gly	Gln	Trp	Arg	Gly 45	Ala	Ala	Gly	
T	hr Ala 50	Ala	Gln	Ala	Ala	Val 55	Val	Arg	Phe	Gln	Glu 60	Ala	Ala	Asn	Lys	
G:	ln Lys 5	Gln	Glu	Leu	Asp 70	Glu	Ile	Ser	Thr	Asn 75	Ile	Arg	Gln	Ala	Gly 80	
Va	al Gln	Tyr	Ser	Arg 85	Ala	Asp	Glu	Glu	Gln 90	Gln	Gln	Ala	Leu	Ser 95	Ser	
G.	ln Met	Gly	Phe 100													
(2) II	nforma'	rion	FOR	SEQ	ID i	NO:11	L6 :									
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 396 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul> (xi) SEQUENCE DESCRIPTION: SEQ ID NO:116:																
GATCTC	CGGC G	ACCTO	AAAA	CCC	LAGAT	rcga	CCAC	GTG	EAG :	CGA	GGC	kg g:	rrcg:	rtgci	A.	60
GGGCCA	GTGG C	GCGGC	CGCGG	CGC	GGA	CGGC	CGC	CAG	SCC (	GCGG1	GGT	GC G	CITCO	CAAG	A.	120
AGCAGC	CAAT A	AGCAG	BAAGO	: AGC	AAC	rcga	CGA	ATC	rcg 1	ACGA	TAT	rc g	rcag(	GCCG	3	180
CGTCCA	ATAC T	CGAGG	GCCG	acc	AGG!	AGCA	GCA	CAG	GCG (	TGT	CTC	C A	AATG	GCT	r	240
CTGACC	CGCT A	ATACO	AAAA	A GA	ACGO	GAGC	LAAA	AACA:	rga (	CAGAC	CAG	CA G	rgga	ATTT	С	300
GCGGGT	ATCG A	GCCG	CGGC	: AAC	GC;	AATC	CAG	GAA	ATG 1	CAC	STCC	AT TO	CATT	CCT	c	360
CTTGAC	GAGG G	GAAGO	AGTO	cci	rgaco	CAAG	CTC	GCA								396
(2) IN	FORMAT:	ION E	FOR S	EQ I	ED NO	0:11	7:									•
	(B (C	) LEN ) TYI ) STI ) TOI	GTH: PE: 8 RANDE POLOG	: 80 LMING EDNES EY: ]	amino aci SS: s	no ad id sing: ar	cids te	n No	.177							
1,26.						31	-4 T	- 14C	. 44/	•						

Ile Ser Gly Asp Leu Lys Thr Gln Ile Asp Gln Val Glu Ser Thr Ala
1 5 10 15

Gly Ser Leu Gln Gly Gln Trp Arg Gly Ala Ala Gly Thr Ala Ala Gln 20 25 30											
Ala Ala Val Val Arg Phe Gln Glu Ala Ala Asn Lys Gln Lys Gln Glu 35 40 45											
Leu Asp Glu Ile Ser Thr Asn Ile Arg Gln Ala Gly Val Gln Tyr Ser 50 55 60											
Arg Ala Asp Glu Glu Gln Gln Gln Ala Leu Ser Ser Gln Met Gly Phe 65 70 75 80											
(2) INFORMATION FOR SEQ ID NO:118:											
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 387 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear											
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:118:											
GTGGATCCCG ATCCCGTGTT TCGCTATTCT ACGCGAACTC GGCGTTGCCC TATGCGAACA											
TCCCAGTGAC GTTGCCTTCG GTCGAAGCCA TTGCCTGACC GGCTTCGCTG ATCGTCCGCG											
CCAGGTTCTG CAGCGCGTTG TTCAGCTCGG TAGCCGTGGC GTCCCATTTT TGCTGGACAC											
CCTGGTACGC CTCCGAACCG CTACCGCCCC AGGCCGCTGC GAGCTTGGTC AGGGACTGCT											
TCCCCTCGTC AAGGAGGGAA TGAATGGACG TGACATTTCC CTGGATTGCG CTTGCCGCGG	300										
CCTCGATACC CGCGAAATTC CACTGCTGCT CTGTCATGTT TTTGCTCCGT TTCTTTCGT	360										
ATTAGCGGGT CAGAAGCCCA TTTGCGA	387										
(2) INFORMATION FOR SEQ ID NO:119:											
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 272 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear											
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:119:											
CGGCACGAGG ATCTCGGTTG GCCCAACGGG GCTGGCGAGG GCTCCGTTCC GGGGGCGAGC	60										
TGCGCGCCGG ATGCTTCCTC TGCCCGCAGC CGCGCCTGGA TGGATGGACC AGTTGCTACC	120										
TTCCCGACGT TTCGTTCGGT GTCTGTGCGA TAGCGGTGAC CCCGGCGCGC ACGTCGGGAG	180										
TGTTGGGGGG CAGGCCGGGT CGGTGGTTCG GCCGGGGACG CAGACGGTCT GGACGGAACG	240										

# GGCGGGGTT CGCCGATTGG CATCTTTGCC CA (2) INFORMATION FOR SEQ ID NO:120: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:120: Asp Pro Val Asp Ala Val Ile Asn Thr Thr Cys Asn Tyr Gly Gln Val 10 Val Ala Ala Leu (2) INFORMATION FOR SEQ ID NO:121: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:121: Ala Val Glu Ser Gly Met Leu Ala Leu Gly Thr Pro Ala Pro Ser (2) INFORMATION FOR SEQ ID NO:122: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: linear (xi) SEQUENCE DESCRIPTION: SEQ ID NO:122: Ala Ala Met Lys Pro Arg Thr Gly Asp Gly Pro Leu Glu Ala Ala Lys Glu Gly Arg (2) INFORMATION FOR SEQ ID NO:123: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 15 amino acids

(B) TYPE: amino acid(C) STRANDEDNESS:(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:123:

Tyr Tyr Trp Cys Pro Gly Gln Pro Phe Asp Pro Ala Trp Gly Pro 1 5 10

- (2) INFORMATION FOR SEQ ID NO:124:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 14 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:124:

Asp Ile Gly Ser Glu Ser Thr Glu Asp Gln Gln Xaa Ala Val

- (2) INFORMATION FOR SEQ ID NO:125:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 13 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:125:

Ala Glu Glu Ser Ile Ser Thr Xaa Glu Xaa Ile Val Pro

- (2) INFORMATION FOR SEQ ID NO:126:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 17 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:126:

Asp Pro Glu Pro Ala Pro Pro Val Pro Thr Thr Ala Ala Ser Pro Pro 1 5 10 15

Ser

- (2) INFORMATION FOR SEQ ID NO:127:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 15 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:127:

Ala Pro Lys Thr Tyr Xaa Glu Glu Leu Lys Gly Thr Asp Thr Gly
1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:128:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 30 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:128:

Asp Pro Ala Ser Ala Pro Asp Val Pro Thr Ala Ala Gln Leu Thr Ser

1 10 15

Leu Leu Asn Ser Leu Ala Asp Pro Asn Val Ser Phe Ala Asn 20 25 30

- (2) INFORMATION FOR SEQ ID NO:129:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 22 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:129:

Asp Pro Pro Asp Pro His Gln Xaa Asp Met Thr Lys Gly Tyr Tyr Pro

1 5 10 15

Gly Gly Arg Arg Xaa Phe 20

- (2) INFORMATION FOR SEQ ID NO:130:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 7 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:130:

Asp Pro Gly Tyr Thr Pro Gly
1 5

- (2) INFORMATION FOR SEQ ID NO:131:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 10 amino acids

- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear
- (ix) FEATURE:
- (D) OTHER INFORMATION: /note= "The Second Residue Can Be Either a
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:131:

Xaa Xaa Gly Phe Thr Gly Pro Gln Phe Tyr
1 5 10

- (2) INFORMATION FOR SEQ ID NO:132:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 9 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (ix) FEATURE:
- (D) OTHER INFORMATION: /note= "The Third Residue Can Be Either a
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:132:

Xaa Pro Xaa Val Thr Ala Tyr Ala Gly

- (2) INFORMATION FOR SEQ ID NO:133:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 9 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:133:

Xaa Xaa Xaa Glu Lys Pro Phe Leu Arg 1 5

- (2) INFORMATION FOR SEQ ID NO:134:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 15 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:134:

Xaa Asp Ser Glu Lys Ser Ala Thr Ile Lys Val Thr Asp Ala Ser 1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:135:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 15 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:135:

Ala Gly Asp Thr Xaa Ile Tyr Ile Val Gly Asn Leu Thr Ala Asp 1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:136:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 15 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:136:

Ala Pro Glu Ser Gly Ala Gly Leu Gly Gly Thr Val Gln Ala Gly

15

- (2) INFORMATION FOR SEQ ID NO:137:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 21 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:137:

Xaa Tyr Ile Ala Tyr Xaa Thr Thr Ala Gly Ile Val Pro Gly Lys Ile 1 5 10 15

Asn Val His Leu Val 20

- (2) INFORMATION FOR SEQ ID NO:138:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 882 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:138:

					•	
GCAACGCTGT	CGTGGCCTTT	GCGGTGATCG	GTTTCGCCTC	GCTGGCGGTG	GCGGTGGCGG	60
TCACCATCCG	ACCGACCGCG	GCCTCAAAAC	CGGTAGAGGG	ACACCAAAAC	GCCCAGCCAG	120
GGAAGTTCAT	GCCGTTGTTG	CCGACGCAAC	AGCAGGCGCC	GGTCCCGCCG	CCTCCGCCCG	180
ATGATCCCAC	CGCTGGATTC	CAGGGCGGCA	CCATTCCGGC	TGTACAGAAC	GTGGTGCCGC	240
GGCCGGGTAC	CTCACCCGGG	GTGGGTGGGA	CGCCGGCTTC	GCCTGCGCCG	GAAGCGCCGG	300
CCGTGCCCGG	TGTTGTGCCT	GCCCCGGTGC	CAATCCCGGT	CCCGATCATC	ATTCCCCCGT	360
TCCCGGGTTG	GCAGCCTGGA	ATGCCGACCA	TCCCCACCGC	ACCGCCGACG	ACGCCGGTGA	420
CCACGTCGGC	GACGACGCCG	CCGACCACGC	CGCCGACCAC	GCCGGTGACC	ACGCCGCCAA	480
CGACGCCGCC	GACCACGCCG	GTGACCACGC	CGCCAACGAC	GCCGCCGACC	ACGCCGGTGA	540
CCACGCCACC	AACGACCGTC	GCCCGACGA	CCGTCGCCCC	GACGACGGTC	GCTCCGACCA	600
CCGTCGCCCC	GACCACGGTC	GCTCCAGCCA	CCGCCACGCC	GACGACCGTC	GCTCCGCAGC	660
CGACGCAGCA	GCCCACGCAA	CAACCAACCC	AACAGATGCC	AACCCAGCAG	CAGACCGTGG	720
CCCCGCAGAC	GGTGGCGCCG	GCTCCGCAGC	CGCCGTCCGG	TGGCCGCAAC	GGCAGCGGCG	780
GGGGCGACTT	ATTCGGCGGG	TTCTGATCAC	GGTCGCGGCT	TCACTACGGT	CGGAGGACAT	840
GGCCGGTGAT	GCGGTGACGG	TGGTGCTGCC	CTGTCTCAAC	GA		882

## (2) INFORMATION FOR SEQ ID NO:139:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 815 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:139:

CCATCAACCA ACCGCTCGCG CCGCCGCGC CGCCGGATCC GCCGTCGCCG CCACGCCCGC 60

CGGTGCCTCC GGTGCCCCG TTGCCGCCGT CGCCGCCGTC GCCGCCGACC GGCTGGGTGC 120

CTAGGGCGCT GTTACCGCCC TGGTTGGCGG GGACGCCGCC GGCACCACCG GTACCGCCGA 180

TGGCGCCGTT GCCGCCGGCG GCACCGTTGC CACCGTTGCC ACCGTTGCCA CCGTTGCCGA 240

CCAGCCACCC GCCGCGACCA CCGGCACCGC CGCACCGCCG GCGTGCCCGT 300

TCGTGCCCGT ACCGCCGGCA CCGCCGTTGC CGCCGTCACC GCCGACGGAA CTACCGGCGG 360

ACGCGGCCTG CCCGCCGCC CGCCCGCAC CGCCCGTCAC CCGCCGGCTG CCGCCGGCTG 420

GGAGTGCCGC GATTAGGGCA CTGACCGGCG CAACCAGCGC AAGTACTCTC GGTCACCGAG 480

CACTTCCAGA CGACACCACA GCACGGGGTT GTCGGCGGAC TGGGTGAAAT GGCAGCCGAT 540

AGCGGCTAGC TGTCGGCTGC GGTCAACCTC GATCATGATG TCGAGGTGAC CGTGACCGCG 600

CCCCCCGAAG GAGGCGCTGA ACTCGGCGTT GAGCCGATCG GCGATCGGTT GGGGCAGTGC 660

CCAGGCCAAT ACGGGGATAC CGGGTGTCNA AGCCGCCGCG AGCGCAGCTT CGGTTGCGCG 720

ACNGTGGTCG GGGTGGCCTG TTACGCCGTT GTCNTCGAAC ACGAGTAGCA GGTCTGCTCC 780

GGCGAGGGCA TCCACCACGC GTTGCGTCAG CTCGT 815

#### (2) INFORMATION FOR SEQ ID NO:140:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1152 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:140:

ACCAGCCGCC GGCTGAGGTC TCAGATCAGA GAGTCTCCGG ACTCACCGGG GCGGTTCAGC 60 CTTCTCCCAG AACAACTGCT GAAGATCCTC GCCCGCGAAA CAGGCGCTGA TTTGACGCTC 120 TATGACCGGT TGAACGACGA GATCATCCGG CAGATTGATA TGGCACCGCT GGGCTAACAG 180 GTGCGCAAGA TGGTGCAGCT GTATGTCTCG GACTCCGTGT CGCGGATCAG CTTTGCCGAC 240 GGCCGGGTGA TCGTGTGGAG CGAGGAGCTC GGCGAGAGCC AGTATCCGAT CGAGACGCTG 300 GACGGCATCA CGCTGTTTGG GCGGCCGACG ATGACAACGC CCTTCATCGT TGAGATGCTC 360 AAGCGTGAGC GCGACATCCA GCTCTTCACG ACCGACGGCC ACTACCAGGG CCGGATCTCA 420 ACACCCGACG TGTCATACGC GCCGCGGCTC CGTCAGCAAG TTCACCGCAC CGACGATCCT 480 GCGTTCTGCC TGTCGTTAAG CAAGCGGATC GTGTCGAGGA AGATCCTGAA TCAGCAGGCC 540 TTGATTCGGG CACACGTC GGGGCAAGAC GTTGCTGAGA GCATCCGCAC GATGAAGCAC 600 TCGCTGGCCT GGGTCGATCG ATCGGGCTCC CTGGCGGAGT TGAACGGGTT CGAGGGAAAT 660 GCCGCAAAGG CATACTTCAC CGCGCTGGGG CATCTCGTCC CGCAGGAGTT CGCATTCCAG 720 GGCCGCTCGA CTCGGCCGCC GTTGGACGCC TTCAACTCGA TGGTCAGCCT CGGCTATTCG 780 CTGCTGTACA AGAACATCAT AGGGGCGATC GAGCGTCACA GCCTGAACGC GTATATCGGT 840

TTCCTACACC	AGGATTCACG	AGGGCACGCA	ACGTCTCGTG	CCGAATTCGG	CACGAGCTCC	900
GCTGAAACCG	CTGGCCGGCT	GCTCAGTGCC	CGTACGTAAT	CCGCTGCGCC	CAGGCCGGCC	960
CGCCGGCCGA	ATACCAGCAG	ATCGGACAGC	GAATTGCCGC	CCAGCCGGTT	GGAGCCGTGC	1020
ATACCGCCGG	CACACTCACC	GGCAGCGAAC	AGGCCTGGCA	CCGTGGCGGC	GCCGGTGTCC	1080
GCGTCTACTT	CGACACCGCC	CATCACGTAG	TGACACGTCG	GCCCGACTTC	CATTGCCTGC	1140
GTTCGGCACG	AG					1152

# (2) INFORMATION FOR SEQ ID NO:141:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 655 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:141:

CTCGTGCCGA TTCGGCAGGG TGTACTTGCC GGTGGTGTAN GCCGCATGAG TGCCGACGAC 60 CAGCAATGCG GCAACAGCAC GGATCCCGGT CAACGACGCC ACCCGGTCCA CGTGGGCGAT 120 CCGCTCGAGT CCGCCCTGGG CGGCTCTTTC CTTGGGCAGG GTCATCCGAC GTGTTTCCGC 180 CGTGGTTTGC CGCCATTATG CCGGCGCGCC GCGTCGGGCG GCCGGTATGG CCGAANGTCG 240 ATCAGCACAC CCGAGATACG GGTCTGTGCA AGCTTTTTGA GCGTCGCGCG GGGCAGCTTC 300 GCCGGCAATT CTACTAGCGA GAAGTCTGGC CCGATACGGA TCTGACCGAA GTCGCTGCGG 360 TGCAGCCCAC CCTCATTGGC GATGGCGCCG ACGATGGCGC CTGGACCGAT CTTGTGCCGC 420 TTGCCGACGG CGACGCGGTA GGTGGTCAAG TCCGGTCTAC GCTTGGGCCT TTGCGGACGG 480 TCCCGACGCT GGTCGCGGTT GCGCCGCGAA AGCGGCGGGT CGGGTGCCAT CAGGAATGCC 540 TCACCGCCGC GGCACTGCAC GGCCAGTGCC GCGGCGATGT CAGCCATCGG GACATCATGC 600 TCGCGTTCAT ACTCCTCGAC CAGTCGGCGG AACAGCTCGA TTCCCGGACC GCCCA 655

# (2) INFORMATION FOR SEQ ID NO:142:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 267 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:142:
- Asn Ala Val Val Ala Phe Ala Val Ile Gly Phe Ala Ser Leu Ala Val 1 5 10 15
- Ala Val Ala Val Thr Ile Arg Pro Thr Ala Ala Ser Lys Pro Val Glu 20 25 30
- Gly His Gln Asn Ala Gln Pro Gly Lys Phe Met Pro Leu Leu Pro Thr 35 40 45
- Gln Gln Gln Ala Pro Val Pro Pro Pro Pro Pro Asp Asp Pro Thr Ala 50 55 60
- Gly Phe Gln Gly Gly Thr Ile Pro Ala Val Gln Asn Val Val Pro Arg 75 80
- Pro Gly Thr Ser Pro Gly Val Gly Gly Thr Pro Ala Ser Pro Ala Pro 85 90 95
- Glu Ala Pro Ala Val Pro Gly Val Val Pro Ala Pro Val Pro Ile Pro
  100 105 110
- Val Pro Ile Ile Ile Pro Pro Phe Pro Gly Trp Gln Pro Gly Met Pro
  115 120 125
- Thr Ile Pro Thr Ala Pro Pro Thr Thr Pro Val Thr Thr Ser Ala Thr 130 135 140
- Thr Pro Pro Thr Thr Pro Pro Thr Thr Pro Val Thr Thr Pro Pro Thr 145 150 155 160
- Thr Pro Pro Thr Thr Pro Val Thr Thr Pro Pro Thr Thr Pro Pro Thr 165 170 175
- Thr Pro Val Thr Thr Pro Pro Thr Thr Val Ala Pro Thr Thr Val Ala
  180 185 190
- Pro Thr Thr Val Ala Pro Thr Thr Val Ala Pro Thr Thr Val Ala Pro 195 200 205
- Ala Thr Ala Thr Pro Thr Thr Val Ala Pro Gln Pro Thr Gln Gln Pro 210 215 220
- Thr Gln Gln Pro Thr Gln Gln Met Pro Thr Gln Gln Gln Thr Val Ala
  225 235 240
- Pro Gln Thr Val Ala Pro Ala Pro Gln Pro Pro Ser Gly Gly Arg Asn 245 250 255
- Gly Ser Gly Gly Gly Asp Leu Phe Gly Gly Phe 260 265
- (2) INFORMATION FOR SEQ ID NO:143:

1	i	١	SPOTTENCE	CHARACTERISTICS
ı	1	,	SECUENCE	CHARACIERISTICS

- (A) LENGTH: 174 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:143:

Ile Asn Gln Pro Leu Ala Pro Pro Ala Pro Pro Asp Pro Pro Ser Pro 1 5 10 15

Pro Arg Pro Pro Val Pro Pro Val Pro Pro Leu Pro Pro Ser Pro Pro . 20 25 30

Ser Pro Pro Thr Gly Trp Val Pro Arg Ala Leu Leu Pro Pro Trp Leu 35 40 45

Ala Gly Thr Pro Pro Ala Pro Pro Val Pro Pro Met Ala Pro Leu Pro 50 55 60

Pro Ala Ala Pro Leu Pro Pro Leu Pro Pro Leu Pro Pro Leu Pro Thr 65 70 75 80

Ser His Pro Pro Arg Pro Pro Ala Pro Pro Ala Pro Pro Ala Pro Pro 85 90 95

Ala Cys Pro Phe Val Pro Val Pro Pro Ala Pro Pro Leu Pro Pro Ser 100 105 110

Pro Pro Thr Glu Leu Pro Ala Asp Ala Ala Cys Pro Pro Ala Pro Pro 115 120 125

Ala Pro Pro Leu Ala Pro Pro Ser Pro Pro Ala Gly Ser Ala Ala Ile 130 135 140

Arg Ala Leu Thr Gly Ala Thr Ser Ala Ser Thr Leu Gly His Arg Ala 145 150 155 160

Leu Pro Asp Asp Thr Thr Ala Arg Gly Cys Arg Arg Thr Gly 165 170

- (2) INFORMATION FOR SEQ ID NO:144:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 35 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:144:

146

Gln Pro Pro Ala Glu Val Ser Asp Gln Arg Val Ser Gly Leu Thr Gly

1 10 15

Ala Val Gln Pro Ser Pro Arg Thr Thr Ala Glu Asp Pro Arg Pro Arg 20 25 30

Asn Arg Arg

- (2) INFORMATION FOR SEQ ID NO:145:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 104 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:145:

Arg Ala Asp Ser Ala Gly Cys Thr Cys Arg Trp Cys Xaa Pro His Glu
1 10 15

Cys Arg Arg Pro Ala Met Arg Gln Gln His Gly Ser Arg Ser Thr Thr
20 25 30

Pro Pro Gly Pro Arg Gly Arg Ser Ala Arg Val Arg Pro Gly Arg Leu
35 40 45

Phe Pro Trp Ala Gly Ser Ser Asp Val Phe Pro Pro Trp Phe Ala Ala

Ile Met Pro Ala Arg Arg Val Gly Arg Pro Val Trp Pro Xaa Val Asp 65 70 75 80

Gln His Thr Arg Asp Thr Gly Leu Cys Lys Leu Phe Glu Arg Arg Ala 85 90 95

Gly Gln Leu Arg Arg Gln Phe Tyr 100

- (2) INFORMATION FOR SEQ ID NO:146:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 53 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: other nucleic acid
    - (A) DESCRIPTION: /desc = "PCR primer"
  - (vi) ORIGINAL SOURCE:

147

		(A) ORGANISM: Mycobacterium tuberculosis	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:146:	
GGAT	CCATA	AT GGGCCATCAT CATCATCATC ACGTGATCGA CATCATCGGG ACC	53
(2)	INFO	RMATION FOR SEQ ID NO:147:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 42 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "PCR Primer"	
	(vi)	ORIGINAL SOURCE: (A) ORGANISM: Mycobacterium tuberculosis	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:147:	
CCTG	TTAAE	CA GGCCTCGGTT GCGCCGGCCT CATCTTGAAC GA	42
(2)	INFO	RMATION FOR SEQ ID NO:148:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 31 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "PCR Primer"	
	(vi)	ORIGINAL SOURCE: (A) ORGANISM: Mycobacterium tuberculosis	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:148:	
GGA'	TCCTG	GCA GGCTCGAAAC CACCGAGCGG T	31
(2)	INFO	DRMATION FOR SEQ ID NO:149:	
	(i)	SEQUENCE CHARACTERISTICS:  (A) LENGTH: 31 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: other nucleic acid  (A) DESCRIPTION: /desc = "PCR primer"	
	(vi)	ORIGINAL SOURCE:	

(A) ORGANISM: Mycobacterium tuberculosis

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:149:	
CTCT	GAATTC AGCGCTGGAA ATCGTCGCGA T	31
(2)	INFORMATION FOR SEQ ID NO:150:	
	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 33 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	<pre>(ii) MOLECULE TYPE: other nucleic acid      (A) DESCRIPTION: /desc = "PCR primer"</pre>	
	(vi) ORIGINAL SOURCE:  (A) ORGANISM: Mycobacterium tuberculosis	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:150:	
GGAT	CCAGCG CTGAGATGAA GACCGATGCC GCT	33
(2)	INFORMATION FOR SEQ ID NO:151:	
	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 33 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	<pre>(ii) MOLECULE TYPE: other nucleic acid      (A) DESCRIPTION: /desc = "PCR primer"</pre>	
	(vi) ORIGINAL SOURCE:  (A) ORGANISM: Mycobacterium tuberculosis	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:151:	
GAG	AGAATTC TCAGAAGCCC ATTTGCGAGG ACA	33
(2)	INFORMATION FOR SEQ ID NO:152:	
	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1993 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(vi) ORIGINAL SOURCE:  (A) ORGANISM: Mycobacterium tuberculosis	
	(ix) FEATURE:	

(A) NAME/KEY: CDS

(B) LOCATION: 152..1273

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:152:

TGTTCTTCGA CGGCAGGCTG GTGGAGGAAG GGCCCACCGA ACAGCTGTTC TCCTCGCCGA	60
AGCATGCGGA AACCGCCCGA TACGTCGCCG GACTGTCGGG GGACGTCAAG GACGCCAAGC	120
GCGGAAATTG AAGAGCACAG AAAGGTATGG C GTG AAA ATT CGT TTG CAT ACG Val Lys Ile Arg Leu His Thr 1 5	172
CTG TTG GCC GTG TTG ACC GCT GCG CCG CTG CTG CTA GCA GCG GCG GGC Leu Leu Ala Val Leu Thr Ala Ala Pro Leu Leu Ala Ala Ala Gly  10 15 20	220
TGT GGC TCG AAA CCA CCG AGC GGT TCG CCT GAA ACG GGC GCC GCC Cys Gly Ser Lys Pro Pro Ser Gly Ser Pro Glu Thr Gly Ala Gly Ala 25 30 35	268
GGT ACT GTC GCG ACT ACC CCC GCG TCG TCG CCG GTG ACG TTG GCG GAG Gly Thr Val Ala Thr Thr Pro Ala Ser Ser Pro Val Thr Leu Ala Glu 40 45 50 55	316
ACC GGT AGC ACG CTG CTC TAC CCG CTG TTC AAC CTG TGG GGT CCG GCC Thr Gly Ser Thr Leu Leu Tyr Pro Leu Phe Asn Leu Trp Gly Pro Ala 60 65 70	364
TTT CAC GAG AGG TAT CCG AAC GTC ACG ATC ACC GCT CAG GGC ACC GGT Phe His Glu Arg Tyr Pro Asn Val Thr Ile Thr Ala Gln Gly Thr Gly 75 80 85	412
TCT GGT GCC GGG ATC GCG CAG GCC GCC GGG ACG GTC AAC ATT GGG Ser Gly Ala Gly Ile Ala Gln Ala Ala Gly Thr Val Asn Ile Gly 90 95 100	460
GCC TCC GAC GCC TAT CTG TCG GAA GGT GAT ATG GCC GCG CAC AAG GGG Ala Ser Asp Ala Tyr Leu Ser Glu Gly Asp Met Ala Ala His Lys Gly 105 110 115	508
CTG ATG AAC ATC GCG CTA GCC ATC TCC GCT CAG CAG GTC AAC TAC AAC Leu Met Asn Ile Ala Leu Ala Ile Ser Ala Gln Gln Val Asn Tyr Asn 120 125 130 135	556
CTG CCC GGA GTG AGC GAG CAC CTC AAG CTG AAC GGA AAA GTC CTG GCG Leu Pro Gly Val Ser Glu His Leu Lys Leu Asn Gly Lys Val Leu Ala 140 145 150	604
GCC ATG TAC CAG GGC ACC ATC AAA ACC TGG GAC GAC CCG CAG ATC GCT Ala Met Tyr Gln Gly Thr Ile Lys Thr Trp Asp Asp Pro Gln Ile Ala 155 160 165	652
GCG CTC AAC CCC GGC GTG AAC CTG CCC GGC ACC GCG GTA GTT CCG CTG Ala Leu Asn Pro Gly Val Asn Leu Pro Gly Thr Ala Val Val Pro Leu	700

		170					175					180				
	CGC Arg 185							-								748
	AAG Lys															796
	GTC Val															844
	GGC Gly															892
	GGC Gly															940
	CAA Gln 265	Leu														988
	ATT Ile															1036
	GCG Ala															1084
	AAC Asn			Tyr					Asn					Ala		1132
			Thr					Leu					Thr		GGC Gly	1180
	-	. Ala					Gln					Pro			CCC Pro	1228
	G GTO a Val					Asp					Thr					1273
TA	GCCT	CGTT	GAC	CACCA	CG C	GAC	.GCA	AC CI	CCGI	CGGG	CC	ATCGO	GCT	GCTI	TGCGGA	1333
GC	ATGC'	rggc	CCG	rgcco	GT G	AAG1	CGGC	CC GC	GCTC	GCCC	GGC	CATO	CGG	TGGI	TGGGTG	1393
GG	ATAG	GTGC	GGT	GATC	CCG C	TGC	TGC	SC TO	GTCT	TGGT	GC1	rggto	GTG	CTGG	TCATCG	1453

AGGCGATGGG	TGCGATCAGG	CTCAACGGGT	TGCATTTCTT	CACCGCCACC	GAATGGAATC	1513		
CAGGCAACAC	CTACGGCGAA	ACCGTTGTCA	CCGACGCGTC	GCCCATCCGG	TCGGCGCCTA	1573		
CTACGGGGCG	TTGCCGCTGA	TCGTCGGGAC	GCTGGCGACC	TCGGCAATCG	CCCTGATCAT	1633		
CGCGGTGCCG	GTCTCTGTAG	GAGCGGCGCT	GGTGATCGTG	GAACGGCTGC	CGAAACGGTT	1693		
GGCCGAGGCT	GTGGGAATAG	TCCTGGAATT	GCTCGCCGGA	ATCCCCAGCG	TGGTCGTCGG	1753		
TTTGTGGGGG	GCAATGACGT	TCGGGCCGTT	CATCGCTCAT	CACATCGCTC	CGGTGATCGC	1813		
TCACAACGCT	CCCGATGTGC	CGGTGCTGAA	CTACTTGCGC	GGCGACCCGG	GCAACGGGGA	1873		
GGGCATGTTG	GTGTCCGGTC	TGGTGTTGGC	GGTGATGGTC	GTTCCCATTA	TCGCCACCAC	1933		
CACTCATGAC	CTGTTCCGGC	AGGTGCCGGT	GTTGCCCCGG	GAGGGCGCGA	TCGGGAATTC	1993		
(2) INFORMATION FOR SEQ ID NO:153:								

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 374 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:153:

Val Lys Ile Arg Leu His Thr Leu Leu Ala Val Leu Thr Ala Ala Pro 10

Leu Leu Ala Ala Ala Gly Cys Gly Ser Lys Pro Pro Ser Gly Ser

Pro Glu Thr Gly Ala Gly Ala Gly Thr Val Ala Thr Thr Pro Ala Ser 40

Ser Pro Val Thr Leu Ala Glu Thr Gly Ser Thr Leu Leu Tyr Pro Leu

Phe Asn Leu Trp Gly Pro Ala Phe His Glu Arg Tyr Pro Asn Val Thr 65 70 75

Ile Thr Ala Gln Gly Thr Gly Ser Gly Ala Gly Ile Ala Gln Ala Ala 85

Ala Gly Thr Val Asn Ile Gly Ala Ser Asp Ala Tyr Leu Ser Glu Gly 105

Asp Met Ala Ala His Lys Gly Leu Met Asn Ile Ala Leu Ala Ile Ser 115 120 125

Ala Gln Gln Val Asn Tyr Asn Leu Pro Gly Val Ser Glu His Leu Lys

130	135	140
	133	140

- Leu Asn Gly Lys Val Leu Ala Ala Met Tyr Gln Gly Thr Ile Lys Thr 145 150 155 160
- Trp Asp Asp Pro Gln Ile Ala Ala Leu Asn Pro Gly Val Asn Leu Pro
  165 170 175
- Gly Thr Ala Val Val Pro Leu His Arg Ser Asp Gly Ser Gly Asp Thr
- Phe Leu Phe Thr Gln Tyr Leu Ser Lys Gln Asp Pro Glu Gly Trp Gly 195 200 205
- Lys Ser Pro Gly Phe Gly Thr Thr Val Asp Phe Pro Ala Val Pro Gly 210 215 220
- Ala Leu Gly Glu Asn Gly Asn Gly Gly Met Val Thr Gly Cys Ala Glu 225 230 235 240
- Thr Pro Gly Cys Val Ala Tyr Ile Gly Ile Ser Phe Leu Asp Gln Ala 245 250 255
- Ser Gln Arg Gly Leu Gly Glu Ala Gln Leu Gly Asn Ser Ser Gly Asn 260 265 270
- Phe Leu Leu Pro Asp Ala Gln Ser Ile Gln Ala Ala Ala Ala Gly Phe 275 280 285
- Ala Ser Lys Thr Pro Ala Asn Gln Ala Ile Ser Met Ile Asp Gly Pro 290 295 300
- Ala Pro Asp Gly Tyr Pro Ile Ile Asn Tyr Glu Tyr Ala Ile Val Asn 305 310 315
- Asn Arg Gln Lys Asp Ala Ala Thr Ala Gln Thr Leu Gln Ala Phe Leu 325 330 335
- His Trp Ala Ile Thr Asp Gly Asn Lys Ala Ser Phe Leu Asp Gln Val 340 345 350
- His Phe Gln Pro Leu Pro Pro Ala Val Val Lys Leu Ser Asp Ala Leu 355 360 365
- Ile Ala Thr Ile Ser Ser 370

# (2) INFORMATION FOR SEQ ID NO:154:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1993 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:154:

TGTTCTTCGA	CGGCAGGCTG	GTGGAGGAAG	GGCCCACCGA	ACAGCTGTTC	TCCTCGCCGA	60
AGCATGCGGA	AACCGCCCGA	TACGTCGCCG	GACTGTCGGG	GGACGTCAAG	GACGCCAAGC	120
GCGGAAATTG	AAGAGCACAG	AAAGGTATGG	CGTGAAAATT	CGTTTGCATA	CGCTGTTGGC	180
CGTGTTGACC	GCTGCGCCGC	TGCTGCTAGC	AGCGGCGGGC	TGTGGCTCGA	AACCACCGAG	240
CGGTTCGCCT	GAAACGGGCG	CCGGCGCCGG	TACTGTCGCG	ACTACCCCCG	CGTCGTCGCC	300
GGTGACGTTG	GCGGAGACCG	GTAGCACGCT	GCTCTACCCG	CTGTTCAACC	TGTGGGGTCC	360
GGCCTTTCAC	GAGAGGTATC	CGAACGTCAC	GATCACCGCT	CAGGGCACCG	GTTCTGGTGC	420
CGGGATCGCG	CAGGCCGCCG	CCGGGACGGT	CAACATTGGG	GCCTCCGACG	CCTATCTGTC	480
GGAAGGTGAT	ATGGCCGCGC	ACAAGGGGCT	GATGAACATC	GCGCTAGCCA	TCTCCGCTCA	540
GCAGGTCAAC	TACAACCTGC	CCGGAGTGAG	CGAGCACCTC	AAGCTGAACG	GAAAAGTCCT	600
GGCGGCCATG	TACCAGGGCA	CCATCAAAAC	CTGGGACGAC	CCGCAGATCG	CTGCGCTCAA	660
CCCCGGCGTG	AACCTGCCCG	GCACCGCGGT	AGTTCCGCTG	CACCGCTCCG	ACGGGTCCGG	720
TGACACCTTC	TTGTTCACCC	AGTACCTGTC	CAAGCAAGAT	CCCGAGGGCT	GGGGCAAGTC	780
GCCCGGCTTC	GGCACCACCG	TCGACTTCCC	GGCGGTGCCG	GGTGCGCTGG	GTGAGAACGG	840
CAACGGCGGC	ATGGTGACCG	GTTGCGCCGA	GACACCGGGC	TGCGTGGCCT	ATATCGGCAT	900
CAGCTTCCTC	GACCAGGCCA	GTCAACGGGG	ACTCGGCGAG	GCCCAACTAG	GCAATAGCTC	960
TGGCAATTTC	TTGTTGCCCG	ACGCGCAAAG	CATTCAGGCC	GCGGCGGCTG	GCTTCGCATC	1020
GAAAACCCCG	GCGAACCAGG	CGATTTCGAT	GATCGACGGG	CCCGCCCCGG	ACGGCTACCC	1080
GATCATCAAC	TACGAGTACG	CCATCGTCAA	CAACCGGCAA	AAGGACGCCG	CCACCGCGCA	1140
GACCTTGCAG	GCATTTCTGC	ACTGGGCGAT	CACCGACGGC	AACAAGGCCT	CGTTCCTCGA	1200
CCAGGTTCAT	TTCCAGCCGC	TGCCGCCCGC	GGTGGTGAAG	TTGTCTGACG	CGTTGATCGC	1260
GACGATTTCC	AGCTAGCCTC	GTTGACCACC	ACGCGACAGC	AACCTCCGTC	GGGCCATCGG	1320
GCTGCTTTGC	GGAGCATGCT	GGCCCGTGCC	GGTGAAGTCG	GCCGCGCTGG	CCCGGCCATC	1380
CGGTGGTTGG	GTGGGATAGG	TGCGGTGATC	CCGCTGCTTG	CGCTGGTCTT	GGTGCTGGTG	1440
GTGCTGGTCA	TCGAGGCGAT	GGGTGCGATC	AGGCTCAACG	GGTTGCATTT	CTTCACCGCC	1500
ACCGAATGGA	ATCCAGGCAA	CACCTACGGC	GAAACCGTTG	TCACCGACGC	GTCGCCCATC	1560
CGGTCGGCGC	CTACTACGGG	GCGTTGCCGC	TGATCGTCGG	GACGCTGGCG	ACCTCGGCAA	1620

TCGCCCTGAT	CATCGCGGTG	CCGGTCTCTG	TAGGAGCGGC	GCTGGTGATC	GTGGAACGGC	1680
TGCCGAAACG	GTTGGCCGAG	GCTGTGGGAA	TAGTCCTGGA	ATTGCTCGCC	GGAATCCCCA	1740
GCGTGGTCGT	CGGTTTGTGG	GGGGCAATGA	CGTTCGGGCC	GTTCATCGCT	CATCACATCG	1800
CTCCGGTGAT	CGCTCACAAC	GCTCCCGATG	TGCCGGTGCT	GAACTACTTG	CGCGGCGACC	1860
CGGGCAACGG	GGAGGGCATG	TTGGTGTCCG	GTCTGGTGTT	GGCGGTGATG	GTCGTTCCCA	1920
TTATCGCCAC	CACCACTCAT	GACCTGTTCC	GGCAGGTGCC	GGTGTTGCCC	CGGGAGGCG	1980
CGATCGGGAA	TTC					1993

#### (2) INFORMATION FOR SEQ ID NO:155:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 374 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:155:

Met Lys Ile Arg Leu His Thr Leu Leu Ala Val Leu Thr Ala Ala Pro

Leu Leu Leu Ala Ala Gly Cys Gly Ser Lys Pro Pro Ser Gly Ser 25

Pro Glu Thr Gly Ala Gly Ala Gly Thr Val Ala Thr Thr Pro Ala Ser 35 40

Ser Pro Val Thr Leu Ala Glu Thr Gly Ser Thr Leu Leu Tyr Pro Leu

Phe Asn Leu Trp Gly Pro Ala Phe His Glu Arg Tyr Pro Asn Val Thr 70

Ile Thr Ala Gln Gly Thr Gly Ser Gly Ala Gly Ile Ala Gln Ala Ala 85

Ala Gly Thr Val Asn Ile Gly Ala Ser Asp Ala Tyr Leu Ser Glu Gly 100

Asp Met Ala Ala His Lys Gly Leu Met Asn Ile Ala Leu Ala Ile Ser 120

Ala Gln Gln Val Asn Tyr Asn Leu Pro Gly Val Ser Glu His Leu Lys 130

Leu Asn Gly Lys Val Leu Ala Ala Met Tyr Gln Gly Thr Ile Lys Thr 150 145 155

155

Trp Asp Asp Pro Gln Ile Ala Ala Leu Asn Pro Gly Val Asn Leu Pro
165 170 175

Gly Thr Ala Val Val Pro Leu His Arg Ser Asp Gly Ser Gly Asp Thr 180 185 190

Phe Leu Phe Thr Gln Tyr Leu Ser Lys Gln Asp Pro Glu Gly Trp Gly
195 200 205

Lys Ser Pro Gly Phe Gly Thr Thr Val Asp Phe Pro Ala Val Pro Gly 210 215 220

Ala Leu Gly Glu Asn Gly Asn Gly Gly Met Val Thr Gly Cys Ala Glu 225 230 235 240

Thr Pro Gly Cys Val Ala Tyr Ile Gly Ile Ser Phe Leu Asp Gln Ala 245 250 255

Ser Gln Arg Gly Leu Gly Glu Ala Gln Leu Gly Asn Ser Ser Gly Asn 260 265 270

Phe Leu Leu Pro Asp Ala Gln Ser Ile Gln Ala Ala Ala Ala Gly Phe 275 280 285

Ala Ser Lys Thr Pro Ala Asn Gln Ala Ile Ser Met Ile Asp Gly Pro 290 295 300

Ala Pro Asp Gly Tyr Pro Ile Ile Asn Tyr Glu Tyr Ala Ile Val Asn 305 310 315 320

Asn Arg Gln Lys Asp Ala Ala Thr Ala Gln Thr Leu Gln Ala Phe Leu
325 330 335

His Trp Ala Ile Thr Asp Gly Asn Lys Ala Ser Phe Leu Asp Gln Val 340 345 350

His Phe Gln Pro Leu Pro Pro Ala Val Val Lys Leu Ser Asp Ala Leu 355 360 365

Ile Ala Thr Ile Ser Ser

### (2) INFORMATION FOR SEQ ID NO:156:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1777 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear \*
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:156:

GGTCTTGACC ACCACCTGGG TGTCGAAGTC GGTGCCCGGA TTGAAGTCCA GGTACTCGTG

WO 99/42076

156

PCT/US99/03268

GTAGCGAAAC GGCAACGCGG CCGCGTTGGG CACCTTGTTC AGCGCTGATT TGCACAACAC 180 CTCGTGGAAG GTGATGCCGT CGAATTGTGG CGCGCGAACG CTGCGGACCA GGCCGATCCG 240 CTGCAACCCG GCAGCGCCCG TCGTCAACGG GCATCCCGTT CACCGCGACG GCTTGCCGGG 300 CCCAACGCAT ACCATTATTC GAACAACCGT TCTATACTTT GTCAACGCTG GCCGCTACCG 360 AGCGCCGCAC AGGATGTGAT ATGCCATCTC TGCCCGCACA GACAGGAGCC AGGCCTTATG 420 ACAGCATTCG GCGTCGAGCC CTACGGGCAG CCGAAGTACC TAGAAATCGC CGGGAAGCGC ATGGCGTATA TCGACGAAGG CAAGGGTGAC GCCATCGTCT TTCAGCACGG CAACCCCACG 540 TCGTCTTACT TGTGGCGCAA CATCATGCCG CACTTGGAAG GGCTGGGCCG GCTGGTGGCC 600 TGCGATCTGA TCGGGATGGG CGCGTCGGAC AAGCTCAGCC CATCGGGACC CGACCGCTAT 660 AGCTATGGCG AGCAACGAGA CTTTTTGTTC GCGCTCTGGG ATGCGCTCGA CCTCGGCGAC 720 CACGTGGTAC TGGTGCTGCA CGACTGGGGC TCGGCGCTCG GCTTCGACTG GGCTAACCAG 780 CATCGCGACC GAGTGCAGGG GATCGCGTTC ATGGAAGCGA TCGTCACCCC GATGACGTGG GCGGACTGGC CGCCGGCCGT GCGGGGTGTG TTCCAGGGTT TCCGATCGCC TCAAGGCGAG 900 CCAATGGCGT TGGAGCACAA CATCTTTGTC GAACGGGTGC TGCCCGGGGC GATCCTGCGA 960 CAGCTCAGCG ACGAGGAAAT GAACCACTAT CGGCGGCCAT TCGTGAACGG CGGCGAGGAC 1020 CGTCGCCCCA CGTTGTCGTG GCCACGAAAC CTTCCAATCG ACGGTGAGCC CGCCGAGGTC 1080 GTCGCGTTGG TCAACGAGTA CCGGAGCTGG CTCGAGGAAA CCGACATGCC GAAACTGTTC 1140 ATCAACGCCG AGCCCGGCGC GATCATCACC GGCCGCATCC GTGACTATGT CAGGAGCTGG 1200 CCCAACCAGA CCGAAATCAC AGTGCCCGGC GTGCATTTCG TTCAGGAGGA CAGCGATGGC 1260 GTCGTATCGT GGGCGGCGC TCGGCAGCAT CGGCGACCTG GGAGCGCTCT CATTTCACGA 1320 GACCAAGAAT GTGATTTCCG GCGAAGGCGG CGCCCTGCTT GTCAACTCAT AAGACTTCCT 1380 GCTCCGGGCA GAGATTCTCA GGGAAAAGGG CACCAATCGC AGCCGCTTCC TTCGCAACGA 1440 GGTCGACAAA TATACGTGGC AGGACAAAGG TCTTCCTATT TGCCCAGCGA ATTAGTCGCT 1500 GCCTTTCTAT GGGCTCAGTT CGAGGAAGCC GAGCGGATCA CGCGTATCCG ATTGGACCTA 1560 TGGAACCGGT ATCATGAAAG CTTCGAATCA TTGGAACAGC GGGGGCTCCT GCGCCGTCCG 1620 ATCATCCCAC AGGGCTGCTC TCACAACGCC CACATGTACT ACGTGTTACT AGCGCCCAGC 1680 GCCGATCGGG AGGAGGTGCT GGCGCGTCTG ACGAGCGAAG GTATAGGCGC GGTCTTTCAT 1740

157

TACGTGCCGC TTCACGATTC GCCGGCCGGG CGTCGCT	1777
(2) INFORMATION FOR SEQ ID NO:157:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 324 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:157:	
GAGATTGAAT CGTACCGGTC TCCTTAGCGG CTCCGTCCCG TGAATGCCCA TATCACGCAC	60
GGCCATGTTC TGGCTGTCGA CCTTCGCCCC ATGCCCGGAC GTTGGTAAAC CCAGGGTTTG	120
ATCAGTAATT CCGGGGGACG GTTGCGGGAA GGCGGCCAGG ATGTGCGTGA GCCGCGGCGC	180
CGCCGTCGCC CAGGCGACCG CTGGATGCTC AGCCCCGGTG CGGCGACGTA GCCAGCGTTT	240
GGCGCGTGTC GTCCACAGTG GTACTCCGGT GACGACGCGG CGCGGTGCCT GGGTGAAGAC	300
CGTGACCGAC GCCGCCGATT CAGA	324
(2) INFORMATION FOR SEQ ID NO:158:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1338 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:158:	
GCGGTACCGC CGCGTTGCGC TGGCACGGGA CCTGTACGAC CTGAACCACT TCGCCTCGCG	60
AACGATTGAC GAACCGCTCG TGCGGCGGCT GTGGGTGCTC AAGGTGTGGG GTGATGTCGT	120
CGATGACCGG CGCGGCACCC GGCCACTACG CGTCGAAGAC GTCCTCGCCG CCCGCAGCGA	180
GCACGACTTC CAGCCCGACT CGATCGGCGT GCTGACCCGT CCTGTCGCTA TGGCTGCCTG	240
GGAAGCTCGC GTTCGGAAGC GATTTGCGTT CCTCACTGAC CTCGACGCCG ACGAGCAGCG	300
GTGGGCCGCC TGCGACGAAC GGCACCGCCG CGAAGTGGAG AACGCGCTGG CGGTGCTGCG	360
GTCCTGATCA ACCTGCCGGC GATCGTGCCG TTCCGCTGGC ACGGTTGCGG CTGGACGCGG	420
CTGAATCGAC TAGATGAGAG CAGTTGGGCA €GAATCCGGC TGTGGTGGTG AGCAAGACAC	480
GAGTACTGTC ATCACTATTG GATGCACTGG ATGACCGGCC TGATTCAGCA GGACCAATGG	540
AACTGCCCGG GGCAAAACGT CTCGGAGATG ATCGGCGTCC CCTCGGAACC CTGCGGTGCT	600
GGCGTCATTC GGACATCGGT CCGGCTCGCG GGATCGTGGT GACGCCAGCG CTGAAGGAGT	660

GGAGCGCGGC	GGTGCACGCG	CTGCTGGACG	GCCGGCAGAC	GGTGCTGCTG	CGTAAGGGCG	720
GGATCGGCGA	GAAGCGCTTC	GAGGTGGCGG	CCCACGAGTT	CTTGTTGTTC	CCGACGGTCG	780
CGCACAGCCA	CGCCGAGCGG	GTTCGCCCCG	AGCACCGCGA	CCTGCTGGGC	CCGGCGGCCG	840
CCGACAGCAC	CGACGAGTGT	GTGCTACTGC	GGGCCGCAGC	GAAAGTTGTT	GCCGCACTGC	900
CGGTTAACCG	GCCAGAGGGT	CTGGACGCCA	TCGAGGATCT	GCACATCTGG	ACCGCCGAGT	960
CGGTGCGCGC	CGACCGGCTC	GACTTTCGGC	CCAAGCACAA	ACTGGCCGTC	TTGGTGGTCT	1020
CGGCGATCCC	GCTGGCCGAG	CCGGTCCGGC	TGGCGCGTAG	GCCCGAGTAC	GGCGGTTGCA	1080
CCAGCTGGGT	GCAGCTGCCG	GTGACGCCGA	CGTTGGCGGC	GCCGGTGCAC	GACGAGGCCG	1140
CGCTGGCCGA	GGTCGCCGCC	CGGGTCCGCG	AGGCCGTGGG	TTGACTGGGC	GGCATCGCTT	1200
GGGTCTGAGC	TGTACGCCCA	GTCGGCGCTG	CGAGTGATCT	GCTGTCGGTT	CGGTCCCTGC	1260
TGGCGTCAAT	TGACGGCGCG	GGCAACAGCA	GCATTGGCGG	CGCCATCCTC	CGCGCGGCCG	1320
GCGCCCACCG	CTACAACC					1338

## (2) INFORMATION FOR SEQ ID NO:159:

### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 321 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:159:

CCGGCGGCAC CGGCGGCACC GGCGGTACCG GCGGCAACGG CGCTGACGCC GCTGCTGTGG 60

TGGGCTTCGG CGCGAACGGC GACCCTGGCT TCGCTGGCGG CAAAGGCGGT AACGGCGGAA 120

TAGGTGGGGC CGCGGTGACA GGCGGGGTCG CCGGCGACGG CGGCACCGGC GGCAAAGGTG 180

GCACCGGCGG TGCCGGCGGC GCCGGCAACG ACGCCGGCAG CACCGGCAAT CCCGGCGGTA 240

AGGGCGGCGA CGGCGGATC GGCGGTGCCG GCGGGCCCG CGCCACCGGCA 300

ACGGCGGCCA TGCCGGCAAC C 321

### (2) INFORMATION FOR SEQ ID NO:160:

# (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 492 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

159

(xi) S	EOUENCE	DESCRIPTION:	SEO	TD	NO - 160 -
--------	---------	--------------	-----	----	------------

GAAGACCCGG	CCCCGCCATA	TCGATCGGCT	CGCCGACTAC	TTTCGCCGAA	CGTGCACGCG	60
GCGGCGTCGG	GCTGATCATC	ACCGGTGGCT	ACGCGCCCAA	CCGCACCGGA	TGGCTGCTGC	120
CGTTCGCCTC	CGAACTCGTC	ACTTCGGCGC	AAGCCCGACG	GCACCGCCGA	ATCACCAGGG	180
CGGTCCACGA	TTCGGGTGCA	AAGATCCTGC	TGCAAATCCT	GCACGCCGGA	CGCTACGCCT	240
ACCACCCACT	TGCGGTCAGC	GCCTCGCCGA	TCAAGGCGCC	GATCACCCCG	TTTCGTCCGC	300
GAGCACTATC	GGCTCGCGGG	GTCGAAGCGA	CCATCGCGGA	TTTCGCCCGC	TGCGCGCAGT	360
TGGCCCGCGA	TGCCGGCTAC	GACGGCGTCG	AAATCATGGG	CAGCGAAGGG	TATCTGCTCA	420
ATCAGTTCCT	GGCGCCGCGC	ACCAACAAGC	GCACCGACTC	GTGGGGCGGC	ACACCGGCCA	480
ACCGTCGCCG	GT					492

#### (2) INFORMATION FOR SEQ ID NO:161:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 536 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:161:

Phe Ala Gln His Leu Val Glu Gly Asp Ala Val Glu Leu Trp Arg Ala 1 5 10 15

Asn Ala Ala Asp Gln Ala Asp Pro Leu Gln Pro Gly Ser Ala Arg Arg 20 25 30

Gln Arg Ala Ser Arg Ser Pro Arg Arg Leu Ala Gly Pro Asn Ala Tyr 35 40 45

His Tyr Ser Asn Asn Arg Ser Ile Leu Cys Gln Arg Trp Pro Leu Pro 50 55 60

Ser Ala Ala Gln Asp Val Ile Cys His Leu Cys Pro His Arg Gln Glu 65 70 75 80

Pro Gly Leu Met Thr Ala Phe Gly Val Glu Pro Tyr Gly Gln Pro Lys 85 90 95

Tyr Leu Glu Ile Ala Gly Lys Arg Met Ala Tyr Ile Asp Glu Gly Lys 100 105 110

Gly Asp Ala Ile Val Phe Gln His Gly Asn Pro Thr Ser Ser Tyr Leu 115 120 125

Trp Arg Asn Ile Met Pro His Leu Glu Gly Leu Gly Arg Leu Val Ala

Cys Asp Leu Ile Gly Met Gly Ala Ser Asp Lys Leu Ser Pro Ser Gly Pro Asp Arg Tyr Ser Tyr Gly Glu Gln Arg Asp Phe Leu Phe Ala Leu Trp Asp Ala Leu Asp Leu Gly Asp His Val Val Leu Val Leu His Asp Trp Gly Ser Ala Leu Gly Phe Asp Trp Ala Asn Gln His Arg Asp Arg Val Gln Gly Ile Ala Phe Met Glu Ala Ile Val Thr Pro Met Thr Trp Ala Asp Trp Pro Pro Ala Val Arg Gly Val Phe Gln Gly Phe Arg Ser Pro Gln Gly Glu Pro Met Ala Leu Glu His Asn Ile Phe Val Glu Arg Val Leu Pro Gly Ala Ile Leu Arg Gln Leu Ser Asp Glu Glu Met Asn His Tyr Arg Arg Pro Phe Val Asn Gly Glu Asp Arg Arg Pro Thr Leu Ser Trp Pro Arg Asn Leu Pro Ile Asp Gly Glu Pro Ala Glu Val Val Ala Leu Val Asn Glu Tyr Arg Ser Trp Leu Glu Glu Thr Asp Met Pro Lys Leu Phe Ile Asn Ala Glu Pro Gly Ala Ile Ile Thr Gly Arg Ile Arg Asp Tyr Val Arg Ser Trp Pro Asn Gln Thr Glu Ile Thr Val Pro Gly Val His Phe Val Gln Glu Asp Ser Asp Gly Val Val Ser Trp Ala Gly Ala Arg Gln His Arg Arg Pro Gly Ser Ala Leu Ile Ser Arg Asp Gln Glu Cys Asp Phe Arg Arg Arg Arg Pro Ala Cys Gln Leu Ile Arg Leu Pro Ala Pro Gly Arg Asp Ser Gln Gly Lys Gly His Gln Ser Gln Pro Leu Pro Ser Gln Arg Gly Arg Gln Ile Tyr Val Ala Gly

- Gln Arg Ser Ser Tyr Leu Pro Ser Glu Leu Val Ala Ala Phe Leu Trp
  435 440 445
- Ala Gln Phe Glu Glu Ala Glu Arg Ile Thr Arg Ile Arg Leu Asp Leu 450 460
- Trp Asn Arg Tyr His Glu Ser Phe Glu Ser Leu Glu Gln Arg Gly Leu 465 470 475 480
- Leu Arg Arg Pro Ile Ile Pro Gln Gly Cys Ser His Asn Ala His Met 485 490 495
- Tyr Tyr Val Leu Leu Ala Pro Ser Ala Asp Arg Glu Glu Val Leu Ala 500 505 510
- Arg Leu Thr Ser Glu Gly Ile Gly Ala Val Phe His Tyr Val Pro Leu 515 520 525
- His Asp Ser Pro Ala Gly Arg Arg 530 535

# (2) INFORMATION FOR SEQ ID NO:162:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 284 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:162:
- Asn Glu Ser Ala Pro Arg Ser Pro Met Leu Pro Ser Ala Arg Pro Arg 1 5 10 15
- Tyr Asp Ala Ile Ala Val Leu Leu Asn Glu Met His Ala Gly His Cys 20 25 30
- Asp Phe Gly Leu Val Gly Pro Ala Pro Asp Ile Val Thr Asp Ala Ala 35 40 45
- Gly Asp Asp Arg Ala Gly Leu Gly Val Asp Glu Gln Phe Arg His Val 50 55 60
- Gly Phe Leu Glu Pro Ala Pro Val Leu Val Asp Gln Arg Asp Asp Leu 65 70 75 80
- Gly Gly Leu Thr Val Asp Trp Lys Val Ser Trp Pro Arg Gln Arg Gly 85 90 95
- Ala Thr Val Leu Ala Ala Val His Glu Trp Pro Pro Ile Val Val His 100 105 110
- Phe Leu Val Ala Glu Leu Ser Gln Asp Arg Pro Gly Gln His Pro Phe 115 120 125

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1171 base pairs

	Asp	Lys 130	Asp	Val	Val	Leu	Gln 135	Arg	His	Trp	Leu	Ala 140	Leu	Arg	Arg	Ser	
	Glu 145	Thr	Leu	Glu	His	Thr 150	Pro	His	Gly	Arg	Arg 155	Pro	Val	Arg	Pro	Arg 160	
	His	Arg	Gly	Asp	Asp 165	Arg	Phe	His	Glu	Arg 170	Asp	Pro	Leu	His ,	Ser 175	Val	
	Ala	Met	Leu	Val 180	Ser	Pro	Val	Glu	Ala 185	Glu	Arg	Arg	Ala	Pro 190	Val	Val	
	Gln	His	Gln 195	Tyr	His	Val	Val	Ala 200	Glu	Val	Glu	Arg	Ile 205	Pro	Glu	Arg	
	Glu	Gln 210	Lys	Val	Ser	Leu	Leu 215	Ala	Ile	Ala	Ile	Ala 220	Val	Gly	Ser	Arg	
	Trp 225	Ala	Glu	Leu	Val	Arg 230	Arg	Ala	His	Pro	Asp 235	Gln	Ile	Ala	Gly	His 240	
	Gln	Pro	Ala	Gln	Pro 245	Phe	Gln	Val	Arg	His 250	Asp	Val	Ala	Pro	Gln 255	Val	
	Arg	Arg	Arg	Gly 260	Val	Ala	Val	Leu	Lys 265	Asp	Asp	Gly	Val	Thr 270	Leu	Ala	
	Phe	Val	Asp 275	Ile	Arg	His	Ala	Leu 280	Pro	Gly	Asp	Phe			•		
(2)	INFO	RMAT:	ION	FOR	SEQ	ID N	0:16	3:									
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 264 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear																	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:163:																	
ATGAACATGT CGTCGGTGGT GGGTCGCAAG GCCTTTGCGC GATTCGCCGG CTACTCCTCC 60										60							
GCCATGCACG CGATCGCCGG TTTCTCCGAT GCGTTGCGCC AAGAGCTGCG GGGTAGCGGA 12										120							
ATCGCCGTCT CGGTGATCCA CCCGGCGCTG ACCCAGACAC CGCTGTTGGC CAACGTCGAC 18										180							
CCCGCCGACA TGCCGCCGCC GTTTCGCAGC CTCACGCCCA TTCCCGTTCA CTGGGTCGCG 24										240							
GCAG	CGGT	GC I	TGAC	GGTG	T GG	CG											264
(2)	(2) INFORMATION FOR SEQ ID NO:164:																

(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:164:

TAGTCGGCGA CGATGACGTC GCGGTCCAGG CCGACCGCTT CAAGCACCAG CGCGACCACG 60 AAGCCGGTGC GATCCTTACC CGCGAAGCAG TGGGTGAGCA CCGGGCGTCC GGCGGCAAGC AGTGTGACGA CACGATGTAG CGCGCGCTGT GCTCCATTGC GCGTTGGGAA TTGGCGATAC 180 TCGTCGGTCA TGTAGCGGGT GGCCGCGTCA TTTATCGACT GGCTGGATTC GCCGGACTCG 240 CCGTTGGACC CGTCATTGGT TAGCAGCCTC TTGAATGCGG TTTCGTGCGG CGCTGAGTCG TCGGCGTCAT CATCGGCGAG GTCGGGGAAC GGCAGCAGGT GGACGTCGAT GCCGTCCGGA 360 ACCCGTCCTG GACCGCGGC GGCAACCTCC CGGGACGACC GCAGGTCGGC AACGTCGGTG 420 ATCCCCAGCC GGCGCAGCGT TGCCCCTCGT GCCGAATTCG GCACGAGGCT GGCGAGCCAC 480 CGGGCATCAC CAAGCAACGC TTGCCCAGTA CGGATCGTCA CTTCCGCATC CGGCAGACCA 540 ATCTCCTCGC CGCCCATCGT CAGATCCCGC TCGTGCGTTG ACAAGAACGG CCGCAGATGT 600 GCCAGCGGGT ATCGGAGATT GAACCGCGCA CGCAGTTCTT CAATCGCTGC GCGCTGCCGC 660 ACTATTGGCA CTTTCCGGCG GTCGCGGTAT TCAGCAAGCA TGCGAGTCTC GACGAACTCG 720 CCCCACGTAA CCCACGGCGT AGCTCCCGGC GTGACGCGGA GGATCGGCGG GTGATCTTTG 780 CCGCCACGCT CGTAGCCGTT GATCCACCGC TTCGCGGTGC CGGCGGGGAG GCCGATCAGC 840 TTATCGACCT CGGCGTATGC CGACGGCAAG CTGGGCGCGT TCGTCGAGGT CAAGAACTCC 900 ACCATCGGCA CCGGCACCAA GGTGCCGCAC CTGACCTACG TCGGCGACGC CGACATCGGC 960 GAGTACAGCA ACATCGGCGC CTCCAGCGTG TTCGTCAACT ACGACGGTAC GTCCAAACGG 1020 CGCACCACCG TCGGTTCGCA CGTACGGACC GGGTCCGACA CCATGTTCGT GGCCCCAGTA 1080 ACCATCGGCG ACGGCGCGTA TACCGGGGCC GGCACAGTGG TGCGGGAGGA TGTCCCGCCG 1140 GGGGCGCTGG CAGTGTCGGC GGGTCCGCAA C 1171

#### (2) INFORMATION FOR SEQ ID NO:165:

(i) SEQUENCE CHARACTERISTIGS:

(A) LENGTH: 227 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:165:

GCAAAGGCGG CACCGGCGGG GCCGGCATGA ACAGCCTCGA CCCGCTGCTA GCCGCCCAAG	60
ACGGCGGCCA AGGCGGCACC GGCGCACCG GCGCCACCGC CGCCCCGGC GGCACCAGCT	120
TCACCCAAGG CGCCGACGGC AACGCCGGCA ACGGCGGTGA CGGCGGGGTC GGCGGCAACG	180
GCGGAAACGG CGGAAACGGC GCAGACAACA CCACCACCGC CGCCGCC	227
(2) INFORMATION FOR SEQ ID NO:166:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 304 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:166:	
CCTCGCCACC ATGGGCGGGC AGGGCGGTAG CGGTGGCGCC GGCTCTACCC CAGGCGCCAA	60
GGGCGCCCAC GGCTTCACTC CAACCAGCGG CGGCGACGGC GGCGACGGCG GCAACGGCGG	120
CAACTCCCAA GTGGTCGGCG GCAACGGCGG CGACGGCGGC AATGGCGGCA ACGGCGGCAG	180
CGCCGGCACG GGCGGCAACG GCGGCCGCGG CGGCGACGGC GCGTTTGGTG GCATGAGTGC	240
CAACGCCACC AACCCTGGTG AAAACGGGCC AAACGGTAAC CCCGGCGGCA ACGGTGGCGC	300
CGGC	304
(2) INFORMATION FOR SEQ ID NO:167:	
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1439 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:167:	
GTGGGACGCT GCCGAGGCTG TATAACAAGG ACAACATCGA CCAGCGCCGG CTCGGTGAGC	60
TGATCGACCT ATTTAACAGT GCGCGCTTCA GCCGGCAGGG CGAGCACCGC GCCCGGGATC	120
TGATGGGTGA GGTCTACGAA TACTTCCTCG GCAATTTCGC TCGCGCGGAA GGGAAGCGGG	180
GTGGCGAGTT CTTTACCCCG CCCAGCGTGG TCAAGGTGAT CGTGGAGGTG CTGGAGCCGT	240
CGAGTGGGCG GGTGTATGAC CCGTGCTGCG GTTCCGGAGG CATGTTTGTG CAGACCGAGA	300
AGTTCATCTA CGAACACGAC GGCGATCCGA AGGATGTCTC GATCTATGGC CAGGAAAGCA	360
TTGAGGAGAC CTGGCGGATG GCGAAGATGA ACCTCGCCAT CCACGGCATC GACAACAAGG	420

GGCTCGGCGC	CCGATGGAGT	GATACCTTCG	CCCGCGACCA	GCACCCGGAC	GTGCAGATGG	480
ACTACGTGAT	GGCCAATCCG	CCGTTCAACA	TCAAAGACTG	GGCCCGCAAC	GAGGAAGACC	540
CACGCTGGCG	CTTCGGTGTT	CCGCCCGCCA	ATAACGCCAA	CTACGCATGG	ATTCAGCACA	600
TCCTGTACAA	CTTGGCGCCG	GGAGGTCGGG	CGGGCGTGGT	GATGGCCAAC	GGGTCGATGT	660
CGTCGAACTC	CAACGGCAAG	GGGGATATTC	GCGCGCAAAT	CGTGGAGGCG	GATTTGGTTT	720
CCTGCATGGT	CGCGTTACCC	ACCCAGCTGT	TCCGCAGCAC	CGGAATCCCG	GTGTGCCTGT	780
GGTTTTTCGC	CAAAAACAAG	GCGGCAGGTA	AGCAAGGGTC	TATCAACCGG	TGCGGGCAGG	840
TGCTGTTCAT	CGACGCTCGT	GAACTGGGCG	ACCTAGTGGA	CCGGGCCGAG	CGGGCGCTGA	900
CCAACGAGGA	GATCGTCCGC	ATCGGGGATA	CCTTCCACGC	GAGCACGACC	ACCGGCAACG	960
CCGGCTCCGG	TGGTGCCGGC	GGTAATGGGG	GCACTGGCCT	CAACGGCGCG	GGCGGTGCTG	1020
GCGGGGCCGG	CGGCAACGCG	GGTGTCGCCG	GCGTGTCCTT	CGGCAACGCT	GTGGGCGGCG	1080
ACGGCGGCAA	CGGCGGCAAC	GGCGGCCACG	GCGGCGACGG	CACGACGGGC	GGCGCCGGCG	1140
GCAAGGGCGG	CAACGGCAGC	AGCGGTGCCG	CCAGCGGCTC	AGGCGTCGTC	AACGTCACCG	1200
CCGGCCACGG	CGGCAACGGC	GGCAATGGCG	GCAACGGCGG	CAACGGCTCC	GCGGGCGCCG	1260
GCGGCCAGGG	CGGTGCCGGC	GGCAGCGCCG	GCAACGGCGG	CCACGGCGGC	GGTGCCACCG	1320
GCGGCGCCAG	CGGCAAGGGC	GGCAACGGCA	CCAGCGGTGC	CGCCAGCGGC	TCAGGCGTCA	1380
TCAACGTCAC	CGCCGGCCAC	GGCGGCAACG	GCGGCAATGG	CCGCAACGGC	GGCAACGGC	1439

# (2) INFORMATION FOR SEQ ID NO:168:

# (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 329 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:168:

GGGCCGGCGG	GGCCGGATTT	TCTCGTGCCT	TGATTGTCGC	TGGGGATAAC	GGCGGTGATG	60
GTGGTAACGG	CGGGATGGGC	GGGGCTGGCG	GGGCTGGCGG	CCCCGGCGGG	GCCGGCGGCC	120
TGATCAGCCT	GCTGGGCGGC	CAAGGCGCCG.	-GCGGGGCCGG	CGGGACCGGC	GGGGCCGGCG	180
GTGTTGGCGG	TGACGGCGGG	GCCGGCGGCC	CCGGCAACCA	GGCCTTCAAC	GCAGGTGCCG	240
GCGGGGCCGG	CGGCCTGATC	AGCCTGCTGG	GCGGCCAAGG	CGCCGGCGGG	GCCGGCGGGA	300
CCGGCGGGC	CGGCGGTGTT	GGCGGTGAC				329

(2) INFORMATION FOR SEQ ID NO:169:

(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 80 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(b) Topologi: Tillear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:169:	
GCAACGGTGG CAACGGCGGC ACCAGCACGA CCGTGGGGAT GGCCGGAGGT AACTGTGGTG	60
CCGCCGGGCT GATCGGCAAC	80
(2) INFORMATION FOR SEQ ID NO:170:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 392 base pairs (B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:170:	
GGGCTGTGTC GCACTCACAC CGCCGCATTC GGCGACGTTG GCCGCCCAAT ATCCAGCTCA	60
AGGCCTACTA CTTACCGTCG GAGGACCGCC GCATCAAGGT GCGGGTCAGC GCCCAAGGAA	120
TCAAGGTCAT CGACCGCGAC GGGCATCGAG GCCGTCGTCG CGCGGCTCGG GCAGGATCCG	180
CCCCGGCGCA CTTCGCGCGC CAAGCGGGCT CATCGCTCCG AACGGCGGCG ATCCTGTGAG	240
CACAACTGAT GGCGCGCAAC GAGATTCGTC CAATTGTCAA GCCGTGTTCG ACCGCAGGGA	300
CCGGTTATAC GTATGTCAAC CTATGTCACT CGCAAGAACC GGCATAACGA TCCCGTGATC	360
CGCCGACAGC CCACGAGTGC AAGACCGTTA CA	392
(2) INFORMATION FOR SEQ ID NO:171:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 535 base pairs (B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:171:	
ACCGGCGCCA CCGGCGCAC CGGGTTCGCC GGTGGCGCCG GCGGGGCCGG CGGGCAGGGC	60
GGTATCAGCG GTGCCGGCGG CACCAACGGC TCTGGTGGCG CTGGCGGCAC CGGCGGACAA	120
GGCGGCGCCG GGGGCGCTGG CGGGGCCGGC GCCGATAACC CCACCGGCAT CGGCGGCGCC	18

GGCGGCACCG GCGCACCGG CGGAGCCGCC GGAGCCGGCG GGGCCGGTGG CGCCATCGGT 24  ACCGGCGGCA CCGGCGCGC GGTGGGCAGC GTCGGTAACG CCGGGATCGG CGGTACCGGC 30  GGTACGGGTG GTGTCGGTGG TGCTGGTGGT GCAGGTGCGG CTGCGGCCGC TGGCAGCAGC 36									
GGTACGGGTG GTGTCGGTGG TGCTGGTGGT GCAGGTGCGG CTGCGGCCGC TGGCAGCAGC 36									
GCTACCGGTG GCGCCGGGTT CGCCGGCGGC GCCGGCGGAG AAGGCGGACC GGGCGGCAAC 42									
AGCGGTGTGG GCGGCACCAA CGGCTCCGGC GGCGCCGGCG GTGCAGGCGG CAAGGGCGGC 48									
ACCGGAGGTG CCGGCGGGGTC CGGCGCGGAC AACCCCACCG GTGCTGGTTT CGCCG 53									
(2) INFORMATION FOR SEQ ID NO:172:									
(i) SEQUENCE CHARACTERISTICS:									
(A) LENGTH: 690 base pairs									
(B) TYPE: nucleic acid									

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:172:

(C) STRANDEDNESS: single
(D) TOPOLOGY: linear

CCGACGTCGC CGGGGCGATA CGGGGGTCAC CGACTACTAC ATCATCCGCA CCGAGAATCG 60 GCCGCTGCTG CAACCGCTGC GGGCGGTGCC GGTCATCGGA GATCCGCTGG CCGACCTGAT 120 CCAGCCGAAC CTGAAGGTGA TCGTCAACCT GGGCTACGGC GACCCGAACT ACGGCTACTC 180 GACGAGCTAC GCCGATGTGC GAACGCCGTT CGGGCTGTGG CCGAACGTGC CGCCTCAGGT 240 CATCGCCGAT GCCCTGGCCG CCGGAACACA AGAAGGCATC CTTGACTTCA CGGCCGACCT 300 GCAGGCGCTG TCCGCGCAAC CGCTCACGCT CCCGCAGATC CAGCTGCCGC AACCCGCCGA 360 TCTGGTGGCC GCGGTGGCCG CCGCACCGAC GCCGGCCGAG GTGGTGAACA CGCTCGCCAG 420 GATCATCTCA ACCAACTACG CCGTCCTGCT GCCCACCGTG GACATCGCCC TCGCCTGGTC 480 ACCACCCTGC CGCTGTACAC CACCCAACTG TTCGTCAGGC AACTCGCTGC GGGCAATCTG 540 ATCAACGCGA TCGGCTATCC CCTGGCGGCC ACCGTAGGTT TAGGCACGAT CGATAGCGGG 600 CGGCGTGGAA TTGCTCACCC TCCTCGCGGC GGCCTCGGAC ACCGTTCGAA ACATCGAGGG 660 CCTCGTCACC TAACGGATTC CCGACGGCAT 690

#### (2) INFORMATION FOR SEQ ID NO:173:

- (i) SEQUENCE CHARACTERISTIGS:
  - (A) LENGTH: 407 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:173:

ACGGTGACGG CGGTACTGGC GGCGGCCACG GCGGCAACGG CGGGAATCCC GGGTGGCTCT	60								
TGGGCACAGC CGGGGTGGC GGCAACGGTG GCGCCGGCAG CACCGGTACT GCAGGTGGCG	120								
GCTCTGGGGG CACCGGCGGC GACGGCGGGA CCGGCGGGCG TGGCGGCCTG TTAATGGGCG	180								
CCGGCGCCGG CGGCACGGT GGCACTGGCG GCGCGGGCGG TGCCGGTGTC GACGGTGGCG	240								
GCGCCGGCGG GCCGGCGGCA ACGGCGGCGC CGGGGGTCAA GCCGCCCTGC	300								
TGTTCGGGCG CGGCGGCACC GGCGGAGCCG GCGGCTACGG CGGCGATGGC GGTGGCGGCG	360								
GTGACGGCTT CGACGGCACG ATGGCCGGCC TGGGTGGTAC CGGTGGC	407								
(2) INFORMATION FOR SEQ ID NO:174:									
<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 468 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>									
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:174:									
GATCGGTCAG CGCATCGCCC TCGGCGGCAA GCGATTCCGC GGTCTCACCG AAGAACATCG	60								
TGCACGCGGC GGCGCGGACC AGCCCGCTGC GCTGCGGCGC GTCGAACGCC TCCAGCAGGC	120								
ACAGCCAGTC CTTGGCGGCC TGCGAGGCGA ACACGTCGGT GTCACCGGTG TAGATCGCCG	180								
GGATGCCCGC CTCCGCCAAC GCATTCCGGC ACGCCCGCGC GTCTTTGTGA TGCTCGACGA	240								
TCACCGCGAT GTCTGCGGCC ACCACGGGCC GCCCGGCGAA GGTGGCCCCG CTGGCCAGTA	300								
GCGCCGCGAC GTCGGCGGCC AGGTCGTCGG GGATGTGCCG GCGCAGCGCT CCGGCGCGAC	360								
GCCCGAAAAA CGACCCCTCA CCCAGCTGGG TCCCGCTGGC ATATCCCTTG CCGTCCTGGG	420								
CGATATTGGA CGCGCATGCC CCGACCGCGT ACAGGCCGGC CACCACCG	468								
(2) INFORMATION FOR SEQ ID NO:175:									
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 219 base pairs  (B) TYPE: nucleic acid									

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:175:

GGTGGTAACG GCGGCCAGGG TGGCATCGGC GGCGCCGGCG AGAGAGGCGC CGACGGCGCC 60

GGCCCCAATG CTAACGGCGC AAACGGCGAG AACGGCGGTA GCGGTGGTAA CGGTGGCGAC 120

GGCGGCGCCG GCGGCAATGG CGGCGCGGGC GGCAACGCGC AGGCGGCCGG GTACACCGAC	180							
GGCGCCACGG GCACCGGCGG CGACGGCGGC AACGGCGGC	219							
(2) INFORMATION FOR SEQ ID NO:176:								
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 494 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear								
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:176:								
TAGCTCCGGC GAGGGCGGCA AGGGCGGCGA CGGTGGCCAC GGCGGTGACG GCGTCGGCGG	60							
CAACAGTTCC GTCACCCAAG GCGGCAGCGG CGGTGGCGGC GGCGCCGGCGG	120							
CAGCGGCTTT TTCGGCGGCA AGGGCGGCTT CGGCGGCGAC GGCGGTCAGG GCGGCCCCAA	180							
CGGCGGCGGT ACCGTCGGCA CCGTGGCCGG TGGCGGCGGC AACGGCGGTG TCGGCGGCCG	240							
GGGCGGCGAC GGCGTCTTTG CCGGTGCCGG CGGCCAGGGC GGCCTCGGTG GGCAGGGCGG	300							
CAATGGCGGC GGCTCCACCG GCGGCAACGG CGGCCTTGGC GGCGCGGGCG GTGGCGGAGG	360							
CAACGCCCCG GCTCGTGCCG AATCCGGGCT GACCATGGAC AGCGCGGCCA AGTTCGCTGC	420							
CATCGCATCA GGCGCGTACT GCCCCGAACA CCTGGAACAT CACCCGAGTT AGCGGGGCGC	480							
ATTTCCTGAT CACC								
(2) INFORMATION FOR SEQ ID NO:177:								
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 220 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear								
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:177:								
GGGCCGGTGG TGCCGCGGGC CAGCTCTTCA GCGCCGGAGG CGCGGCGGGT GCCGTTGGGG	60							
TTGGCGGCAC CGGCGGCCAG GGTGGGGCTG GCGGTGCCGG AGCGGCCGGC GCCGACGCCC	120							
CCGCCAGCAC AGGTCTAACC GGTGGTACCG GGTTCGCTGG CGGGGCCGGC GGCGTCGGCG	180							
GCCAGAGCGG CAACGCCATT GCCGGCGGCA TCAACGGCTC	220							
(2) INFORMATION FOR SEQ ID NO:178:								

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 388 base pairs(B) TYPE: nucleic acid

(C)	STRANDEDNESS: single
(D)	TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:178:

ATGGCGGCAA	CGGGGGCCCC	GGCGGTGCTG	GCGGGGCCGG	CGACTACAAT	TTCCAACGGC	60
GGGCAGGGTG	GTGCCGGCGG	CCAAGGCGGC	CAAGGCGGCC	TGGGCGGGGC	AAGCACCACC	120
TGATCGGCCT	AGCCGCACCC	GGGAAAGCCG	ATCCAACAGG	CGACGATGCC	GCCTTCCTTG	180
CCGCGTTGGA	CCAGGCCGGC	ATCACCTACG	CTGACCCAGG	CCACGCCATA	ACGGCCGCCA	240
AGGCGATGTG	TGGGCTGTGT	GCTAACGGCG	TAACAGGTCT	ACAGCTGGTC	GCGGACCTGC	300
GGGACTACAA	TCCCGGGCTG	ACCATGGACA	GCGCGGCCAA	GTTCGCTGCC	ATCGCATCAG	360
GCGCGTACTG	CCCCGAACAC	CTGGAACA				388

# (2) INFORMATION FOR SEQ ID NO:179:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 400 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:179:

GCAAAGGCGG	CACCGGCGGG	GCCGGCATGA	ACAGCCTCGA	CCCGCTGCTA	GCCGCCCAAG	60
ACGGCGGCCA	AGGCGGCACC	GGCGGCACCG	GCGGCAACGC	CGGCGCCGGC	GGCACCAGCT	120
TCACCCAAGG	CGCCGACGGC	AACGCCGGCA	ACGGCGGTGA	CGGCGGGGTC	GGCGGCAACG	180
GCGGAAACGG	CGGAAACGGC	GCAGACAACA	CCACCACCGC	CGCCGCCGGC	ACCACAGGCG	240
GCGACGGCGG	GGCCGGCGGG	GCCGGCGGAA	CCGGCGGAAC	CGGCGGAGCC	GCCGGCACCG	300
GCACCGGCGG	CCAACAAGGC	AACGGCGGCA	ACGGCGGCAC	CGGCGGCAAA	GGCGGCACCG	360
GCGGCGACGG	TGCACTCTCA	GGCAGCACCG	GTGGTGCCGG			400

### (2) INFORMATION FOR SEQ ID NO:180:

# (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 538 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:180:

AGCGGCAACG	GCGGCCAACG	GCGGCAGCGG	CGGCAACGGC	GGCAACGCCG	GCATGGGCGG	120
CAACAGCGGC	ACCGGCAGCG	GCGACGGCGG	TGCCGGCGGG	AACGGCGGCG	CGGCGGCAC	180
GGGCGGCACC	GGCGGCGACG	GCGGCCTCAC	CGGTACTGGC	GGCACCGGCG	GCAGCGGTGG	240
CACCGGCGGT	GACGGCGGTA	ACGGCGGCAA	CGGAGCAGAT	AACACCGCAA	ACATGACTGC	300
GCAGGCGGGC	GGTGACGGTG	GCAACGGCGG	CGACGGTGGC	TTCGGCGGCG	GGGCCGGGGC	360
CGGCGGCGGT	GGCTTGACCG	CTGGCGCCAA	CGGCACCGGC	GGGCAAGGCG	GCGCCGGCGG	420
CGATGGCGGC	AACGGGGCCA	TCGGCGGCCA	CGGCCCACTC	ACTGACGACC	CCGGCGGCAA	480
CGGGGGCACC	GGCGGCAACG	GCGGCACCGG	CGGCACCGGC	GGCGCGGGCA	TCGGCAGC	538
		<b></b>	_			

#### (2) INFORMATION FOR SEQ ID NO:181:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 239 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:181:

GGGCCGGTGG TGCCGCGGGC CAGCTCTTCA GCGCCGGAGG CGCGGCGGGT GCCGTTGGGG 60

TTGGCGGCAC CGGCGGCCAG GGTGGGGCTG GCGGTGCCGG AGCGGCCGGC GCCGACGCCC 120

CCGCCAGCAC AGGTCTAACC GGTGGTACCG GGTTCGCTGG CGGGGCCGGC GGCGTCGGCG 180

GCCACGGCGG CAACGCCATT GCCGGCGGCA TCAACGGCTC CGGTGGTGCC GGCGGCACC 239

# (2) INFORMATION FOR SEQ ID NO:182:

# (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 985 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:182:

AGCAGCGCTA CCGGTGGCGC CGGGTTCGCC GGCGGCGCCG GCGGAGAAGG CGGAGCGGGC 60

GGCAACAGCG GTGTGGGCGG CACCAACGGC TCCGGCGGCG CCGGCGGTGC AGGCGGCAAG 120

GGCGGCACCG GAGGTGCCGG CGGGTCCGGC GCGGACAACC CCACCGGTGC TGGTTTCGCC 180

GGTGGCGCCG GCGCACAGG TGGCGCGGCC GGCGCCGGCG GGGCCGGCG GGCGACCGGT 240

ACCGGCGGCA CCGGCGGCT TGTCGGCGCC ACCGGTAGTG CAGGCATCGG CGGGGCCGGC 300

GGCCGCGGCG GTGACGGCGG CGATGGGGCC AGCGGTCTCG GCCTGGGCCT CTCCGGCTTT 360

GACGGCGGCC	AAGGCGGCCA	AGGCGGGGCC	GGCGGCAGCG	CCGGCGCCGG	CGGCATCAAC	420
GGGGCCGGCG	GGGCCGGCGG	CAACGGCGGC	GACGGCGGGG	ACGGCGCAAC	CGGTGCCGCA	480
GGTCTCGGCG	ACAACGGCGG	GGTCGGCGGT	GACGGTGGGG	CCGGTGGCGC	CGCCGGCAAC	540
GGCGGCAACG	CGGGCGTCGG	CCTGACAGCC	AAGGCCGGCG	ACGGCGGCGC	CGCGGGCAAT	600
GGCGGCAACG	GGGGCGCCGG	CGGTGCTGGC	GGGGCCGGCG	ACAACAATTT	CAACGGCGGC	660
CAGGGTGGTG	CCGGCGGCCA	AGGCGGCCAA	GGCGGCTTGG	GCGGGGCAAG	CACCACCTGA	720
TCGGCCTAGC	CGCACCCGGG	AAAGCCGATC	CAACAGGCGA	CGATGCCGCC	TTCCTTGCCG	780
CGTTGGACCA	GGCCGGCATC	ACCTACGCTG	ACCCAGGCCA	CGCCATAACG	GCCGCCAAGG	840
CGATGTGTGG	GCTGTGTGCT	AACGGCGTAA	CAGGTCTACA	GCTGGTCGCG	GACCTGCGGG	900
AATACAATCC	CGGGCTGACC	ATGGACAGCG	CGGCCAAGTT	CGCTGCCATC	GCATCAGGCG	960
CGTACTGCCC	CGAACACCTG	GAACA				985

# (2) INFORMATION FOR SEQ ID NO:183:

# (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2138 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:183:

CGGCACGAGG	ATCGGTACCC	CGCGGCATCG	GCAGCTGCCG	ATTCGCCGGG	TTTCCCCACC	60
CGAGGAAAGC	CGCTACCAGA	TGGCGCTGCC	GAAGTAGGGC	GATCCGTTCG	CGATGCCGGC	120
ATGAACGGGC	GGCATCAAAT	TAGTGCAGGA	ACCTTTCAGT	TTAGCGACGA	TAATGGCTAT	180
AGCACTAAGG	AGGATGATCC	GATATGACGC	AGTCGCAGAC	CGTGACGGTG	GATCAGCAAG	240
AGATTTTGAA	CAGGGCCAAC	GAGGTGGAGG	CCCCGATGGC	GGACCCACCG	ACTGATGTCC	300
CCATCACACC	GTGCGAACTC	ACGGCGGCTA	AAAACGCCGC	CCAACAGCTG	GTATTGTCCG	360
CCGACAACAT	GCGGGAATAC	CTGGCGGCCG	GTGCCAAAGA	GCGGCAGCGT	CTGGCGACCT	420
CGCTGCGCAA	CGCGGCCAAG	GCGTATGGCG	AGGTTGATGA	GGAGGCTGCG	ACCGCGCTGG	480
ACAACGACGG	CGAAGGAACT	GTGCAGGCAG	AATCGGCCGG	GGCCGTCGGA	GGGGACAGTT	540
CGGCCGAACT	AACCGATACG	CCGAGGGTGG	CCACGGCCGG	TGAACCCAAC	TTCATGGATC	600
TCAAAGAAGC	GGCAAGGAAG	CTCGAAACGG	GCGACCAAGG	CGCATCGCTC	GCGCACTTTG	660

CGGATGGGT	GAACACTTTC	AACCTGACGC	TGCAAGGCGA	CGTCAAGCGG	TTCCGGGGGT	720
TTGACAACT	G GGAAGGCGAT	GCGGCTACCG	CTTGCGAGGC	TTCGCTCGAT	CAACAACGGC	780
AATGGATAC!	r ccacatggcc	AAATTGAGCG	CTGCGATGGC	CAAGCAGGCT	CAATATGTCG	840
CGCAGCTGC	A CGTGTGGGCT	AGGCGGGAAC	ATCCGACTTA	TGAAGACATA	GTCGGGCTCG	900
AACGGCTTT	A CGCGGAAAAC	CCTTCGGCCC	GCGACCAAAT	TCTCCCGGTG	TACGCGGAGT	960
ATCAGCAGA	GTCGGAGAAG	GTGCTGACCG	AATACAACAA	CAAGGCAGCC	CTGGAACCGG	1020
TAAACCCGC	C GAAGCCTCCC	CCCGCCATCA	AGATCGACCC	GCCCCGCCT	CCGCAAGAGC	1080
AGGGATTGA	r ccctggcttc	CTGATGCCGC	CGTCTGACGG	CTCCGGTGTG	ACTCCCGGTA	1140
CCGGGATGC	C AGCCGCACCG	ATGGTTCCGC	CTACCGGATC	GCCGGGTGGT	GGCCTCCCGG	1200
CTGACACGG	GGCGCAGCTG	ACGTCGGCTG	GGCGGGAAGC	CGCAGCGCTG	TCGGGCGACG	1260
TGGCGGTCA	A AGCGGCATCG	CTCGGTGGCG	GTGGAGGCGG	CGGGGTGCCG	TCGGCGCCGT	1320
TGGGATCCG	C GATCGGGGGC	GCCGAATCGG	TGCGGCCCGC	TGGCGCTGGT	GACATTGCCG	1380
GCTTAGGCC	A GGGAAGGGCC	GCCGCCGCG	CCGCGCTGGG	CGGCGGTGGC	ATGGGAATGC	1440
CGATGGGTG	C CGCGCATCAG	GGACAAGGGG	GCGCCAAGTC	CAAGGGTTCT	CAGCAGGAAG	1500
ACGAGGCGC	T CTACACCGAG	GATCGGGCAT	GGACCGAGGC	CGTCATTGGT	AACCGTCGGC	1560
GCCAGGACA	g TAAGGAGTCG	AAGTGAGCAT	GGACGAATTG	GACCCGCATG	TCGCCCGGGC	1620
GTTGACGCT	G GCGGCGCGGT	TTCAGTCGGC	CCTAGACGGG	ACGCTCAATC	AGATGAACAA	1680
CGGATCCTT	C CGCGCCACCG	ACGAAGCCGA	GACCGTCGAA	GTGACGATCA	ATGGGCACCA	1740
GTGGCTCAC	C GGCCTGCGCA	TCGAAGATGG	TTTGCTGAAG	AAGCTGGGTG	CCGAGGCGGT	1800
GGCTCAGCG	G GTCAACGAGG	CGCTGCACAA	TGCGCAGGCC	GCGGCGTCCG	CGTATAACGA	1860
CGCGGCGGG	C GAGCAGCTGA	CCGCTGCGTT	ATCGGCCATG	TCCCGCGCGA	TGAACGAAGG	1920
AATGGCCTA	A GCCCATTGTT	GCGGTGGTAG	CGACTACGCA	CCGAATGAGC	GCCGCAATGC	1980
GGTCATTCA	G CGCGCCCGAC	ACGGCGTGAG	TACGCATTGT	CAATGTTTTG	ACATGGATCG	2040
GCCGGGTTC	G GAGGGCGCCA	TAGTCCTGGT	CGCCAATATT	GCCGCAGCTA	GCTGGTCTTA	2100
GGTTCGGTT	a cgctggttaa	TTATGACGTO	CGTTACCA			2138

# (2) INFORMATION FOR SEQ ID NO:184:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 460 amino acids
  - (B) TYPE: amino acid

- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:184:
- Met Thr Gln Ser Gln Thr Val Thr Val Asp Gln Gln Glu Ile Leu Asn 1 5 10 15
- Arg Ala Asn Glu Val Glu Ala Pro Met Ala Asp Pro Pro Thr Asp Val 20 25 30
- Pro Ile Thr Pro Cys Glu Leu Thr Ala Ala Lys Asn Ala Ala Gln Gln 35 40 45
- Leu Val Leu Ser Ala Asp Asn Met Arg Glu Tyr Leu Ala Ala Gly Ala 50 55 60
- Lys Glu Arg Gln Arg Leu Ala Thr Ser Leu Arg Asn Ala Ala Lys Ala 65 70 75 80
- Tyr Gly Glu Val Asp Glu Glu Ala Ala Thr Ala Leu Asp Asn Asp Gly 85 90 95
- Glu Gly Thr Val Gln Ala Glu Ser Ala Gly Ala Val Gly Gly Asp Ser 100 105 110
- Ser Ala Glu Leu Thr Asp Thr Pro Arg Val Ala Thr Ala Gly Glu Pro 115 120 125
- Asn Phe Met Asp Leu Lys Glu Ala Ala Arg Lys Leu Glu Thr Gly Asp 130 135 140
- Gln Gly Ala Ser Leu Ala His Phe Ala Asp Gly Trp Asn Thr Phe Asn 145 150 155 160
- Leu Thr Leu Gln Gly Asp Val Lys Arg Phe Arg Gly Phe Asp Asn Trp 165 170 175
- Glu Gly Asp Ala Ala Thr Ala Cys Glu Ala Ser Leu Asp Gln Gln Arg 180 185 190
- Gln Trp Ile Leu His Met Ala Lys Leu Ser Ala Ala Met Ala Lys Gln 195 200 205
- Ala Gln Tyr Val Ala Gln Leu His Val Trp Ala Arg Arg Glu His Pro 210 215 220
- Thr Tyr Glu Asp Ile Val Gly Leu Glu Arg Leu Tyr Ala Glu Asn Pro 230 235 240
- Ser Ala Arg Asp Gln Ile Leu Pro Val Tyr Ala Glu Tyr Gln Gln Arg 245 250 255
- Ser Glu Lys Val Leu Thr Glu Tyr Asn Asn Lys Ala Ala Leu Glu Pro 260 265 270

- Val Asn Pro Pro Lys Pro Pro Pro Ala Ile Lys Ile Asp Pro Pro Pro 275 280 285
- Pro Pro Gln Glu Gln Gly Leu Ile Pro Gly Phe Leu Met Pro Pro Ser 290 295 300
- Asp Gly Ser Gly Val Thr Pro Gly Thr Gly Met Pro Ala Ala Pro Met 305 310 315 320
- Val Pro Pro Thr Gly Ser Pro Gly Gly Gly Leu Pro Ala Asp Thr Ala 325 330 335
- Ala Gln Leu Thr Ser Ala Gly Arg Glu Ala Ala Ala Leu Ser Gly Asp 340 345 350
- Val Ala Val Lys Ala Ala Ser Leu Gly Gly Gly Gly Gly Gly Val 355 360 365
- Pro Ser Ala Pro Leu Gly Ser Ala Ile Gly Gly Ala Glu Ser Val Arg 370 375 380
- Pro Ala Gly Ala Gly Asp Ile Ala Gly Leu Gly Gln Gly Arg Ala Gly 385 390 395 400
- Gly Gly Ala Ala Leu Gly Gly Gly Gly Met Gly Met Pro Met Gly Ala 405 410 415
- Ala His Gln Gly Gln Gly Gly Ala Lys Ser Lys Gly Ser Gln Gln Glu 420 425 430
- Asp Glu Ala Leu Tyr Thr Glu Asp Arg Ala Trp Thr Glu Ala Val Ile 435 440 445
- Gly Asn Arg Arg Gln Asp Ser Lys Glu Ser Lys 450 455 460

# (2) INFORMATION FOR SEQ ID NO:185:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 277 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:185:
- Ala Gly Asn Val Thr Ser Ala Ser Gly Pro His Arg Phe Gly Ala Pro 1 5 10 15
- Asp Arg Gly Ser Gln Arg Arg Arg His Pro Ala Ala Ser Thr Ala 20 25 30
- Thr Glu Arg Cys Arg Phe Asp Arg His Val Ala Arg Gln Arg Cys Gly
  35 40 45

- Phe Pro Pro Ser Arg Arg Gln Leu Arg Arg Arg Val Ser Arg Glu Ala 50 55 60
- Thr Thr Arg Arg Ser Gly Arg Arg Asn His Arg Cys Gly Trp His Pro 65 70 75 80
- Gly Thr Gly Ser His Thr Gly Ala Val Arg Arg Arg His Gln Glu Ala 85 90 95
- Arg Asp Gln Ser Leu Leu Leu Arg Arg Gly Arg Val Asp Leu Asp 100 105 110
- Gly Gly Arg Leu Arg Arg Val Tyr Arg Phe Gln Gly Cys Leu Val 115 120 125
- Val Val Phe Gly Gln His Leu Leu Arg Pro Leu Leu Ile Leu Arg Val 130 135 140
- His Arg Glu Asn Leu Val Ala Gly Arg Arg Val Phe Arg Val Lys Pro 145 150 155 160
- Phe Glu Pro Asp Tyr Val Phe Ile Ser Arg Met Phe Pro Pro Ser Pro 165 170 175
- His Val Gln Leu Arg Asp Ile Leu Ser Leu Leu Gly His Arg Ser Ala 180 185 190
- Gln Phe Gly His Val Glu Tyr Pro Leu Pro Leu Leu Ile Glu Arg Ser 195 200 205
- Leu Ala Ser Gly Ser Arg Ile Ala Phe Pro Val Val Lys Pro Pro Glu 210 215 220
- Pro Leu Asp Val Ala Leu Gln Arg Gln Val Glu Ser Val Pro Pro Ile 225 230 235 240
- Arg Lys Val Arg Glu Arg Cys Ala Leu Val Ala Arg Phe Glu Leu Pro 245 250 255
- Cys Arg Phe Phe Glu Ile His Glu Val Gly Phe Thr Gly Arg Gly His 260 265 270

Pro Arg Arg Ile Gly 275

# (2) INFORMATION FOR SEQ ID NO:186:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 192 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:186:

- Arg Val Ala Ala Ser Phe Ile Asp Trp Leu Asp Ser Pro Asp Ser Pro 1 5 10 15
- Leu Asp Pro Ser Leu Val Ser Ser Leu Leu Asn Ala Val Ser Cys Gly 20 25 30
- Ala Glu Ser Ser Ala Ser Ser Ser Ala Arg Ser Gly Asn Gly Ser Arg
  35 40 45
- Trp Thr Ser Met Pro Ser Gly Thr Arg Pro Gly Pro Arg Arg Ala Thr 50 55 60
- Ser Arg Asp Asp Arg Ser Ala Thr Ser Val Ile Pro Ser Arg Arg 65 70 75 80
- Ser Val Ala Pro Arg Ala Glu Phe Gly Thr Arg Leu Ala Ser His Arg 85 90 95
- Ala Ser Pro Ser Asn Ala Cys Pro Val Arg Ile Val Thr Ser Ala Ser 100 105 110
- Gly Arg Pro Ile Ser Ser Pro Pro Ile Val Arg Ser Arg Ser Cys Val 115 120 125
- Asp Lys Asn Gly Arg Arg Cys Ala Ser Gly Tyr Arg Arg Leu Asn Arg 130 135 140
- Ala Arg Ser Ser Ser Ile Ala Ala Arg Cys Arg Thr Ile Gly Thr Phe
  145 150 155 160
- Arg Arg Ser Arg Tyr Ser Ala Ser Met Arg Val Ser Thr Asn Ser Pro 165 170 175
- His Val Thr His Gly Val Ala Pro Gly Val Thr Arg Arg Ile Gly Gly 180 185 190

# (2) INFORMATION FOR SEQ ID NO:187:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 196 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:187:
- Gln Glu Arg Pro Gln Met Cys Gln Arg Val Ser Glu Ile Glu Pro Arg
  1 10 15
- Thr Gln Phe Phe Asn Arg Cys Ala Leu Pro His Tyr Trp His Phe Pro 20 25 30
- Ala Val Ala Val Phe Ser Lys His Ala Ser Leu Asp Glu Leu Ala Pro

35 40 45

Arg Asn Pro Arg Arg Ser Ser Arg Arg Asp Ala Glu Asp Arg Val 50 55 60

Ile Phe Ala Ala Thr Leu Val Ala Val Asp Pro Pro Leu Arg Gly Ala 65 70 75 80

Gly Gly Glu Ala Asp Gln Leu Ile Asp Leu Gly Val Cys Arg Arg Gln 85 90 95

Ala Gly Arg Val Arg Arg Gly Gln Glu Leu His His Arg His Arg His 100 105 110

Gln Gly Ala Ala Pro Asp Leu Arg Arg Arg Arg Arg His Arg Arg Val 115 120 125

Gln Gln His Arg Arg Leu Gln Arg Val Arg Gln Leu Arg Arg Tyr Val 130 135 140

Gln Thr Ala His His Arg Arg Phe Ala Arg Thr Asp Arg Val Arg His 145 150 155 160

His Val Arg Gly Pro Ser Asn His Arg Arg Arg Arg Val Tyr Arg Gly
165 170 175

Arg His Ser Gly Ala Gly Gly Cys Pro Ala Gly Gly Ala Gly Ser Val 180 185 190

Gly Gly Ser Ala 195

#### (2) INFORMATION FOR SEQ ID NO:188:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 311 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:188:

Val Arg Cys Gly Thr Leu Val Pro Val Pro Met Val Glu Phe Leu Thr
1 5 10 15

Ser Thr Asn Ala Pro Ser Leu Pro Ser Ala Tyr Ala Glu Val Asp Lys 20 25 30

Leu Ile Gly Leu Pro Ala Gly Thr Ala Lys Arg Trp Ile Asn Gly Tyr 35 40 45

Glu Arg Gly Gly Lys Asp His Pro Pro Ile Leu Arg Val Thr Pro Gly 50 55 60

Ala Thr Pro Trp Val Thr Trp Gly Glu Phe Val Glu Thr Arg Met Leu

WO 99/42076 PCT/US99/03268

179

65					70					75					80
Ala	a Gl	и Ту	r Ar	g . As <sub>]</sub> 85	o Arg	J Ar	J Ly	s Val	Pro	o Ile	e Vai	l Arg	g Glı	Arg 95	, Ala
Ala	a Ile	e Gl	u Gl:	u Lei O	ı Arg	, Ala	a Arg	Phe 105	Ası	ı Leı	ı Arg	у Тул	Pro		. Ala
His	5 Let	1 Arg	g Pro	Phe	e Leu	Sez	120	His	Glu	Arg	J Asi	Lev 125		Met	Gly
Gly	7 Glu 130	ı Glı	ı Ile	e Gly	/ Leu	135	Asp	Ala	Glu	Val	. Thr		Arg	Thr	Gly
Gln 145	Ala	Let	ı Lev	Gly	Asp 150	Ala	Arg	Trp	Leu	Ala 155	Ser	Leu	Val	Pro	Asn 160
Ser	Ala	Arg	, Gly	Ala 165	Thr	Leu	Arg	Arg	Leu 170	Gly	·Ile	Thr	Asp	Val 175	Ala
Asp	Leu	Arg	Ser 180	Ser	Arg	Glu	Val	Ala 185	Arg	Arg	Gly	Pro	Gly 190	Arg	Val
Pro	Asp	Gly 195	Ile	Asp	Val	His	Leu 200	Leu	Pro	Phe	Pro	Asp 205	Leu	Ala	Asp
Asp	Asp 210	Ala	Asp	Asp	Ser	Ala 215	Pro	His	Glu	Thr	Ala 220	Phe	Lys	Arg	Leu
Leu 225	Thr	Asn	Asp	Gly	Ser 230	Asn	Gly	Glu	Ser	Gly 235	Glu	Ser	Ser	Gln	Ser 240
Ile	Asn	Asp	Ala	Ala 245	Thr	Arg	Tyr	Met	Thr 250	Asp	Glu	Tyr	Arg	Gln 255	Phe
Pro	Thr	Arg	Asn 260	Gly	Ala	Gln	Arg	Ala 265	Leu	His	Arg	Val	Val 270	Thr	Leu
Leu	Ala	Ala 275	Gly	Arg	Pro	Val	Leu 280	Thr	His	Cys	Phe	Ala 285	Gly	Lys	Asp
Arg	Thr 290	Gly	Phe	Val	Val	Ala 295	Leu	Val	Leu	Glu	Ala 300	Val	Gly	Leu	Asp
Arg 305	Asp	Val	Ile	Val	Ala 310	qeA									

# (2) INFORMATION FOR SEQ ID NO:189:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 2072 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:189:

CTCGTGCCGA TTCGGC	CACGA GCTGAGCAGC	CCAAGGGGCC	GTTCGGCGAA	GTCATCGAGG	60
CATTCGCCGA CGGGCT	TGGCC GGCAAGGGT	AGCAAATCAA	CACCACGCTG	AACAGCCTGT	120
CGCAGGCGTT GAACGC	CTTG AATGAGGGCC	GCGGCGACTT	CTTCGCGGTG	GTACGCAGCC	180
TGGCGCTATT CGTCA	ACGCG CTACATCAGG	ACGACCAACA	GTTCGTCGCG	TTGAACAAGA	240
ACCTTGCGGA GTTCAC	CCGAC AGGTTGACCC	ACTCCGATGC	GGACCTGTCG	AACGCCATCC	300
AGCAATTCGA CAGCTT	TGCTC GCCGTCGCGC	GCCCGTTCTT	CGCCAAGAAC	CGCGAGGTGC	360
TGACGCATGA CGTCA	ATAAT CTCGCGACCG	TGACCACCAC	GTTGCTGCAG	CCCGATCCGT	420
TGGATGGGTT GGAGAC	CCGTC CTGCACATC	TCCCGACGCT	GGCGGCGAAC	ATTAACCAGC	480
TTTACCATCC GACACE	ACGGT GGCGTGGTG	CGCTTTCCGC	GTTCACGAAT	TTCGCCAACC	540
CGATGGAGTT CATCTO	GCAGC TCGATTCAGO	G CGGGTAGCCG	GCTCGGTTAT	CAAGAGTCGG	600
CCGAACTCTG TGCGC	AGTAT CTGGCGCCAC	TCCTCGATGC	GATCAAGTTC	AACTACTTTC	660
CGTTCGGCCT GAACGT	TGGCC AGCACCGCC	CGACACTGCC	TAAAGAGATC	GCGTACTCCG	720
AGCCCCGCTT GCAGCC	CGCCC AACGGGTAC	A AGGACACCAC	GGTGCCCGGC	ATCTGGGTGC	780
CGGATACGCC GTTGTC	CACAC CGCAACACG	AGCCCGGTTG	GGTGGTGGCA	CCCGGGATGC	840
AAGGGGTTCA GGTGGG	GACCG ATCACGCAG	GTTTGCTGAC	GCCGGAGTCC	CTGGCCGAAC	900
TCATGGGTGG TCCCG	ATATO GCCCCTCCG	r cgtcagggct	GCAAACCCCG	CCCGGACCCC	960
CGAATGCGTA CGACG	AGTAC CCCGTGCTG	C CGCCGATCGG	TTTACAGGCC	CCACAGGTGC	1020
CGATACCACC GCCGC	CTCCT GGGCCCGAC	G TAATCCCGGG	TCCGGTGCCA	CCGGTCTTGG	1080
CGGCGATCGT GTTCC	CAAGA GATCGCCCG	G CAGCGTCGGA	AAACTTCGAC	TACATGGGCC	1140
TCTTGTTGCT GTCGC	CGGGC CTGGCGACC	T TCCTGTTCGG	GGTGTCATCT	AGCCCCGCCC	1200
GTGGAACGAT GGCCG	ATCGG CACGTGTTG.	A TACCGGCGAT	CACCGGCCTG	GCGTTGATCG	1260
CGGCATTCGT CGCAC	ATTCG TGGTACCGC	A CAGAACATCO	GCTCATAGAC	ATGCGCTTGT	1320
TCCAGAACCG AGCGG	TCGCG CAGGCCAAC	A TGACGATGAC	GGTGCTCTCC	CTCGGGCTGT	1380
TTGGCTCCTT CTTGC	TGCTC CCGAGCTAC	C <sup>-</sup> TCCAGCAAGT	GTTGCACCAA	TCACCGATGC	1440
AATCGGGGGT GCATA	TCATC CCACAGGGC	C TCGGTGCCAI	GCTGGCGATG	CCGATCGCCG	1500
GAGCGATGAT GGACC	GACGG GGACCGGCC	A AGATCGTGC1	GGTTGGGAT	: ATGCTGATCG	1560
CTGCGGGGTT GGGCA	CCTTC GCCTTTGGT	G TCGCGCGGCA	AGCGGACTAC	TTACCCATTC	1620

TGCCGACCGG GCTGGCAATC ATGGGCATGG GCATGGGCTG CTCCATGATG CCACTGTCCG 1680 GGGCGGCAGT GCAGACCCTG GCCCCACATC AGATCGCTCG CGGTTCGACG CTGATCAGCG 1740 TCAACCAGCA GGTGGGCGGT TCGATAGGGA CCGCACTGAT GTCGGTGCTG CTCACCTACC 1800 AGTTCAATCA CAGCGAAATC ATCGCTACTG CAAAGAAAGT CGCACTGACC CCAGAGAGTG 1860 GCGCCGGGCG GGGGGCGGCG GTTGACCCTT CCTCGCTACC GCGCCAAACC AACTTCGCGG 1920 CCCAACTGCT GCATGACCTT TCGCACGCCT ACGCGGTGGT ATTCGTGATA GCGACCGCGC 1980 TAGTGGTCTC GACGCTGATC CCCGCGGCAT TCCTGCCGAA ACAGCAGGCT AGTCATCGAA 2040 GAGCACCGTT GCTATCCGCA TGACGTCTGC TT 2072

#### (2) INFORMATION FOR SEQ ID NO:190:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1923 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:190:

TCACCCCGGA GAAGTCGTTC GTCGACGACC TGGACATCGA CTCGCTGTCG ATGGTCGAGA 60 TCGCCGTGCA GACCGAGGAC AAGTACGGCG TCAAGATCCC CGACGAGGAC CTCGCCGGTC 120 TGCGTACCGT CGGTGACGTT GTCGCCTACA TCCAGAAGCT CGAGGAAGAA AACCCGGAGG 180 CGGCTCAGGC GTTGCGCGC AAGATTGAGT CGGAGAACCC CGATGCGGCA CGAGCAGATC 240 GGTGCGTTTC ACCCACATCG CAAGCTCGAG ACGCCCGTCG TCCTCTTGCA CGCTCAGCCA 300 GGTTGGCGTG TCGCCGCCTT CCAGCAAGTG TTCCCACCAC ACGAAGGGAC CCTCGCGAAA 360 GGTGACTGAT CCGCGGACCA CATAGTCGAT GCCACCGTGG CTGACAATTG CGCCGGGTCC 420 GAGTTGGCGG GGGCCGAATT GCGGCATTGC GTCGAAGGCC AGCGGATCCC GGCGCCCGCC 480 CGGCGTGGCT GGTGTTTTGG GCCGCCGGAT GGCCACGACG AGAACGACGA TGGCGGCGAT 540 GAACAGCGCC ACGGCAATCA CGACCAGCAG ATTTCCCACG CATACCCTCT CGTACCGCTG 600 CGCCGCGGTT GGTCGATCGG TCGCATATCG ATGCCGCCGT TTAACGTAAC AGCTTTCGCG 660 GGACCGGGGG TCACAACGGG CGAGTTGTCC GGCCGGGAAC CCGGCAGGTC TCGGCCGCGG 720 TCACCCCAGC TCACTGGTGC ACCATCCGGG TGTCGGTGAG CGTGCAACTC AAACACACTC 780 AACGGCAACG GTTTCTCAGG TCACCAGCTC AACCTCGACC CGCAATCGCT CGTACGTTTC 840

GACCGCGCGC	AGGTCGCGAG	TCAGCAGCTT	TGCGCCGGCA	GCTTTCGCCG	TGAAGCCGAC	900
CAGGGCATCG	TAGGTTGCGC	CACCGGTGAC	ATCGTGCTCG	GCGAGGTGGT	CGGTCAAGCC	960
GCGATATGAG	CAGGCATCCA	GTGCCAGGTA	GTTGCTGGAG	GTGATGTCCG	CCAAGTAGGC	1020
GTGGACGGCA	ACAGGGGCAA	TACGATGCGG	CGGTGGTAGC	CGGGTCAAGA	CCGAATAGGT	1080
TTCCACAGCC	GCGTGCGCGA	TCAGATGGAC	GCCACGGTTG	AGCGCGCGCA	CGGCGGCCTC	1140
GTGCCCTTCG	TGCCAGGTCG	CGAATCCGGC	AACCAGCACG	CTGGTGTCTG	GTGCGATCAC	1200
CGCCGTGTGC	GATCGAGCGT	TTCCCGAACG	ATTTCGTCGG	TCAACGGGGG	CAGGGGACGT	1260
TCTGGCCGTG	CGACGAGAAC	CGAGCCTTCC	CGAACGAGTT	CGACACCGGT	CGGGGCCGGC	1320
TCAATCTCGA	TGCGCCCATC	GCGCTCGGTG	ATCTCCACCT	GGTCGTTCCC	GCGCAAGCCA	1380
AGGCGCTCGC	GAATCCGCTT	GGGAATCACC	AGACGTCCTG	CGACATCGAT	GGTTGTTCGC	1440
atggtaggaa	ATTTACCATC	GCACGTTCCA	TAGGCGTGTC	CTGCGCGGGA	TGTCGGGACG	1500
ATCCGCTAGC	GTATCGAACG	ATTGTTTCGG	AAATGGCTGA	GGGAGCGTGC	GGTGCGGGTG	1560
ATGGGTGTCG	ATCCCGGGTT	GACCCGATGC	GGGCTGTCGC	TCATCGAGAG	TGGGCGTGGT	1620
CGGCAGCTCA	CCGCGCTGGA	TGTCGACGTG	GTGCGCACAC	CGTCGGATGC	GGCCTTGGCG	1680
CAGCGCCTGT	TGGCCATCAG	CGATGCCGTC	GAGCACTGGC	TGGACACCCA	TCATCCGGAG	1740
GTGGTGGCTA	TCGAACGGGT	GTTCTCTCAG	CTCAACGTGA	CCACGGTGAT	GGGCACCGCG	1800
CAGGCCGGCG	GCGTGATCGC	CCTGGCGGCG	GCCAAACGTG	GTGTCGACGT	GCATTTCCAT	1860
ACCCCCAGCG	AGGTCAAGGC	GGCGGTCACT	GGCAACGGTT	CCGCAGACAA	GGCTCAGGTC	1920
ACC						192

## (2) INFORMATION FOR SEQ ID NO:191:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1055 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:191:

CTGGCGTGCC	AGTGTCACCG	GCGATATGAE	GTCGGCATTC	AATTTCGCGG	CCCCGCCGGA	60
CCCGTCGCCA	CCCAATCTGG	ACCACCCGGT	CCGTCAATTG	CCGAAGGTCG	CCAAGTGCGT	120
GCCCAATGTG	GTGCTGGGTT	TCTTGAACGA	AGGCCTGCCG	TATCGGGTGC	CCTACCCCCA	180
AACAACGCCA	GTCCAGGAAT	CCGGTCCCGC	GCGGCCGATT	CCCAGCGGCA	TCTGCTAGCC	240

GGGGATGGTT CAGACGTAAC GGTTGGCTAG GTCGAAACCC GCGCCAGGGC CGCTGGACGG 300 GCTCATGGCA GCGAAATTAG AAAACCCGGG ATATTGTCCG CGGATTGTCA TACGATGCTG 360 AGTGCTTGGT GGTTCGTGTT TAGCCATTGA GTGTGGATGT GTTGAGACCC TGGCCTGGAA 420 GGGGACAACG TGCTTTTGCC TCTTGGTCCG CCTTTGCCGC CCGACGCGGT GGTGGCGAAA 480 CGGGCTGAGT CGGGAATGCT CGGCGGGTTG TCGGTTCCGC TCAGCTGGGG AGTGGCTGTG 540 CCACCEGATG ATTATGACCA CTGGGCGCCT GCGCCGGAGG ACGGCGCCGA TGTCGATGTC 600 CAGGCGGCCG AAGGGGCGGA CGCAGAGGCC GCGGCCATGG ACGAGTGGGA TGAGTGGCAG 660 GCGTGGAACG AGTGGGTGGC GGAGAACGCT GAACCCCGCT TTGAGGTGCC ACGGAGTAGC 720 AGCAGCGTGA TTCCGCATTC TCCGGCGGCC GGCTAGGAGA GGGGGCGCAG ACTGTCGTTA 780 TTTGACCAGT GATCGGCGGT CTCGGTGTTC CCGCGGCCGG CTATGACAAC AGTCAATGTG 840 CATGACAAGT TACAGGTATT AGGTCCAGGT TCAACAAGGA GACAGGCAAC ATGGCAACAC 900 GTTTTATGAC GGATCCGCAC GCGATGCGGG ACATGGCGGG CCGTTTTGAG GTGCACGCCC 960 AGACGGTGGA GGACGAGGCT CGCCGGATGT GGGCGTCCGC GCAAAACATC TCGGGNGCGG 1020 GCTGGAGTGG CATGGCCGAG GCGACCTCGC TAGAC 1055

#### (2) INFORMATION FOR SEQ ID NO:192:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 359 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:192:

CCGCCTCGTT GTTGGCATAC TCCGCCGCGG CCGCCTCGAC CGCACTGGCC GTGGCGTGTG 60

TCCGGGGCTGA CCACCGGGAT CGCCGAACCA TCCGAGATCA CCTCGCAATG ATCCACCTCG 120°

CGCAGCTGGT CACCCAGCCA CCGGGCGGTG TGCGACAGCG CCTGCATCAC CTTGGTATAG 180

CCGTCGCGCC CCAGCCGCAG GAAGTTGTAG TACTGGCCCA CCACCTGGTT ACCGGGACGG 240

GAGAAGTTCA GGGTGAAGGT CGGCATGTCG CCGCCGAGGT AGTTGACCCG GAAAACCAGA 300

TCCTCCGGCA GGTGCTCGGG CCCGCGCCAC ACGACAAACC CGACGCCGGG ATAGGTCAG 359

#### (2) INFORMATION FOR SEQ ID NO:193:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 350 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single (D) TOPOLOGY: linear
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:193:
AACGGGCCCG TGGGCACCGC TCCTCTAAGG GCTCTCGTTG GTCGCATGAA GTGCTGGAAG 60
GATGCATCTT GGCAGATTCC CGCCAGAGCA AAACAGCCGC TAGTCCTAGT CCGAGTCGCC 120
CGCAAAGTTC CTCGAATAAC TCCGTACCCG GAGCGCCAAA CCGGGTCTCC TTCGCTAAGC 180
TGCGCGAACC ACTTGAGGTT CCGGGACTCC TTGACGTCCA GACCGATTCG TTCGAGTGGC 240
TGATCGGTTC GCCGCGCTGG CGCGAATCCG CCGCCGAGCG GGGTGATGTC AACCCAGTGG 300
GTGGCCTGGA AGAGGTGCTC TACGAGCTGT CTCCGATCGA GGACTTCTCC 350
(2) INFORMATION FOR SEQ ID NO:194:
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 679 amino acids
(B) TYPE: amino acid (C) STRANDEDNESS:
(D) TOPOLOGY: linear
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:194:
Glu Gln Pro Lys Gly Pro Phe Gly Glu Val Ile Glu Ala Phe Ala Asp 1 5 10 15
Gly Leu Ala Gly Lys Gly Lys Gln Ile Asn Thr Thr Leu Asn Ser Leu 20 25 30
Ser Gln Ala Leu Asn Ala Leu Asn Glu Gly Arg Gly Asp Phe Phe Ala 35 40 45
Val Val Arg Ser Leu Ala Leu Phe Val Asn Ala Leu His Gln Asp Asp 50 55 60
Gln Gln Phe Val Ala Leu Asn Lys Asn Leu Ala Glu Phe Thr Asp Arg 65 70 75 80
Leu Thr His Ser Asp Ala Asp Leu Ser Asn Ala Ile Gln Gln Phe Asp 85 90 95
Ser Leu Leu Ala Val Ala Arg Pro Phe Phe Ala Lys Asn Arg Glu Val
Leu Thr His Asp Val Asn Asn Leu Ala Thr Val Thr Thr Leu Leu 115 120 125
Gln Pro Asp Pro Leu Asp Gly Leu Glu Thr Val Leu His Ile Phe Pro 130 135 140

WO 99/42076 PCT/US99/03268

Thr Leu Ala Ala Asn Ile Asn Gln Leu Tyr His Pro Thr His Gly Gly
145 150 155 160

- Val Val Ser Leu Ser Ala Phe Thr Asn Phe Ala Asn Pro Met Glu Phe 165 170 175
- Ile Cys Ser Ser Ile Gln Ala Gly Ser Arg Leu Gly Tyr Gln Glu Ser 180 185 190
- Ala Glu Leu Cys Ala Gln Tyr Leu Ala Pro Val Leu Asp Ala Ile Lys
  195 200 205
- Phe Asn Tyr Phe Pro Phe Gly Leu Asn Val Ala Ser Thr Ala Ser Thr 210 215 220
- Leu Pro Lys Glu Ile Ala Tyr Ser Glu Pro Arg Leu Gln Pro Pro Asn 230 235 235
- Gly Tyr Lys Asp Thr Thr Val Pro Gly Ile Trp Val Pro Asp Thr Pro 245 250 255
- Leu Ser His Arg Asn Thr Gln Pro Gly Trp Val Val Ala Pro Gly Met 260 265 270
- Gln Gly Val Gln Val Gly Pro Ile Thr Gln Gly Leu Leu Thr Pro Glu 275 280 285
- Ser Leu Ala Glu Leu Met Gly Gly Pro Asp Ile Ala Pro Pro Ser Ser 290 295 300
- Gly Leu Gln Thr Pro Pro Gly Pro Pro Asn Ala Tyr Asp Glu Tyr Pro 305 310 315 320
- Val Leu Pro Pro Ile Gly Leu Gln Ala Pro Gln Val Pro Ile Pro Pro 325 330 335
- Pro Pro Pro Gly Pro Asp Val Ile Pro Gly Pro Val Pro Pro Val Leu 340 345 350
- Ala Ala Ile Val Phe Pro Arg Asp Arg Pro Ala Ala Ser Glu Asn Phe 355 360 365
- Asp Tyr Met Gly Leu Leu Leu Ser Pro Gly Leu Ala Thr Phe Leu 370 380
- Phe Gly Val Ser Ser Pro Ala Arg Gly Thr Met Ala Asp Arg His 385 390 395 400
- Val Leu Ile Pro Ala Ile Thr Gly Leu Ala Leu Ile Ala Ala Phe Val 405 410 415
- Ala His Ser Trp Tyr Arg Thr Glu His Pro Leu Ile Asp Met Arg Leu 420 425 430
- Phe Gln Asn Arg Ala Val Ala Gln Ala Asn Met Thr Met Thr Val Leu

435 440 445

Ser Leu Gly Leu Phe Gly Ser Phe Leu Leu Leu Pro Ser Tyr Leu Gln
450 455 460

Gln Val Leu His Gln Ser Pro Met Gln Ser Gly Val His Ile Ile Pro 465 470 475 480

Gln Gly Leu Gly Ala Met Leu Ala Met Pro Ile Ala Gly Ala Met Met
485 490 495

Asp Arg Arg Gly Pro Ala Lys Ile Val Leu Val Gly Ile Met Leu Ile 500 505 510

Ala Ala Gly Leu Gly Thr Phe Ala Phe Gly Val Ala Arg Gln Ala Asp 515 520 525

Tyr Leu Pro Ile Leu Pro Thr Gly Leu Ala Ile Met Gly Met Gly Met 530 540

Gly Cys Ser Met Met Pro Leu Ser Gly Ala Ala Val Gln Thr Leu Ala 545 550 555 560

Pro His Gln Ile Ala Arg Gly Ser Thr Leu Ile Ser Val Asn Gln Gln 565 570 575

Val Gly Gly Ser Ile Gly Thr Ala Leu Met Ser Val Leu Leu Thr Tyr 580 585 590

Gln Phe Asn His Ser Glu Ile Ile Ala Thr Ala Lys Lys Val Ala Leu 595 600 605

Thr Pro Glu Ser Gly Ala Gly Arg Gly Ala Ala Val Asp Pro Ser Ser 610 615 620

Leu Pro Arg Gln Thr Asn Phe Ala Ala Gln Leu Leu His Asp Leu Ser 625 635 640

His Ala Tyr Ala Val Val Phe Val Ile Ala Thr Ala Leu Val Val Ser 645 650 655

Thr Leu Ile Pro Ala Ala Phe Leu Pro Lys Gln Gln Ala Ser His Arg
660 665 670

Arg Ala Pro Leu Leu Ser Ala 675

## (2) INFORMATION FOR SEQ ID NO:195:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 120 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:195:

Thr Pro Glu Lys Ser Phe Val Asp Asp Leu Asp Ile Asp Ser Leu Ser 1 5 10 15

Met Val Glu Ile Ala Val Gln Thr Glu Asp Lys Tyr Gly Val Lys Ile 20 25 30

Pro Asp Glu Asp Leu Ala Gly Leu Arg Thr Val Gly Asp Val Val Ala 35 40 45

Tyr Ile Gln Lys Leu Glu Glu Asn Pro Glu Ala Ala Gln Ala Leu 50 55 60

Arg Ala Lys Ile Glu Ser Glu Asn Pro Asp Ala Ala Arg Ala Asp Arg 65 70 75 80

Cys Val Ser Pro Thr Ser Gln Ala Arg Asp Ala Arg Arg Pro Leu Ala 85 90 95

Arg Ser Ala Arg Leu Ala Cys Arg Arg Leu Pro Ala Ser Val Pro Thr

Thr Arg Arg Asp Pro Arg Glu Arg 115 120

- (2) INFORMATION FOR SEQ ID NO:196:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 89 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:196:

Leu Ala Cys Gln Cys His Arg Arg Tyr Asp Val Gly Ile Gln Phe Arg 1 5 10 15

Gly Pro Ala Gly Pro Val Ala Thr Gln Ser Gly Pro Pro Gly Pro Ser 20 25 30

Ile Ala Glu Gly Arg Gln Val Arg Ala Gln Cys Gly Ala Gly Phe Leu 35 40 45

Glu Arg Arg Pro Ala Val Ser Gly Ala Leu Pro Pro Asn Asn Ala Ser 50 55 60

9ro Gly Ile Arg Ser Arg Ala Ala Asp Ser Gln Arg His Leu Leu Ala 65 70 75 80

Gly Asp Gly Ser Asp Val Thr Val Gly

(2) INFORMATION FOR SEQ ID NO:197:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 119 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:197:

Ala Ser Leu Leu Ala Tyr Ser Ala Ala Ala Ala Ser Thr Ala Leu Ala 1 5 10 15

Val Ala Cys Val Arg Ala Asp His Arg Asp Arg Arg Thr Ile Arg Asp 20 25 30

His Leu Ala Met Ile His Leu Ala Gln Leu Val Thr Gln Pro Pro Gly 35 40 45

Gly Val Arg Gln Arg Leu His His Leu Gly Ile Ala Val Ala Pro Gln 50 55 60

Pro Gln Glu Val Val Leu Ala His His Leu Val Thr Gly Thr Gly 65 70 75 80

Glu Val Gln Gly Glu Gly Arg His Val Ala Ala Glu Val Val Asp Pro 85 90 95

Glu Asn Gln Ile Leu Arg Gln Val Leu Gly Pro Ala Pro His Asp Lys 100 105 110

Pro Asp Ala Gly Ile Gly Gln 115

- (2) INFORMATION FOR SEQ ID NO:198:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 116 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: linear
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:198:

Arg Ala Arg Gly His Arg Ser Ser Lys Gly Ser Arg Trp Ser His Glu
1 5 10 15

Val Leu Glu Gly Cys Ile Leu Ala Asp Ser Arg Gln Ser Lys Thr Ala 20 25 30

Ala Ser Pro Ser Pro Ser Arg Pro Gln Ser Ser Ser Asn Asn Ser Val

Pro Gly Ala Pro Asn Arg Val Ser Phe Ala Lys Leu Arg Glu Pro Leu 50 55 60 Glu Val Pro Gly Leu Leu Asp Val Gln Thr Asp Ser Phe Glu Trp Leu 65 70 75 80

Ile Gly Ser Pro Arg Trp Arg Glu Ser Ala Ala Glu Arg Gly Asp Val 85 90 95

Asn Pro Val Gly Gly Leu Glu Glu Val Leu Tyr Glu Leu Ser Pro Ile 100 105 110

Glu Asp Phe Ser 115

#### (2) INFORMATION FOR SEQ ID NO:199:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 811 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:199:

TGCTACGCAG CAATCGCTTT GGTGACAGAT GTGGATGCCG GCGTCGCTGC TGGCGATGGC GTGAAAGCCG CCGACGTGTT CGCCGCATTC GGGGAGAACA TCGAACTGCT CAAAAGGCTG 120 GTGCGGGCCG CCATCGATCG GGTCGCCGAC GAGCGCACGT GCACGCACTG TCAACACCAC 180 GCCGGTGTTC CGTTGCCGTT CGAGCTGCCA TGAGGGTGCT GCTGACCGGC GCGGCCGGCT 240 TCATCGGGTC GCGCGTGGAT GCGGCGTTAC GGGCTGCGGG TCACGACGTG GTGGGCGTCG 300 ACGCGCTGCT GCCCGCCGCG CACGGGCCAA ACCCGGTGCT GCCACCGGGC TGCCAGCGGG 360 TCGACGTGCG CGACGCCAGC GCGCTGGCCC CGTTGTTGGC CGGTGTCGAT CTGGTGTGTC 420 ACCAGGCCGC CATGGTGGGT GCCGGCGTCA ACGCCGCCGA CGCACCCGCC TATGGCGGCC 480 ACAACGATTT CGCCACCACG GTGCTGCTGG CGCAGATGTT CGCCGCCGGG GTCCGCCGTT 540 TGGTGCTGGC GTCGTCGATG GTGGTTTACG GGCAGGGGCG CTATGACTGT CCCCAGCATG 600 GACCGGTCGA CCCGCTGCCG CGGCGGCGAG CCGACCTGGA CAATGGGGTC TTCGAGCACC 660 GTTGCCCGGG GTGCGGCGAG CCAGTCATCT GGCAATTGGT CGACGAAGAT GCCCCGTTGC 720 GCCCGCGCAG CCTGTACGCG GCAGCAAGAC CGCGCAGGAG CACTACGCGC TGGCGTGGTC 780 GGAAACGAAT GGCGGTTCCG TGGTGGCGTT-G 811

#### (2) INFORMATION FOR SEQ ID NO:200:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 966 base pairs
  - (B) TYPE: nucleic acid

190

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:200:

GTCCCGCGAT	GTGGCCGAGC	ATGACTTTCG	GCAACACCGG	CGTAGTAGTC	GAAGATATCG	60
GACTTTGTGG	TCCCGGTGGC	GGGATAGAGC	ACCTGTCGGC	GTTGGTCAGC	GTCACCCGTT	120
GCTCGGACGC	CGAACCCATG	CTTTCAACGT	AGCCTGTCGG	TCACACAAGT	CGCGAGCGTA	180
ACGTCACGGT	CAAATATCGC	GTGGAATTTC	GCCGTGACGT	TCCGCTCGCG	GACAATCAAG	240
GCATACTCAC	TTACATGCGA	GCCATTTGGA	CGGGTTCGAT	CGCCTTCGGG	CTGGTGAACG	300
TGCCGGTCAA	GGTGTACAGC	GCTACCGCAG	ACCACGACAT	CAGGTTCCAC	CAGGTGCACG	360
CCAAGGACAA	CGGACGCATC	CGGTACAAGC	GCGTCTGCGA	GGCGTGTGGC	GAGGTGGTCG	420
ACTACCGCGA	TCTTGCCCGG	GCCTACGAGT	CCGGCGACGG	CCAAATGGTG	GCGATCACCG	480
ACGACGACAT	CGCCAGCTTG	CCTGAAGAAC	GCAGCCGGGA	GATCGAGGTG	TTGGAGTTCG	540
TCCCCGCCGC	CGACGTGGAC	CCGATGATGT	TCGACCGCAG	CTACTTTTTG	GAGCCTGATT	600
CGAAGTCGTC	GAAATCGTAT	GTGCTGCTGG	CTAAGACACT	CGCCGAGACC	GACCGGATGG	660
CGATCGTGGA	TCGCCCCACC	GGCCGTGAAT	GCAGGAAAAA	TAAGAGCCGC	TATCCACAAT	720
TCGGCGTCGA	GCTCGGCTAC	CACAAACGGT	AGAACGATCG	AGACATTCCC	GAGCTGAAGT	780
GCGGCGCTAT	AGAAGCCGCT	CTGCGCGATT	ATCAAACGCA	AAATACGCTT	ACTCATGCCA	840
TCGGCGCTGC	TCACCCGATG	CGACGTTTTT	GCCACGCTCC	ACCGCCTGCC	GCGCGACCTC	900
AAGTGGGCAT	GCATCCCACC	CGTTCCCGGA	AACCGGTTCC	GGCGGGTCGG	CTCATCGCTT	960
CATCCT						966

#### (2) INFORMATION FOR SEQ ID NO:201:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2367 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:201:

CCGCACCGCC	GGCAATACCG	CCAGCGCCAC	CGTTACCGCC	GTTTGCGCCG	TTGCCCCCGT	60	
TGCCGCCCGT	cccgccggcc	CCGCCGATGG	AGTTCTCATC	GCCAAAAGTA	CTGGCGTTGC	120	
CACCGGAGCC	GCCGTTGCCG	CCGTCACCGC	CAGCCCCGCC	GACTCCACCG	GCCCCACCGA	180	

CTCCGCCGCT	GCCACCGTTG	CCGCCGTTGC	CGATCAACAT	GCCGCTGGCG	CCACCCTTGC	240
CACCCACGCC	ACCGGCTCCG	CCCACCCCGC	CGACACCAAG	CGAGCTGCCG	CCGGAGCCAC	300
CATCACCACC	TACGCCACCG	ACCGCCCAGA	CACCAGCGAC	CGGGTCTTCG	TGAAACGTCG	360
CGGTGCCACC	ACCGCCGCCG	TTACCGCCAA	CCCCACCGGC	AACGCCGGCG	CCGCCATCCC	420
CGCCGGCCCC	GGCGTTGCCG	CCGTTGCCGC	CGTTGCCGAA	CAACAACCCG	CCGGCGCCGC	480
CGTTGCCGCC	CGCGCCGCCG	GTCCCGCCGG	CGCCGCCGAC	GCCAAGGCCG	CTGCCGCCCT	540
TGCCGCCATC	ACCACCCTTG	CCGCCGACCA	CATCGGGTTC	TGCCTCGGGG	TCTGGGCTGT	600
CAAACCTCGC	GATGCCAGCG	TTGCCGCCGC	TTCCCCCGGG	CCCCCCGTG	GCGCCGTCAC	660
CACCGATACC	ACCCGCGCCA	CCGGCGCCAC	CGTTGCCGCC	ATCACCGAAT	AGCAACCCGC	720
CGGCGCCACC	ATTGCCGCCA	GCTCCCCCTG	CGCCACCGTC	GGCGCCGGAG	GCGGCACTGG	780
CAGCCCCGTT	ACCACCGAAA	CCGCCGCTAC	CACCGGTAGA	GGTGGCAGTG	GCGATGTGTA	840
CGAAAGCGCC	GCCTCCGGCG	CCGCCGCTAC	CACCCCCACT	GCCGGCGGCT	ACACCGTCGG	900
ACCCGTTGCC	ACCATCACCG	CCAAAGGCGC	TCGCAATGTC	GCCCTGCGCG	ACTCCGCCGT	960
CGCCGCCGTT	GCCGCCGCCG	CCACCGGCAG	CGGCGGTACC	GCCGTCACCA	CCGGCACCGC	1020
CGGTGGCCTT	GCCCGAGCCT	GCCGTCGCGG	TGGCACCGTC	GCCGCCGGTG	CCACCGGTCG	1080
GCGTGCCGGC	AGTGCCATGG	CCGCCCGTGC	CGCCGTCGCC	GCCGGTTTGA	TCACCGATGC	1140
CGGACACATC	TGCCGGGCTG	TCCCCGGTGC	TGGCCGCGGG	GCCGGGCGTG	GGATTGACCC	1200
CGTTTGCCCC	GGCGAGGCCG	GCGCCGCCGG	TACCACCGGC	GCCGCCATGG	CCGAACAGCC	1260
CGGCGTTGCC	GCCGTTACCG	CCCGCACCCC	CGATGCCTGC	GGCCACGCTG	GTGCCGCCGA	1320
CACCGCCGTT	GCCGCCGTTG	CCCCACAACC	ACCCCCCGTT	CCCACCGGCA	CCGCCGGCCG	1380
CGCCGGTACC	ACCGGCCCCG	CCGTTGCCGC	CGTTGCCGAT	CAACCCGGCC	GCGCCTCCGC	1440
TGCCGCCGGT	TTGACCGAAC	CCGCCAGCCG	CGCCGTTGCC	ACCGTTGCCA	AACAGCAACC	1500
CGCCGGCCGC	GCCAGGCTGC	CCGGGTGCCG	TCCCGTCGGC	GCCGTTTCCG	ATCAACGGGC	1560
GCCCCAAAAG	CGCCTCGGTG	GGCGCATTCA	CCGCACCCAG	CAGACTCCGC	TCAACAGCGG	1620
CTTCAGTGCT	GGCATACCGA	ccccccccc	CAGTCAACGC	CTGCACAAAC	TGCTCGTGAA	1680
ACGCTGCCAC	CTGTACGCTG	AGCGCCTGAT	ACTGCCGAGC	ATGGGCCCCG	AACAACCCCG	1740
CAATCGCCGC	CGACACTTCA	TCGGCAGCCG	CAGCCACCAC	TTCCGTCGTC	GGGATCGCCG	1800
CGGCCGCATT	AGCCGCGCTC	ACCTGCGAAC	: CAATAGTCGA	TAAATCCAA	GCCGCAGTTG	1860

CCAGCAGCTG	CGGCGTCGCG	ATCACCAAGG	ACACCTCGCA	CCTCCGGATA	CCCCATATCG	1920
CCGCACCGTG	TCCCCAGCGG	CCACGTGACC	TTTGGTCGCT	GGCTGGCGGC	CCTGACTATG	1980
GCCGCGACGG	CCCTCGTTCT	GATTCGCCCC	GGCGCGCAGC	TTGTTGCGCG	AGTTGAAGAC	2040
GGGAGGACAG	GCCGAGCTTG	GTGTAGACGT	GGGTCAAGTG	GGAATGCACG	GTCCGCGGCG	2100
AGATGAATAG	GCGGACGCCG	ATCTCCTTGT	TGCTGAGTCC	CTCACCGACC	AGTAGAGCCA	2160
CCTCAAGCTC	TGTCGGTGTC	AACGCGCCCC	AGCCACTTGT	CGGGCGTTTC	CGTGCACCGC	2220
GCCTCGTTG	CGCGTACGCG	ATCGCCTCAT	CGATCGATAA	CGCAGTTCCT	TCGGCCCAGG	2280
CATCGTCGAA	CTCGCTGTCA	CCCATGGATT	TTCGAAGGGT	GGCTAGCGAC	GAGTTACAGC	2340
CCGCCTGGTA	GATCCCGAAG	CGGACCG				2367

#### (2) INFORMATION FOR SEQ ID NO:202:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 376 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:202:
- Gln Pro Ala Gly Ala Thr Ile Ala Ala Ser Ser Pro Cys Ala Thr Val 1 5 10 15
- Gly Ala Gly Gly Thr Gly Ser Pro Val Thr Thr Glu Thr Ala Ala 20 25 30
- Thr Thr Gly Arg Gly Gly Ser Gly Asp Val Tyr Glu Ser Ala Ala Ser 35 40 45
- Gly Ala Ala Ala Thr Thr Pro Thr Ala Gly Gly Tyr Thr Val Gly Pro 50 55 60
- Val Ala Thr Ile Thr Ala Lys Gly Ala Arg Asn Val Ala Leu Arg Asp 65 70 75 80
- Ser Ala Val Ala Ala Val Ala Ala Ala Ala Thr Gly Ser Gly Gly Thr 85 90 95
- Ala Val Thr Thr Gly Thr Ala Gly Gly Leu Ala Arg Ala Cys Arg Arg 100 105 110
- Gly Gly Thr Val Ala Ala Gly Ala Thr Gly Arg Arg Ala Gly Ser Ala 115 120 125
- Met Ala Ala Arg Ala Ala Val Ala Ala Gly Leu Ile Thr Asp Ala Gly
  130 140

His Ile Cys Arg Ala Val Pro Gly Ala Gly Arg Gly Ala Gly Arg Gly 145 150 155 160

Ile Asp Pro Val Cys Pro Gly Glu Ala Gly Ala Ala Gly Thr Thr Gly 165 170 175

Ala Ala Met Ala Glu Gln Pro Gly Val Ala Ala Val Thr Ala Arg Thr 180 185 190

Pro Asp Ala Cys Gly His Ala Gly Ala Ala Asp Thr Ala Val Ala Ala 195 200 205

Val Ala Pro Gln Pro Pro Pro Val Pro Thr Gly Thr Ala Gly Arg Ala 210 215 220

Gly Thr Thr Gly Pro Ala Val Ala Ala Val Ala Asp Gln Pro Gly Arg 225 230 235 240

Ala Ser Ala Ala Gly Leu Thr Glu Pro Ala Ser Arg Ala Val Ala 245 250 255

Thr Val Ala Lys Gln Gln Pro Ala Gly Arg Ala Arg Leu Pro Gly Cys 260 265 270

Arg Pro Val Gly Ala Val Ser Asp Gln Arg Ala Pro Gln Lys Arg Leu 275 280 285

Gly Gly Arg Ile His Arg Thr Gln Gln Thr Pro Leu Asn Ser Gly Phe 290 295 300

Ser Ala Gly Ile Pro Thr Arg Gly Arg Ser Gln Arg Leu His Lys Leu 305 310 315 320

Leu Val Lys Arg Cys His Leu Tyr Ala Glu Arg Leu Ile Leu Pro Ser 325 330 335

Met Gly Pro Glu Gln Pro Arg Asn Arg Arg Arg His Phe Ile Gly Ser 340 345 350

Arg Ser His His Phe Arg Arg Arg Asp Arg Gly Arg Ile Ser Arg 355 360 365

Ala His Leu Arg Thr Asn Ser Arg

## (2) INFORMATION FOR SEQ ID NO:203:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 2852 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:203:

GGCCAAAACG	CCCCGGCGAT	CGCGGCCACC	GAGGCCGCCT	ACGACCAGAT	GTGGGCCCAG	60
GACGTGGCGG	CGATGTTTGG	CTACCATGCC	GGGGCTTCGG	CGGCCGTCTC	GGCGTTGACA	120
CCGTTCGGCC	AGGCGCTGCC	GACCGTGGCG	GGCGGCGGTG	CGCTGGTCAG	CGCGGCCGCG	180
GCTCAGGTGA	CCACGCGGGT	CTTCCGCAAC	CTGGGCTTGG	CGAACGTCCG	CGAGGGCAAC	240
GTCCGCAACG	GTAATGTCCG	GAACTTCAAT	CTCGGCTCGG	CCAACATCGG	CAACGGCAAC	300
ATCGGCAGCG	GCAACATCGG	CAGCTCCAAC	ATCGGGTTTG	GCAACGTGGG	TCCTGGGTTG	360
ACCGCAGCGC	TGAACAACAT	CGGTTTCGGC	AACACCGGCA	GCAACAACAT	CGGGTTTGGC	420
AACACCGGCA	GCAACAACAT	CGGGTTCGGC	AATACCGGAG	ACGGCAACCG	AGGTATCGGG	480
CTCACGGGTA	GCGGTTTGTT	GGGGTTCGGC	GGCCTGAACT	CGGGCACCGG	CAACATCGGT	540
CTGTTCAACT	CGGGCACCGG	AAACGTCGGC	ATCGGCAACT	CGGGTACCGG	GAACTGGGGC	600
ATTGGCAACT	CGGGCAACAG	CTACAACACC	GGTTTTGGCA	ACTCCGGCGA	CGCCAACACG	660
GGCTTCTTCA	ACTCCGGAAT	AGCCAACACC	GGCGTCGGCA	ACGCCGGCAA	CTACAACACC	720
GGTAGCTACA	ACCCGGGCAA	CAGCAATACC	GGCGGCTTCA	ACATGGGCCA	GTACAACACG	780
GGCTACCTGA	ACAGCGGCAA	CTACAACACC	GGCTTGGCAA	ACTCCGGCAA	TGTCAACACC	840
GGCGCCTTCA	TTACTGGCAA	CTTCAACAAC	GGCTTCTTGT	GGCGCGGCGA	CCACCAAGGC	900
CTGATTTTCG	GGAGCCCCGG	CTTCTTCAAC	TCGACCAGTG	CGCCGTCGTC	GGGATTCTTC	960
AACAGCGGTG	CCGGTAGCGC	GTCCGGCTTC	CTGAACTCCG	GTGCCAACAA	TTCTGGCTTC	1020
TTCAACTCTT	CGTCGGGGGC	CATCGGTAAC	TCCGGCCTGG	CAAACGCGGG	CGTGCTGGTA	1080
TCGGGCGTGA	TCAACTCGGG	CAACACCGTA	TCGGGTTTGT	TCAACATGAG	CCTGGTGGCC	1140
ATCACAACGC	CGGCCTTGAT	CTCGGGCTTC	TTCAACACCG	GAAGCAACAT	GTCGGGATTT	1200
TTCGGTGGCC	CACCGGTCTT	CAATCTCGGC	CTGGCAAACC	GGGGCGTCGT	GAACATTCTC	1260
GGCAACGCCA	ACATCGGCAA	TTACAACATT	CTCGGCAGCG	GAAACGTCGG	TGACTTCAAC	1320
ATCCTTGGCA	GCGGCAACCT	CGGCAGCCAA	AACATCTTGG	GCAGCGGCAA	CGTCGGCAGC	1380
TTCAATATCG	GCAGTGGAAA	CATCGGAGTA	TTCAATGTCG	GTTCCGGAAG	CCTGGGAAAC	1440
TACAACATCG	GATCCGGAAA	CCTCGGGATC	TACAACATCG	GTTTTGGAAA	CGTCGGCGAC	1500
TACAACGTCG	GCTTCGGGAA	CGCGGGCGAC	TTCAACCAAG	GCTTTGCCAA	CACCGGCAAC	1560
AACAACATCG	GGTTCGCCAA	CACCGGCAAC	AACAACATCG	GCATCGGGCT	GTCCGGCGAC	1620

AACCAGCAGG	GCTTCAATAT	TGCTAGCGGC	TGGAACTCGG	GCACCGGCAA	CAGCGGCCTG	1680
TTCAATTCGG	GCACCAATAA	CGTTGGCATC	TTCAACGCGG	GCACCGGAAA	CGTCGGCATC	1740
GCAAACTCGG	GCACCGGGAA	CTGGGGTATC	GGGAACCCGG	GTACCGACAA	TACCGGCATC	1800
CTCAATGCTG	GCAGCTACAA	CACGGGCATC	CTCAACGCCG	GCGACTTCAA	CACGGGCTTC	1860
TACAACACGG	GCAGCTACAA	CACCGGCGGC	TTCAACGTCG	GTAACACCAA	CACCGGCAAC	1920
TTCAACGTGG	GTGACACCAA	TACCGGCAGC	TATAACCCGG	GTGACACCAA	CACCGGCTTC	1980
TCAATCCCG	GCAACGTCAA	TACCGGCGCT	TTCGACACGG	GCGACTTCAA	CAATGGCTTC	2040
TTGGTGGCGG	GCGATAACCA	GGGCCAGATT	GCCATCGATC	TCTCGGTCAC	CACTCCATTC	2100
ATCCCCATAA	ACGAGCAGAT	GGTCATTGAC	GTACACAACG	TAATGACCTT	CGGCGGCAAC	2160
ATGATCACGG	TCACCGAGGC	CTCGACCGTT	TTCCCCCAAA	CCTTCTATCT	GAGCGGTTTG	2220
TTCTTCTTCG	GCCCGGTCAA	TCTCAGCGCA	TCCACGCTGA	CCGTTCCGAC	GATCACCCTC	2280
ACCATCGGCG	GACCGACGGT	GACCGTCCCC	ATCAGCATTG	TCGGTGCTCT	GGAGAGCCGC	2340
ACGATTACCT	TCCTCAAGAT	CGATCCGGCG	CCGGGCATCG	GAAATTCGAC	CACCAACCCC	2400
rcgtccggct	TCTTCAACTC	GGGCACCGGT	GGCACATCTG	GCTTCCAAAA	CGTCGGCGGC	2460
GGCAGTTCAG	GCGTCTGGAA	CAGTGGTTTG	AGCAGCGCGA	TAGGGAATTC	GGGTTTCCAG	2520
AACCTCGGCT	CGCTGCAGTC	AGGCTGGGCG	AACCTGGGCA	ACTCCGTATC	GGGCTTTTTC	2580
AACACCAGTA	CGGTGAACCT	CTCCACGCCG	GCCAATGTCT	CGGGCCTGAA	CAACATCGGC	2640
ACCAACCTGT	CCGGCGTGTT	CCGCGGTCCG	ACCGGGACGA	TTTTCAACGC	GGGCCTTGCC	2700
AACCTGGGCC	AGTTGAACAT	CGGCAGCGCC	TCGTGCCGAA	TTCGGCACGA	GTTAGATACG	2760
GTTTCAACAA	TCATATCCGC	GTTTTGCGGC	AGTGCATCAG	ACGAATCGAA	CCCGGGAAGC	2820
STAAGCGAAT	AAACCGAATG	GCGGCCTGTC	AT			2852

## (2) INFORMATION FOR SEQ ID NO:204:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 943 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:204:

Gly Gln Asn Ala Pro Ala Ile Ala Ala Thr Glu Ala Ala Tyr Asp Gln

1 10 15

- Met Trp Ala Gln Asp Val Ala Ala Met Phe Gly Tyr His Ala Gly Ala 20 25 30
- Ser Ala Ala Val Ser Ala Leu Thr Pro Phe Gly Gln Ala Leu Pro Thr 35 40 45
- Val Ala Gly Gly Ala Leu Val Ser Ala Ala Ala Ala Gln Val Thr
  50 55 60
- Thr Arg Val Phe Arg Asn Leu Gly Leu Ala Asn Val Arg Glu Gly Asn 65 70 75 80
- Val Arg Asn Gly Asn Val Arg Asn Phe Asn Leu Gly Ser Ala Asn Ile 85 90 95
- Gly Asn Gly Asn Ile Gly Ser Gly Asn Ile Gly Ser Ser Asn Ile Gly
  100 105 110
- Phe Gly Asn Val Gly Pro Gly Leu Thr Ala Ala Leu Asn Asn Ile Gly
  115 120 125
- Phe Gly Asn Thr Gly Ser Asn Asn Ile Gly Phe Gly Asn Thr Gly Ser 130 135 140
- Asn Asn Ile Gly Phe Gly Asn Thr Gly Asp Gly Asn Arg Gly Ile Gly
  145 150 155 160
- Leu Thr Gly Ser Gly Leu Leu Gly Phe Gly Gly Leu Asn Ser Gly Thr 165 170 175
- Gly Asn Ile Gly Leu Phe Asn Ser Gly Thr Gly Asn Val Gly Ile Gly 180 185 190
- Asn Ser Gly Thr Gly Asn Trp Gly Ile Gly Asn Ser Gly Asn Ser Tyr
  195 200 205
- Asn Thr Gly Phe Gly Asn Ser Gly Asp Ala Asn Thr Gly Phe Phe Asn 210 215 220
- Ser Gly Ile Ala Asn Thr Gly Val Gly Asn Ala Gly Asn Tyr Asn Thr 225 230 235 240
- Gly Ser Tyr Asn Pro Gly Asn Ser Asn Thr Gly Gly Phe Asn Met Gly 245 250 255
- Gln Tyr Asn Thr Gly Tyr Leu Asn Ser Gly Asn Tyr Asn Thr Gly Leu 260 265 270
- Ala Asn Ser Gly Asn Val Asn Thr Gly Ala Phe Ile Thr Gly Asn Phe 275 280 285
- Asn Asn Gly Phe Leu Trp Arg Gly Asp His Gln Gly Leu Ile Phe Gly 290 295 300
- Ser Pro Gly Phe Phe Asn Ser Thr Ser Ala Pro Ser Ser Gly Phe Phe

303					310					315					320
Asn	Ser	Gly	Ala	Gly 325	Ser	Ala	Ser	Gly	Phe 330	Leu	Asn	Ser	Gly	<b>Ala</b> 335	Asr
Asn	Ser	Gly	Phe 340	Phe	Asn	Ser	Ser	Ser 345	Gly	Ala	Ile	Gly	Asn 350	Ser	Gly
Leu	Ala	Asn 355	Ala	Gly	Val	Leu	Val 360	Ser	Gly	Val	Ile	Asn 365	Ser	Gly	Asr
Thr	Val 370	Ser	Gly	Leu	Phe	Asn 375	Met	Ser	Leu	Val	Ala 380	Ile	Thr	Thr	Pro
385			Ser		390					395					400
			Pro	405					410					415	
			Leu 420					425					430		
		435	Val				440					445			
	450		Ile			455					460				
465			Ile		470					475					480
			Gly	485					490					495	
			Asp 500					505					510		
		515	Ala				520					525			
	530		Asn			535					540				
Phe 545	Asn	Ile	Ala	Ser	Gly 550	Trp	Asn	Ser	Gly	Thr 555	Gly	Asn	Ser	Gly	Let 560
Phe	Asn	Ser	Gly	Thr 565	Asn	Asn	Val	Gly	Ile 570	Phe	Asn	Ala	Gly	Thr 575	Gly
Asn	Val	Gly	Ile 580	Ala	Asn	Ser	Gly	Thr 585	Gly	Asn	Trp	Gly	Ile 590	Gly	Ası
Pro	Gly	Thr 595	qeA	Asn	Thr	Gly	Ile 600	Leu	Asn	Ala	Gly	Ser 605	Tyr	Asn	Thi

WO 99/42076 PCT/US99/03268

- Gly Ile Leu Asn Ala Gly Asp Phe Asn Thr Gly Phe Tyr Asn Thr Gly 610 615 620
- Ser Tyr Asn Thr Gly Gly Phe Asn Val Gly Asn Thr Asn Thr Gly Asn 625 630 635 640
- Phe Asn Val Gly Asp Thr Asn Thr Gly Ser Tyr Asn Pro Gly Asp Thr 645 650 655
- Asn Thr Gly Phe Phe Asn Pro Gly Asn Val Asn Thr Gly Ala Phe Asp 660 665 670
- Thr Gly Asp Phe Asn Asn Gly Phe Leu Val Ala Gly Asp Asn Gln Gly 675 680 685
- Gin Ile Ala Ile Asp Leu Ser Val Thr Thr Pro Phe Ile Pro Ile Asn 690 695 700
- Glu Gln Met Val Ile Asp Val His Asn Val Met Thr Phe Gly Gly Asn 705 710 715 720
- Met Ile Thr Val Thr Glu Ala Ser Thr Val Phe Pro Gln Thr Phe Tyr 725 730 735
- Leu Ser Gly Leu Phe Phe Phe Gly Pro Val Asn Leu Ser Ala Ser Thr 740 745 750
- Leu Thr Val Pro Thr Ile Thr Leu Thr Ile Gly Gly Pro Thr Val Thr
  755 760 765
- Val Pro Ile Ser Ile Val Gly Ala Leu Glu Ser Arg Thr Ile Thr Phe
  770 780
- Leu Lys Ile Asp Pro Ala Pro Gly Ile Gly Asn Ser Thr Thr Asn Pro 785 790 795 800
- Ser Ser Gly Phe Phe Asn Ser Gly Thr Gly Gly Thr Ser Gly Phe Gln 805 810 815
- Asn Val Gly Gly Ser Ser Gly Val Trp Asn Ser Gly Leu Ser Ser 820 825 830
- Ala Ile Gly Asn Ser Gly Phe Gln Asn Leu Gly Ser Leu Gln Ser Gly 835 840 845
- Trp Ala Asn Leu Gly Asn Ser Val Ser Gly Phe Phe Asn Thr Ser Thr 850 855 860
- Val Asn Leu Ser Thr Pro Ala Asn Val Ser Gly Leu Asn Asn Ile Gly 865 870 875 880
- Thr Asn Leu Ser Gly Val Phe Arg Gly Pro Thr Gly Thr Ile Phe Asn 885 890 895

	Ala	Gly	Leu	Ala 900	Asn	Leu	Gly	Gln	Leu 905	Asn	Ile	Gly	Ser	Ala 910	Ser	Cys	
	Arg	Ile	Arg 915	His	Glu	Leu	Asp	Thr 920	Val	Ser	Thr	Ile	Ile 925	Ser	Ala	Phe	
	Cys	Gly 930	Ser	Ala	Ser	Asp	Glu 935	Ser	Asn	Pro	Gly	Ser 940	Val	Ser	Glu		
(2)	INFO	RMAT	ION I	FOR S	SEQ :	ID NO	0:20	5 :									
	(i)	(B)	LEI TYI STI	E CHI NGTH: PE: I RANDI POLOG	: 53 nucle EDNE:	base eic a SS: s	e pa: acid sing:	irs									
	(xi)	SEQ	JENC:	E DES	CRI	PTIO	N: SI	EQ 11	NO:	205	•						
GGA:	rccat:	AT GO	GCC:	ATCAT	CA:	CAT	CATC	ACG:	(GAT	CGA (	CATC	ATCG	G A	20			53
(2)	INFO	RMAT	ION 1	FOR S	SEQ :	ID NO	0:20	5 :									
	·(i)	(A) (B) (C)	LEN TYI	E CHI NGTH: PE: I RANDI POLO	: 42 nucle EDNES	base eic a SS: s	e par acid singl	irs									
	(xi)	SEQU	JENC	E DES	CRI	PTIO	1: SI	EQ II	: סמ	206	:						
CCT	GAATT(	CA GO	CCT	GGT.	r GC(	GCCGC	CCT	CAT	TTG	AAC (	3A						42
(2)	INFO	RMAT	гои :	FOR S	SEQ :	ED NO	D:20 <sup>.</sup>	7:									
	(i)	(B) (C)	LEN TYI	E CHI NGTH: PE: 1 RANDI POLO(	: 31 nucle EDNES	base eic a SS: s	e pa: acid sing:	irs									
	(xi)	SEQU	JENC:	E DES	CRI	PTIO	N: S1	EQ II	OM C	:207	:						
GGA:	rcctg	CA GO	CTC	GAAA	CAC	CCGA	3CGG	T									3:1
(2)	INFO	RMAT	ION I	FOR S	SEQ :	ID NO	0:20	8:									
		(B) (C) (D)	LET TYI STI	NGTH PE: 1 RANDI POLO	: 31 nucle EDNE: GY: :	base eic a SS: s linea	e pa acid sing ar	irs le									
	(xi)	SEQ	JENC:	E DES	SCRI	PTIO	N: S:	EQ I	ON Q	:208	:						

CTCTGAATTC AGCGCTGGAA ATCGTCGCGA T	31.
(2) INFORMATION FOR SEQ ID NO:209:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 33 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:209:	
GGATCCAGCG CTGAGATGAA GACCGATGCC GCT	33
(2) INFORMATION FOR SEQ ID NO:210:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 38 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:210:	
GGATATCTGC AGAATTCAGG TTTAAAGCCC ATTTGCGA	38
(2) INFORMATION FOR SEQ ID NO:211:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 30 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:211:	
CCGCATGCGA GCCACGTGCC CACAACGGCC	30
(2) INFORMATION FOR SEQ ID NO:212:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 37 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(b) Toronogi. Illiear	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:212:	
CTTCATGGAA TTCTCAGGCC GGTAAGGTCC_GCTGCGG	37
(2) INFORMATION FOR SEQ ID NO:213:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 7676 base pairs	
(B) TYPE: nucleic acid	

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:213:

TGGCGAATGG	GACGCGCCCT	GTAGCGGCGC	ATTAAGCGCG	GCGGGTGTGG	TGGTTACGCG	60
CAGCGTGACC	GCTACACTTG	CCAGCGCCCT	AGCGCCCGCT	CCTTTCGCTT	TCTTCCCTTC	120
CTTTCTCGCC	ACGTTCGCCG	GCTTTCCCCG	TCAAGCTCTA	AATCGGGGGC	TCCCTTTAGG ·	180
GTTCCGATTT	AGTGCTTTAC	GGCACCTCGA	CCCCAAAAAA	CTTGATTAGG	GTGATGGTTC	240
ACGTAGTGGG	CCATCGCCCT	GATAGACGGT	TTTTCGCCCT	TTGACGTTGG	AGTCCACGTT	300
CTTTAATAGT	GGACTCTTGT	TCCAAACTGG	AACAACACTC	AACCCTATCT	CGGTCTATTC	360
TTTTGATTTA	TAAGGGATTT	TGCCGATTTC	GGCCTATTGG	TTAAAAAATG	AGCTGATTTA	420
ACAAAAATTT	AACGCGAATT	TTAACAAAAT	ATTAACGTTT	ACAATTICAG	GTGGCACTTT	480
TCGGGGAAAT	GTGCGCGGAA	CCCCTATTTG	TTTATTTTTC	TAAATACATT	CAAATATGTA	540
TCCGCTCATG	AATTAATTCT	TAGAAAAACT	CATCGAGCAT	CAAATGAAAC	TGCAATTTAT	600
TCATATCAGG	ATTATCAATA	CCATATTTTT	GAAAAAGCCG	TTTCTGTAAT	GAAGGAGAAA	660
ACTCACCGAG	GCAGTTCCAT	AGGATGGCAA	GATCCTGGTA	TCGGTCTGCG	ATTCCGACTC	720
GTCCAACATC	AATACAACCT	ATTAATTTCC	CCTCGTCAAA	aataaggtta	TCAAGTGAGA	780
AATCACCATG	AGTGACGACT	GAATCCGGTG	AGAATGGCAA	AAGTTTATGC	ATTTCTTTCC	840
AGACTTGTTC	AACAGGCCAG	CCATTACGCT	CGTCATCAAA	ATCACTCGCA	TCAACCAAAC	900
CGTTATTCAT	TCGTGATTGC	GCCTGAGCGA	GACGAAATAC	GCGATCGCTG	TTAAAAGGAC	960
AATTACAAAC	AGGAATCGAA	TGCAACCGGC	GCAGGAACAC	TGCCAGCGCA	TCAACAATAT	1020
TTTCACCTGA	ATCAGGATAT	TCTTCTAATA	CCTGGAATGC	TGTTTTCCCG	GGGATCGCAG	1080
TGGTGAGTAA	CCATGCATCA	TCAGGAGTAC	GGATAAAATG	CTTGATGGTC	GGAAGAGGCA	1140
TAAATTCCGT	CAGCCAGTTT	AGTCTGACCA	TCTCATCTGT	AACATCATTG	GCAACGCTAC	1200
CTTTGCCATG	TTTCAGAAAC	AACTCTGGCG	CATCGGGCTT	CCCATACAAT	CGATAGATTG	1260
TCGCACCTGA	TTGCCCGACA	TTATCGCGAG	CCCATTTATA	CCCATATAAA	TCAGCATCCA	1320
TGTTGGAATT	TAATCGCGGC	CTAGAGCAAG	ACGTTTCCCG	TTGAATATGG	CTCATAACAC	1380
CCCTTGTATT	ACTGTTTATG	TAAGCAGACA	. GTTTTATTGT	TCATGACCAA	AATCCCTTAA	1440
CGTGAGTTTT	CGTTCCACTG	AGCGTCAGAC	CCCGTAGAAA	AGATCAAAGG	ATCTTCTTGA	1500

GATCCTTTTT	TTCTGCGCGT	AATCTGCTGC	TTGCAAACAA	AAAAACCACC	GCTACCAGCG	1560
GTGGTTTGTT	TGCCGGATCA	AGAGCTACCA	ACTOTTTTTC	CGAAGGTAAC	TGGCTTCAGC	1620
AGAGCGCAGA	TACCAAATAC	TGTCCTTCTA	GTGTAGCCGT	AGTTAGGCCA	CCACTTCAAG	1680
AACTCTGTAG	CACCGCCTAC	ATACCTCGCT	CTGCTAATCC	TGTTACCAGT	GGCTGCTGCC	1740
AGTGGCGATA	AGTCGTGTCT	TACCGGGTTG	GACTCAAGAC	GATAGTTACC	GGATAAGGCG	1800
CAGCGGTCGG	GCTGAACGGG	GGGTTCGTGC	ACACAGCCCA	GCTTGGAGCG	AACGACCTAC	1860
ACCGAACTGA	GATACCTACA	GCGTGAGCTA	TGAGAAAGCG	CCACGCTTCC	CGAAGGGAGA	1920
aaggcggaca	GGTATCCGGT	AAGCGGCAGG	GTCGGAACAG	GAGAGCGCAC	GAGGGAGCTT	1980
CCAGGGGGAA	ACGCCTGGTA	TCTTTATAGT	CCTGTCGGGT	TTCGCCACCT	CTGACTTGAG	2040
CGTCGATTTT	TGTGATGCTC	GTCAGGGGG	CGGAGCCTAT	GGAAAAACGC	CAGCAACGCG	2100
GCCTTTTTAC	GGTTCCTGGC	CTTTTGCTGG	CCTTTTGCTC	ACATGTTCTT	TCCTGCGTTA	2160
TCCCCTGATT	CTGTGGATAA	CCGTATTACC	GCCTTTGAGT	GAGCTGATAC	CGCTCGCCGC	2220
AGCCGAACGA	CCGAGCGCAG	CGAGTCAGTG	AGCGAGGAAG	CGGAAGAGCG	CCTGATGCGG	2280
TATTTTCTCC	TTACGCATCT	GTGCGGTATT	TCACACCGCA	TATATGGTGC	ACTCTCAGTA	2340
CAATCTGCTC	TGATGCCGCA	TAGTTAAGCC	AGTATACACT	CCGCTATCGC	TACGTGACTG	2400
GGTCATGGCT	GCGCCCGAC	ACCCGCCAAC	ACCCGCTGAC	GCGCCCTGAC	GGGCTTGTCT	2460
GCTCCCGGCA	TCCGCTTACA	GACAAGCTGT	GACCGTCTCC	GGGAGCTGCA	TGTGTCAGAG	2520
GTTTTCACCG	TCATCACCGA	AACGCGCGAG	GCAGCTGCGG	TAAAGCTCAT	CAGCGTGGTC	2580
GTGAAGCGAT	TCACAGATGT	CTGCCTGTTC	ATCCGCGTCC	AGCTCGTTGA	GTTTCTCCAG	2640
AAGCGTTAAT	GTCTGGCTTC	TGATAAAGCG	GGCCATGTTA	AGGGCGGTTT	TTTCCTGTTT	2700
GGTCACTGAT	GCCTCCGTGT	AAGGGGGATT	TCTGTTCATG	GGGGTAATGA	TACCGATGAA	2760
ACGAGAGAGG	ATGCTCACGA	TACGGGTTAC	TGATGATGAA	CATGCCCGGT	TACTGGAACG	2820
TTGTGAGGGT	AAACAACTGG	CGGTATGGAT	GCGGCGGGAC	CAGAGAAAA	TCACTCAGGG	288
TCAATGCCAG	CGCTTCGTTA	ATACAGATGT	AGGTGTTCCA	CAGGGTAGCC	AGCAGCATCC	294
TGCGATGCAG	ATCCGGAACA	TAATGGTGCA	- GGGCGCTGAC	TTCCGCGTTT	CCAGACTITA	300
CGAAACACGG	AAACCGAAGA	CCATTCATGT	TGTTGCTCAG	GTCGCAGACG	TTTTGCAGCA	306
GCAGTCGCTT	CACGTTCGCT	CGCGTATCGG	TGATTCATTC	TGCTAACCAG	TAAGGCAACC	312
CCGCCAGCCT	AGCCGGGTCC	TCAACGACAG	GAGCACGATO	ATGCGCACCC	GTGGGGCCGC	318

CATGCCGGCG	ATAATGGCCT	GCTTCTCGCC	GAAACGTTTG	GTGGCGGGAC	CAGTGACGAA	3240
GGCTTGAGCG	AGGGCGTGCA	AGATTCCGAA	TACCGCAAGC	GACAGGCCGA	TCATCGTCGC	3300
GCTCCAGCGA	AAGCGGTCCT	CGCCGAAAAT	GACCCAGAGC	GCTGCCGGCA	CCTGTCCTAC	3360
GAGTTGCATG	ataaagaaga	CAGTCATAAG	TGCGGCGACG	ATAGTCATGC	CCCGCGCCCA	3420
CCGGAAGGAG	CTGACTGGGT	TGAAGGCTCT	CAAGGGCATC	GGTCGAGATC	CCGGTGCCTA	3480
ATGAGTGAGC	TAACTTACAT	TAATTGCGTT	GCGCTCACTG	CCCGCTTTCC	AGTCGGGAAA	3540
CCTGTCGTGC	CAGCTGCATT	AATGAATCGG	CCAACGCGCG	GGGAGAGGCG	GTTTGCGTAT	3600
TGGGCGCCAG	GGTGGTTTTT	CTTTTCACCA	GTGAGACGGG	CAACAGCTGA	TIGCCCTICA	3660
CCGCCTGGCC	CTGAGAGAGT	TGCAGCAAGC	GGTCCACGCT	GGTTTGCCCC	AGCAGGCGAA	3720
AATCCTGTTT	GATGGTGGTT	AACGGCGGGA	TATAACATGA	GCTGTCTTCG	GTATCGTCGT	3780
ATCCCACTAC	CGAGATATCC	GCACCAACGC	GCAGCCCGGA	CTCGGTAATG	GCGCGCATTG	3840
CGCCCAGCGC	CATCTGATCG	TTGGCAACCA	GCATCGCAGT	GGGAACGATG	CCCTCATTCA	3900
GCATTTGCAT	GGTTTGTTGA	AAACCGGACA	TGGCACTCCA	GTCGCCTTCC	CGTTCCGCTA	3960
TCGGCTGAAT	TTGATTGCGA	GTGAGATATT	TATGCCAGCC	AGCCAGACGC	AGACGCGCCG	4020
AGACAGAACT	TAATGGGCCC	GCTAACAGCG	CGATTIGCIG	GTGACCCAAT	GCGACCAGAT	4080
GCTCCACGCC	CAGTCGCGTA	CCGTCTTCAT	GGGAGAAAAT	AATACTGTTG	ATGGGTGTCT	4140
GGTCAGAGAC	ATCAAGAAAT	AACGCCGGAA	CATTAGTGCA	GGCAGCTTCC	ACAGCAATGG	4200
CATCCTGGTC	ATCCAGCGGA	TAGTTAATGA	TCAGCCCACT	GACGCGTTGC	GCGAGAAGAT	4260
TGTGCACCGC	CGCTTTACAG	GCTTCGACGC	CGCTTCGTTC	TACCATCGAC	ACCACCACGC	4320
TGGCACCCAG	TTGATCGGCG	CGAGATTTAA	TCGCCGCGAC	AATTTGCGAC	GGCGCGTGCA	4380
GGGCCAGACT	GGAGGTGGCA	ACGCCAATCA	GCAACGACTG	TTTGCCCGCC	AGTTGTTGTG	4440
CCACGCGGTT	GGGAATGTAA	TTCAGCTCCG	CCATCGCCGC	TTCCACTTIT	TCCCGCGTTT	4500
TCGCAGAAAC	GTGGCTGGCC	TGGTTCACCA	CGCGGGAAAC	GGTCTGATAA	GAGACACCGG	4560
CATACTCTGC	GACATCGTAT	AACGTTACTG	GTTTCACATT	CACCACCCTG	AATTGACTCT	4620
CTTCCGGGCG	CTATCATGCC	ATACCGCGAA	AGGITTIGCG	CCATTCGATG	GTGTCCGGGA	4680
TCTCGACGCT	CTCCCTTATG	CGACTCCTGC	ATTAGGAAGO	AGCCCAGTAG	TAGGTTGAGG	4740
CCGTTGAGCA	CCGCCGCCGC	: Aaggaatggi	GCATGCAAGG	AGATGGCGCC	CAACAGTCCC	4800

CCGGCCACGG	GGCCTGCCAC	CATACCCACG	CCGAAACAAG	CGCTCATGAG	CCCGAAGTGG	4860
CGAGCCCGAT	CTTCCCCATC	GGTGATGTCG	GCGATATAGG	CGCCAGCAAC	CGCACCTGTG	4920
GCGCCGGTGA	TGCCGGCCAC	GATGCGTCCG	GCGTAGAGGA	TCGAGATCTC	GATCCCGCGA	4980
AATTAATACG	ACTCACTATA	GGGGAATTGT	GAGCGGATAA	CAATTCCCCT	CTAGAAATAA	5040
AATTTGTTTTA	CTTTAAGAAG	GAGATATACA	TATGGGCCAT	CATCATCATC	ATCACGTGAT	5100
CGACATCATC	GGGACCAGCC	CCACATCCTG	GGAACAGGCG	GCGGCGGAGG	CGGTCCAGCG	5160
GGCGCGGGAT	AGCGTCGATG	ACATCCGCGT	CGCTCGGGTC	ATTGAGCAGG	ACATGGCCGT	5220
GGACAGCGCC	GGCAAGATCA	CCTACCGCAT	CAAGCTCGAA	GTGTCGTTCA	AGATGAGGCC	5280
GGCGCAACCG	AGGGGCTCGA	AACCACCGAG	CGGTTCGCCT	GAAACGGGCG	CCGGCGCCGG	5340
TACTGTCGCG	ACTACCCCCG	CGTCGTCGCC	GGTGACGTTG	GCGGAGACCG	GTAGCACGCT	5400
GCTCTACCCG	CTGTTCAACC	TGTGGGGTCC	GGCCTTTCAC	GAGAGGTATC	CGAACGTCAC	5460
GATCACCGCT	CAGGGCACCG	GTTCTGGTGC	CGGGATCGCG	CAGGCCGCCG	CCGGGACGGT	5520
CAACATTGGG	GCCTCCGACG	CCTATCTGTC	GGAAGGTGAT	ATGGCCGCGC	ACAAGGGGCT	5580
GATGAACATC	GCGCTAGCCA	TCTCCGCTCA	GCAGGTCAAC	TACAACCTGC	CCGGAGTGAG	5640
CGAGCACCTC	AAGCTGAACG	GAAAAGTCCT	GGCGGCCATG	TACCAGGGCA	CCATCAAAAC	5700
CTGGGACGAC	CCGCAGATCG	CTGCGCTCAA	CCCCGGCGTG	AACCTGCCCG	GCACCGCGGT	5760
AGTTCCGCTG	CACCGCTCCG	ACGGGTCCGG	TGACACCTTC	TTGTTCACCC	AGTACCTGTC	5820
CAAGCAAGAT	CCCGAGGGCT	GGGGCAAGTC	GCCCGGCTTC	GGCACCACCG	TCGACTTCCC	5880
GGCGGTGCCG	GGTGCGCTGG	GTGAGAACGG	CAACGGCGGC	ATGGTGACCG	GTTGCGCCGA	5940
GACACCGGGC	TGCGTGGCCT	ATATCGGCAT	CAGCTTCCTC	GACCAGGCCA	GTCAACGGGG	6000
ACTCGGCGAG	GCCCAACTAG	GCAATAGCTC	TGGCAATTTC	TIGTIGCCCG	ACGCGCAAAG	606
CATTCAGGCC	GCGGCGGCTG	GCTTCGCATC	GAAAACCCCG	GCGAACCAGG	CGATTTCGAT	612
GATCGACGGG	cccccccc	ACGGCTACCC	GATCATCAAC	TACGAGTACG	CCATCGTCAA	618
CAACCGGCAA	AAGGACGCCG	CCACCGCGC	A GACCTTGCAG	GCATTTCTGC	ACTGGGCGAT	624
CACCGACGGC	AACAAGGCCT	CGTTCCTCG	\_CCAGGTTCAT	TTCCAGCCGC	TGCCGCCCGC	630
GGTGGTGAAG	TTGTCTGACG	CGTTGATCG	C GACGATTTCC	: AGCGCTGAGA	TGAAGACCGA	636
TGCCGCTACC	CTCGCGCAGG	AGGCAGGTA	A TTTCGAGCGG	ATCTCCGGCG	ACCTGAAAAC	642
CCAGATCGAC	CAGGTGGAGT	CGACGGCAG	TTCGTTGCAG	GCCAGTGGC	GCGGCGCGC	648

GGGGACGGCC	GCCCAGGCCG	CGGTGGTGCG	CTTCCAAGAA	GCAGCCAATA	AGCAGAAGCA	6540
GGAACTCGAC	GAGATCTCGA	CGAATATTCG	TCAGGCCGGC	GTCCAATACT	CGAGGGCCGA	6600
CGAGGAGCAG	CAGCAGGCGC	TGTCCTCGCA	AATGGGCTTT	GTGCCCACAA	CGGCCGCCTC	6660
GCCGCCGTCG	ACCGCTGCAG	CGCCACCCGC	ACCGGCGACA	CCTGTTGCCC	CCCCACCACC	6720
GGCCGCCGCC	AACACGCCGA	ATGCCCAGCC	GGGCGATCCC	AACGCAGCAC	CTCCGCCGGC	6780
CGACCCGAAC	GCACCGCCGC	CACCTGTCAT	TGCCCCAAAC	GCACCCCAAC	CTGTCCGGAT	6840
CGACAACCCG	GTTGGAGGAT	TCAGCTTCGC	GCTGCCTGCT	GGCTGGGTGG	AGTCTGACGC	6900
CGCCCACTTC	GACTACGGTT	CAGCACTCCT	CAGCAAAACC	ACCGGGGACC	CGCCATTTCC	6960
CGGACAGCCG	CCGCCGGTGG	CCAATGACAC	CCGTATCGTG	CTCGGCCGGC	TAGACCAAAA	7020
GCTTTACGCC	AGCGCCGAAG	CCACCGACTC	CAAGGCCGCG	GCCCGGTTGG	GCTCGGACAT	7080
GGGTGAGTTC	TATATGCCCT	ACCCGGGCAC	CCGGATCAAC	CAGGAAACCG	TCTCGCTTGA	7140
CGCCAACGGG	GTGTCTGGAA	GCGCGTCGTA	TTACGAAGTC	AAGTTCAGCG	ATCCGAGTAA	7200
GCCGAACGGC	CAGATCTGGA	CGGGCGTAAT	CGGCTCGCCC	GCGGCGAACG	CACCGGACGC	7260
CGGGCCCCCT	CAGCGCTGGT	TTGTGGTATG	GCTCGGGACC	GCCAACAACC	CGGTGGACAA	7320
GGGCGCGCC	AAGGCGCTGG	CCGAATCGAT	CCGGCCTTTG	GTCGCCCCCC	CGCCGGCGCC	7380
GGCACCGGCT	CCTGCAGAGC	CCGCTCCGGC	GCCGGCGCCG	GCCGGGGAAG	TCGCTCCTAC	7440
CCCGACGACA	CCGACACCGC	AGCGGACCTT	ACCGGCCTGA	GAATTCTGCA	GATATCCATC	7500
ACACTGGCGG	CCGCTCGAGC	ACCACCACCA	CCACCACTGA	GATCCGGCTG	CTAACAAAGC	7560
CCGAAAGGAA	GCTGAGTTGG	CTGCTGCCAC	CGCTGAGCAA	TAACTAGCAT	AACCCCTTGG	7620
GGCCTCTAAA	CGGGTCTTGA	GGGGTTTTTT	GCTGAAAGGA	GGAACTATAT	CCGGAT	7676

## (2) INFORMATION FOR SEQ ID NO:214:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 802 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:214:

Met Gly His His His His His Wal Ile Asp Ile Ile Gly Thr Ser

1 10 15

Pro Thr Ser Trp Glu Gln Ala Ala Ala Glu Ala Val Gln Arg Ala Arg

			20					25					30		
Asp	Ser	Val 35	Asp	qeA	Ile	Arg	Val 40	Ala	Arg	Val	Ile	Glu 45	Gln	Asp	Met
Ala	Val 50	Asp	Ser	Ala	Gly	Lys 55	Ile	Thr	Tyr	Arg	Ile 60	Lys	Leu	Glu	Val
Ser 65	Phe	Lys	Met	Arg	Pro 70	Ala	Gln	Pro	Arg	Gly 75	Ser	Lys	Pro	Pro	Ser 80
Gly	Ser	Pro	Glu	Thr 85	Gly	Ala	Gly	Ala	Gly 90	Thr	Val	Ala	Thr	Thr 95	Pro
Ala	Ser	Ser	Pro 100	Val	Thr	Leu	Ala	Glu 105	Thr	Gly	Ser	Thr	Leu 110	Leu	Tyr
Pro	Leu	Phe 115	Asn	Leu	Trp	Gly	Pro 120	Ala	Phe	His	Glu	Arg 125	Tyr	Pro	Asn
Val	Thr 130	Ile	Thr	Ala	Gln	Gly 135	Thr	Gly	Ser	Gly	Ala 140	Gly	Ile	Ala	Gln
Ala 145	Ala	Ala	Gly	Thr	Val 150	Asn	Ile	Gly	Ala	Ser 155	Asp	Ala	Tyr	Leu	Ser 160
Glu	Gly	Asp	Met	Ala 165	Ala	His	Lys	Gly	Leu 170	Met	Asn	Ile	Ala	Leu 175	Ala
Ile	Ser	Ala	Gln 180	Gln	Val	Asn	Tyr	Asn 185	Leu	Pro	Gly	Val	Ser 190	Glu	His
Leu	Lys	<b>Leu</b> 195	Asn	Gly	Lys	Val	Leu 200	Ala	Ala	Met	Tyr	Gln 205	Gly	Thr	Ile
Lys	Thr 210	Trp	Asp	Ąsp	Pro	Gln 215	Ile	Ala	Ala	Leu	Asn 220	Pro	Gly	Val	Asr
Leu 225	Pro	Gly	Thr	Ala	Val 230	Val	Pro	Leu	His	Arg 235	Ser	Asp	Gly	Ser	Gly 240
qaA	Thr	Phe	Leu	Phe 245	Thr	Gln	Tyr	Leu	Ser 250	Lys	Gln	Asp	Pro	Glu 255	Gly
Trp	Gly	Lys	Ser 260	Pro	Gly	Phe	Gly	Thr 265	Thr	Val	Asp	Phe	Pro 270	Ala	Val
Pro	Gly	Ala 275	Leu	Gly	Glu	Asn :	Gly 280	Asn	Gly	Gly	Met	Val 285	Thr	Gly	Cys
Ala	Glu 290	Thr	Pro	Gly	Cys	Val 295	Ala	Tyr	Ile	Gly	Ile 300	Ser	Phe	Leu	Asy
Gln 305	Ala	Ser	Gln	Arg	Gly 310	Leu	Gly	Glu	Ala	Gln 315	Leu	Gly	Asn	Ser	Ser 320

Gly Asn Phe Leu Leu Pro Asp Ala Gln Ser Ile Gln Ala Ala Ala Ala 330 Gly Phe Ala Ser Lys Thr Pro Ala Asn Gln Ala Ile Ser Met Ile Asp 345 Gly Pro Ala Pro Asp Gly Tyr Pro Ile Ile Asn Tyr Glu Tyr Ala Ile Val Asn Asn Arg Gln Lys Asp Ala Ala Thr Ala Gln Thr Leu Gln Ala Phe Leu His Trp Ala Ile Thr Asp Gly Asn Lys Ala Ser Phe Leu Asp 390 Gln Val His Phe Gln Pro Leu Pro Pro Ala Val Val Lys Leu Ser Asp Ala Leu Ile Ala Thr Ile Ser Ser Ala Glu Met Lys Thr Asp Ala Ala 425 Thr Leu Ala Gln Glu Ala Gly Asn Phe Glu Arg Ile Ser Gly Asp Leu 435 Lys Thr Gln Ile Asp Gln Val Glu Ser Thr Ala Gly Ser Leu Gln Gly 455 Gin Trp Arg Gly Ala Ala Gly Thr Ala Ala Gln Ala Ala Val Val Arg 470 475 Phe Gln Glu Ala Ala Asn Lys Gln Lys Gln Glu Leu Asp Glu Ile Ser Thr Asn Ile Arg Gln Ala Gly Val Gln Tyr Ser Arg Ala Asp Glu Glu Gln Gln Gln Ala Leu Ser Ser Gln Met Gly Phe Val Pro Thr Thr Ala 520 Ala Ser Pro Pro Ser Thr Ala Ala Ala Pro Pro Ala Pro Ala Thr Pro Val Ala Pro Pro Pro Pro Ala Ala Ala Asn Thr Pro Asn Ala Gln Pro 545 550 555 Gly Asp Pro Asn Ala Ala Pro Pro Pro Ala Asp Pro Asn Ala Pro Pro Pro Pro Val Ile Ala Pro Asn Ala Pro Gln Pro Val Arg Ile Asp Asn 585 Pro Val Gly Gly Phe Ser Phe Ala Leu Pro Ala Gly Trp Val Glu Ser

600

595

Asp	Ala 610	Ala	His	Phe	Asp	Tyr 615	Gly	Ser	Ala	Leu	Leu 620	Ser	Lys	Thr	Thr
Gly 625	Asp	Pro	Pro	Phe	Pro 630	Gly	Gln	Pro	Pro	Pro 635	Val	Ala	Asn	Asp	Thr 640
Arg	Ile	Val	Leu	Gly 645	Arg	Leu	Asp	Gln	Lys 650	Leu	Tyr	Ala	Ser	Ala 655	Glu
Ala	Thr	Asp	Ser 660	Lys	Ala	Ala	Ala	Arg 665	Leu	Gly	Ser	Asp	<b>Met</b> 670	Gly	Glu
Phe	Tyr	Met 675	Pro	Tyr	Pro	Gly	Thr 680	Arg	Ile	Asn	Gln	Glu 685	Thr	Val	Ser
Leu	Asp 690	Ala	Asn	Gly	Val	Ser 695	Gly	Ser	Ala	Ser	Tyr 700	Tyr	Glu	Val	Lys
Phe 705	Ser	Asp	Pro	Ser	Lys 710	Pro	Asn	Gly	Gln	Ile 715	Trp	Thr	Gly	Val	Ile 720
Gly	Ser	Pro	Ala	Ala 725	Asn	Ala	Pro	Asp	Ala 730	Gly	Pro	Pro	Gln	Arg 735	Trp
Phe	Val	Val	Trp 740	Leu	Gly	Thr	Ala	Asn 745	Asn	Pro	Val	Asp	Lys 750	Gly	Ala
Ala	Lys	Ala 755	Leu	Ala	Glu	Ser	Ile 760	Arg	Pro	Leu	Val	Ala 765	Pro	Pro	Pro
Ala	Pro 770	Ala	Pro	Ala	Pro	Ala 775	Glu	Pro	Ala	Pro	Ala 780	Pro	Ala	Pro	Ala
Gly 785	Glu	Val	Ala	Pro	Thr 790	Pro	Thr	Thr	Pro	Thr 795	Pro	Gln	Arg	Thr	Leu 800
Pro															

## (2) INFORMATION FOR SEQ ID NO:215:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 454 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:215:

GTGGCGGCGC	TGCGGCCGGC	CAGCAGAGCG	ATGTGCATCC	GTTCGCGAAC	CTGATCGCGG	60
TCGACGATGA	GCGCGCCGAA	CGCCGCGACG	ACGAAGAACG	TCAGGAAGCC	GTCCAGCAGC	120
GCGGTCCGCG	CGGTGACGAA	GCTGACCCCG	TCGCAGATCA	GCAGCACCCC	GGCGATGGCG	180
CCGACCAATG	TCGACCGGCT	GATCCGCCGC	ACGATCCGCA	CCACCAGCGC	CACCAGGACC	240
ACACCCAGCA	GGGCGCCGGT	GAACCGCCAG	CCGAATCCGT	TGTGACCGAA	GATGGCCTCC	300

TCTTCCACCC	TCAGCTGCTT CATGGTTGTT GTGCCGGCAT	CAGCACCTGC	CAGGCCTGGC	CCAGGCCGTA GGTGCGTAAT	CCCGGGGTTG	360 420 454
(2) INFORMA	TION FOR SEC	ID NO:216:	:			
(A) (B) (C)	SEQUENCE CHA LENGTH: 47 TYPE: nucl STRANDEDNE TOPOLOGY:	0 base pair eic acid SS: single				
(ii)	MOLECULE TY	PE: Genomic	: DNA			
(xi)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:2	216 :		
GCATCGTCGC ATACCACCGA AGCTGGACAT TCGAGTCGCT CCGGCACCCA TTGAGGAAGG ATGTCACGAC	CGGCGGATCC CACCAAGAAG CGACCTGCTG GCTGCTTACC CGGCGCGCAT CGGCAACGCC GCGGGTCGTC GTTGGGCCGC	CAAGGCAATG GATCTGGCTC GCCGGTGGAC GCCCGGTCGT AAGATCATCG TTGGTGGCCG GGCGGCTCGG	ACGTCGTCGT AGCAGGTGTG GCATCTCGAA TCACCGGTTC ACGTCACGCC GATTCCAAGG ACACCACCGC	CGTCGTCTCT CCCGGCGCCG TGCGTTGGTG GCAGGCCGGG GGGGCGGCTG GGTCAGCCAG	GCCATGGGG CCGCCTCGGG GCCATGGCCA GTGATCACCA CAAACCGCCC	180 240 300 360
(i) (A) (A) (B) (C)	SEQUENCE CHA LENGTH: 27 TYPE: nucl STRANDEDNE TOPOLOGY:	RACTERISTIC 9 base pair eic acid SS: single	<b>:</b>			
(ii)	MOLECULE TY	PE: Genomic	: DNA	•		
(xi)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:2	217:		
TCGTGGCCCT CCGCACGTCG CCCAGGTCCT	CCCGGCCGGG TCCCCAGTTG AGCGCGAGCA CAAGGACGCG CTTGCCAAAG	ACCGACGAGC GAGCTCAAGG GAGAGCGATG	AGCGCGCGGC ATCGGCTCAA AAGTCTTGGG	CGCGTTGGAG GCGTGGCGGC	AAGGCTGCTG ACCAACCTCA	120
(2	) INFORMATI	ON FOR SEQ	ID NO:218:			
(A) (B) (C) (D)	EQUENCE CHA LENGTH: 21 TYPE: nucl STRANDEDNE TOPOLOGY:	9 base pair eic acid SS: single linear	rs			

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:218:

WO 99/42076 PCT/US99/03268

ACACGGTCGA	ACTCGACGAG	CCCCTCGTGG	AGGTGTCGAC	CGACAAGGTC	GACACCGAAA	60
TCCCTCGCCG	GCCGCGGGTG	TGCTGACCAA	GATCATCGCC	CAAGAAGATG	ACACGGTCGA	120
GGTCGGCGGC	GAGCTCTCTG	TCATTGGCGA	CGCCCATGAT	GCCGGCGAGG	CCGCGGTCCC	180
GGCACCCCAG	AAAGTCTCTG	CCGGCCCAAC	CCGAATCCA			219

210

## (2) INFORMATION FOR SEQ ID NO:219:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 342 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:219:

TCGCTGCCGA CATCGG	CGCC GCGCCCGCCC	CCAAGCCCGC	ACCCAAGCCC	GTCCCCGAGC	60
CAGCGCCGAC GCCGAA	GGCC GAACCCGCAC	CATCGCCGCC	GGCGGCCCAG	CCAGCCGGTG	120
CGGCCGAGGG CGCACC	GTAC GTGACGCCGC	TGGTGCGAAA	GCTGGCGTCG	GAAAACAACA	180
TCGACCTCGC CGGGGT	GACC GGCACCGGAG	TGGGTGGTCG	CATCCGCAAA	CAGGATGTGC	240
TGGCCGCGGC TGAACA	AAAG AAGCGGGCGA	AAGCACCGGC	GCCGGCCGCC	CAGGCCGCCG	300
CCGCGCCGGC CCCGAA	AGCG CCGCCTGAAG	ATCCGATGCC	GC		342

## (2) INFORMATION FOR SEQ ID NO:220:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 515 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:220:

	<b>63.653.663.66</b>					
GGGTCTTGGT	CAGTATCAGC	GCCGACGAGG	ACGCCACGGT	GCCCGTCGGC	GGCGAGTTGG	60
CCCGGATCGG	TGTCGCTGCC	GACATCGGCG	CCGCGCCCGC	CCCCAAGCCC	GCACCCAAGC	120
CCGTCCCCGA	GCCAGCGCCG	ACGCCGAAGG	CCGAACCCGC	ACCATCGCCG	CCGGCGGCCC	180
AGCCAGCCGG	TGCGGCCGAG	GGCGCACCGT	ACGTGACGCC	GCTGGTGCGA	AAGCTGGCGT	240
CGGAAAACAA	CATCGACCTC	GCCGGGGTGA	CCGGCACCGG	AGTGGGTGGT	CGCATCCGCA	300
AACAGGATGT	GCTGGCCGCG	GCTGAACAAA	AGAAGCGGGC	GAAAGCACCG	GCGCCCTGAG	360
CGCTTCATCA	CCCGGTTAAC	CAGCTTGCCC	CAGAAGCCGG	CTTCGACCTC	TTCGCGGGTC	420
TTGGTCCGCT	GCAGGCGGTC	GGCGAGCCAG	TTCAGGTTAG	GCGGCCGAAA	TCTTCCAGTT	480
CGCCAGGAAG	GGCACCCGGA	ACAGGGTCCG	CACCC			515

#### (2) INFORMATION FOR SEQ ID NO:221:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 557 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:221:

CCGACCCCAA	GGTGCAGATT	CAACAGGCCA	TTGAGGAAGC	ACAGCGCACC	CACCAAGCGC	60
TGACTCAACA	GGCGGCGCAA	GTGATCGGTA	ACCAGCGTCA	ATTGGAGATG	CGACTCAACC	120
GACAGCTGGC	GGACATCGAA	AAGCTTCAGG	TCAATGTGCG	CCAAGCCCTG	ACGCTGGCCG	180
ACCAGGCCAC	CGCCGCCGGA	GACGCTGCCA	AGGCCACCGA	ATACAACAAC	GCCGCCGAGG	240
CGTTCGCAGC	CCAGCTGGTG	ACCGCCGAGC	AGAGCGTCGA	AGACCTCAAG	ACGCTGCATG	300
ACCAGGCGCT	TAGCGCCGCA	GCTCAGGCCA	AGAAGGCCGT	CGAACGAAAT	GCGATGGTGC	360
TGCAGCAGAA	GATCGCCGAG	CGAACCAAGC	TGCTCAGCCA	GCTCGAGCAG	GCGAAGATGC	420
AGGAGCAGGT	CAGCGCATCG	TTGCGGTCGA	TGAGTGAGCT	CGCCGCGCCA	GGCAACACGC	480
CGAGCCTCGA	CGAGGTGCGC	GACAAGATCG	AGCGTCGCTA	CGCCAACGCG	ATCGGTTCGG	540
CTGAACTTGC	CGAGAGT					557

#### (2) INFORMATION FOR SEQ ID NO:222:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 223 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:222:

CAGGATAGGT	TTCGACATCC	ACCTGGGTTC	CGCACCCGGT	GCGCGACCGT	GTGATAGGCC	60
AGAGGTGGAC	CTGCGCCGAC	CGACGATCGA	TCGAGGAGTC	AACAGAAATG	GCCTTCTCCG	120
TCCAGATGCC	GGCACTCGGT	GAGAGCGTCA	CCGAGGGGAC	GGTTACCCGC	TGGCTCAAAC	180
AGGAAGGCGA	CACGGTCGAA	CTCGACGAGC	CCCTCGTGGA	GGT		223

- (2) INFORMATION FOR SEQ ID NO:223:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 578 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:223:

AAGAAGTACA	TCTGCCGGTC	GATGTCGGCG	AACCACGGCA	GCCAACCGGC	GCAGTAGCCG	60
ACCAGGACCA	CCGCATAACG	CCAGTCCCGG	CGCACAAACA	TACGCCACCC	CGCGTATGCC	120
AGGACTGGCA	CCGCCAGCCA	CCACATCGCG	GGCGTGCCGA	CCAGCATCTC	GGCCTTGACG	180
CACGACTGTG	CGCCGCAGCC	TGCAACGTCT	TGCTGGTCGA	TGGCGTACAG	CACCGGCCGC	240
AACGACATGG	GCCAGGTCCA	CGGTTTGGAT	TCCCAAGGGT	GGTAGTTGCC	TGCGGAATTC	300
GTCAGGCCCG	CGTGGAAGTG	GAACGCTTTG	GCGGTGTATT	GCCAGAGCGA	GCGCACGGCG	360
TCGGGCAGCG	GAACAACCGA	GTTGCGACĆG	ACCGCTTGAC	CGACCGCATG	CCGATCGATC	420
GCGGTCTCGG	ACGCGAACCA	CGGAGCGTAG	GTGGCCAGAT	AGACCGCGAA	CGGGATCAAC	480
CCCAGCGCAT	ACCCGCTGGG	AAGCACGTCA	CGCCGCACTG	TTCCCAGCCA	CGGTCTTTGC	540
ACTTGGTATG	AACGTCGCGC	CGCCACGTCA	ACGCCAGC			578

#### (2) INFORMATION FOR SEQ ID NO:224:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 484 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:224:

ACAACGATCG	ATTGATATCG	ATGAGAGACG	GAGGAATCGT	GGCCCTTCCC	CAGTTGACCG	60
ACGAGCAGCG	CGCGGCCGCG	TTGGAGAAGG	CTGCTGCCGC	ACGTCGAGCG	CGAGCAGAGC	120
TCAAGGATCG	GCTCAAGCGT	GGCGGCACCA	ACCTCACCCA	GGTCCTCAAG	GACGCGGAGA	180
GCGATGAAGT	CTTGGGCAAA	ATGAAGGTGT	CTGCGCTGCT	TGAGGCCTTG	CCAAAGGTGG	240
GCAAGGTCAA	GGCGCAGGAG	ATCATGACCG	AGCTGGAAAT	TGCGCCCCAC	CCCGCCGCCT	300
TCGTGGCCTC	GGTGACCGTC	AGCGCAAGGC	CCTGCTGGAA	AAGTTCGGCT	CCGCCTAACC	360
CCGCCGGCCG	ACGATGCGGG	CCGGAAGGCC	TGTGGTGGGC	GTACCCCCGC	ATACGGGGGA	420
GAAGCGGCCT	GACAGGGCCA	GCTCACAATT	CAGGCCGAAC	GCCCCGGTGG	GGGGGAACCC	480
GCCC						484

- (2) INFORMATION FOR SEQ ID NO:225:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 537 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:225:

AGGACTGGCA	CCGCCAGCCA	CCACATCGCG	GGCGTGCCGA	CCAGCATCTC	GGCCTTGACG	60
CACGACTGTG	CGCCGCAGCC	TGCAACGTCT	TGCTGGTCGA	TGGCGTACAG	CACCGGCCGC	120
AACGACATGG	GCCAGGTCCA	CGGTTTGGAT	TCCCAAGGGT	GGTAGTTGCC	TGCGGAATTC	180
GTCAGGCCCG	CGTGGAAGTG	GAACGCTTTG	GCGGTGTAGT	GCCAGAGCGA	GCGCACGGCG	240
TCGGGCAGCG	GAACAACCGA	GTTGCGACCG	ACCGCTTGAC	CGACCGCATG	CCGATCGATC	300
GCGGTCTCGG	ACGCGAACCA	CGGAGCGTAG	GTGGCCAGAT	AGACCGCGAA	CGGGATCAAC	360
CCCAGCGCAT	ACCCGCTGGG	AAGCACGTCA	CGCCGCACTG	TCCCCAGCCA	CGGTCTTTGC	420
ACTTGGTACT	GACGTCGCGC	CGCCACGTCG	AACGCCAGCG	CCATCGCGCC	GAAGAACAGC	480
ACGAAGTACA	CGCCGGACCA	CTTGGTGGCG	CAAGCCAATC	CCAAGCAGCA	CCCCGGC	537

- (2) INFORMATION FOR SEQ ID NO:226:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 135 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single\_
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:226:

## (2) INFORMATION FOR SEQ ID NO:227:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 156 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:227:

Gln Lys Tyr Gly Gly Ser Ser Val Ala Asp Ala Glu Arg Ile Arg Arg Val Ala Glu Arg Ile Val Ala Thr Lys Lys Gln Gly Asn Asp Val Val Val Val Val Ser Ala Met Gly Asp Thr Thr Asp Asp Leu Leu Asp Leu Ala Gln Gln Val Cys Pro Ala Pro Pro Pro Arg Glu Leu Asp Met Leu Leu Thr Ala Gly Glu Arg Ile Ser Asn Ala Leu Val Ala Met Ala Ile 75 Glu Ser Leu Gly Ala His Ala Arg Ser Phe Thr Gly Ser Gln Ala Gly Val Ile Thr Thr Gly Thr His Gly Asn Ala Lys Ile Ile Asp Val Thr 105 Pro Gly Arg Leu Gln Thr Ala Leu Glu Glu Gly Arg Val Val Leu Val 120 125 Ala Gly Phe Gln Gly Val Ser Gln Asp Thr Lys Asp Val Thr Thr Leu 135 Gly Arg Gly Gly Ser Asp Thr Thr Ala Val Ala Met 150

- (2) INFORMATION FOR SEQ ID NO:228:
- (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 92 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:228:

 Pro
 Ala
 Gly
 Thr
 Asn
 Asn
 Asp
 Arg
 Leu
 Ile
 Ser
 Met
 Arg

 1
 I
 II
 Val
 Ala
 Leu
 Pro
 Gln
 Leu
 Thr
 Asp
 Glu
 Gln
 Arg
 Ala

 Ala
 Ala
 Leu
 Pro
 Gln
 Leu
 Thr
 Asp
 Glu
 Glu
 Leu
 Arg
 Ala
 Ala

- (2) INFORMATION FOR SEQ ID NO:229:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 72 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:229:

Thr Val Glu Leu Asp Glu Pro Leu Val Glu Val Ser Thr Asp Lys Val 1 5 10 15

Asp Thr Glu Ile Pro Ser Pro Ala Ala Gly Val Leu Thr Lys Ile Ile 20 25 30

Ala Gln Glu Asp Asp Thr Val Glu Val Gly Gly Glu Leu Ser Val Ile 35 40 45

Gly Asp Ala His Asp Ala Gly Glu Ala Ala Val Pro Ala Pro Gln Lys 50 55 60

Val Ser Ala Gly Pro Thr Arg Ile

(2) INFORMATION FOR SEQ ID NO:230:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 113 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:230:

## (2) INFORMATION FOR SEQ ID NO:231:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 118 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:231:

 Val
 Leu
 Val
 Ser
 Ile
 Ser
 Ala
 Asp
 Glu
 Asp
 Ala
 Thr
 Val
 Pro
 Val
 Gly

 Gly
 Glu
 Leu
 Ala
 Arg
 Ile
 Gly
 Val
 Ala
 Ala
 Asp
 Ile
 Gly
 Ala
 Ala
 Pro
 25
 30
 Ala
 Pro
 Thr
 Pro
 30
 Ala
 Pro
 Thr
 Pro
 Ala
 Pro
 Ala
 Pro
 Thr
 Pro
 Ala
 Pro
 Ala
 Pro
 Thr
 Pro
 Ala
 Ala
 Pro
 Thr
 Pro
 Ala
 Ala
 Gln
 Pro
 Thr
 Pro
 Ala
 Ala
 Gln
 Pro
 Ala
 Ala
 Gln
 Pro
 Ala
 Ala
 Gln
 Pro
 Ala
 Ala
 Ala
 Inc
 Inc<

# (2) INFORMATION FOR SEQ ID NO:232:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 185 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

### (ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:232:

Asp Pro Lys Val Gln Ile Gln Gln Ala Ile Glu Glu Ala Gln Arg Thr His Gln Ala Leu Thr Gln Gln Ala Ala Gln Val Ile Gly Asn Gln Arg Gln Leu Glu Met Arg Leu Asn Arg Gln Leu Ala Asp Ile Glu Lys Leu Gln Val Asn Val Arg Gln Ala Leu Thr Leu Ala Asp Gln Ala Thr Ala Ala Gly Asp Ala Ala Lys Ala Thr Glu Tyr Asn Asn Ala Ala Glu Ala 75 Phe Ala Ala Gln Leu Val Thr Ala Glu Gln Ser Val Glu Asp Leu Lys 90 Thr Leu His Asp Gln Ala Leu Ser Ala Ala Ala Gln Ala Lys Lys Ala 105 Val Glu Arg Asn Ala Met Val Leu Gln Gln Lys Ile Ala Glu Arg Thr 120 Lys Leu Leu Ser Gln Leu Glu Gln Ala Lys Met Gln Glu Gln Val Ser Ala Ser Leu Arg Ser Met Ser Glu Leu Ala Ala Pro Gly Asn Thr Pro 150 155 Ser Leu Asp Glu Val Arg Asp Lys Ile Glu Arg Arg Tyr Ala Asn Ala 165 Ile Gly Ser Ala Glu Leu Ala Glu Ser 180

## (2) INFORMATION FOR SEQ ID NO:233:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 71 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

## (ii) MOLECULE TYPE: protein

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:233:

 Val
 Ser
 Thr
 Ser
 Thr
 Trp
 Val
 Pro
 His
 Pro
 Val
 Arg
 A

## (2) INFORMATION FOR SEQ ID NO:234:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 182 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:234:

Glu Val His Leu Pro Val Asp Val Gly Glu Pro Arg Gln Pro Thr Gly Ala Val Ala Asp Gln Asp His Arg Ile Thr Pro Val Pro Ala His Lys His Thr Pro Pro Arg Val Cys Gln Asp Trp His Arg Gln Pro Pro His 40 Arg Gly Arg Ala Asp Gln His Leu Gly Leu Asp Ala Arg Leu Cys Ala Ala Ala Cys Asn Val Leu Leu Val Asp Gly Val Gln His Arg Pro Gln 70 Arg His Gly Pro Gly Pro Arg Phe Gly Phe Pro Arg Val Val Ala 90 Cys Gly Ile Arg Gln Ala Arg Val Glu Val Glu Arg Phe Gly Gly Val 105 Leu Pro Glu Arg Ala His Gly Val Gly Gln Arg Asn Asn Arg Val Ala 120 Thr Asp Arg Leu Thr Asp Arg Met Pro Ile Asp Arg Gly Leu Gly Arg 140 Glu Pro Arg Ser Val Gly Gly Gln Ile Asp Arg Glu Arg Asp Gln Pro 150 155 Gln Arg Ile Pro Ala Gly Lys His Val Thr Pro His Cys Ser Gln Pro 165 170

- (2) INFORMATION FOR SEQ ID NO:235:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 160 amino acids
  - (B) TYPE: amino acid

Arg Ser Leu His Leu Val 180

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:235:

### (2) INFORMATION FOR SEQ ID NO:236:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 178 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:236:

Asp Trp His Arg Gln Pro Pro His Arg Gly Arg Ala Asp Gln His Leu Gly Leu Asp Ala Arg Leu Cys Ala Ala Ala Cys Asn Val Leu Leu Val Asp Gly Val Gln His Arg Pro Gln Arg His Gly Pro Gly Pro Arg Phe Gly Phe Pro Arg Val Val Ala Cys Gly Ile Arg Gln Ala Arg Val 55 Glu Val Glu Arg Phe Gly Gly Val Val Pro Glu Arg Ala His Gly Val Gly Gln Arg Asn Asn Arg Val Ala Thr Asp Arg Leu Thr Asp Arg Met Pro Ile Asp Arg Gly Leu Gly Arg Glu Pro Arg Ser Val Gly Gln 105 Ile Asp Arg Glu Arg Asp Gln Pro Gln Arg Ile Pro Ala Gly Lys His 120 Val Thr Pro His Cys Pro Gln Pro Arg Ser Leu His Leu Val Leu Thr 135 Ser Arg Arg His Val Glu Arg Gln Arg His Arg Ala Glu Glu Gln His 150 155 Glu Val His Ala Gly Pro Leu Gly Gly Ala Ser Gln Ser Gln Ala Ala 165 170 Pro Arg

#### (2) INFORMATION FOR SEQ ID NO:237:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 271 base pairs
  - (B) TYPE: nucleic acid

107

219

								•								
			STRA				_	<b>:</b>								
	(i	.i) M	OLEC	TULE	TYPE	: Ge	nomi	.c Di	<b>IA</b>							
	(ж	:i) S	EQUE	NCE	DESC	RIPI	ION:	SEC	ı ID	NO : 2	37:					
GTTG CCGA CCGA	GCTG .CAAG .CGAG	AA 0 GT 0 GA 0	Baaga Baca	LTCGG LCCGJ LCGGJ	G GA	TTCC CCCC CCGT	GTTC TCCC GGCC	AGC CGC GCC	TTG!	LCGA TGG	GCC# GGTC	CTC	STG (	aggi Agtai	CATTO GTCCA CCAGCG	120 3 180
		(2)	INE	ORM	TION	i FOF	SEC	) ID	NO:	238 :						
	(i	(A) (B) (C)	EQUEN LENG TYPE STRA TOPG	FTH: E: an ANDEI	89 a mino ONESS	mind acid S: si	aci l lngle	ds								
	( i	i) N	MOLE	CULE	TYPI	E: p1	otei	in								
	(з	ci) S	SEQUI	ence	DESC	RIP	CION:	: SE(	Q ID	NO:2	238:					
Δla	Lvg	Pro	Val	ī.en	Met	Pro	Glu	T. <b>A</b> 11	G1 v	Glu	Sar	Val	Thr	Glu	ഭിഗ	
1				5					10					15		
Thr	Val	Ile	Arg 20	Trp	Leu	Lys	Lys	Ile 25	Gly	Asp	Ser	Val	Gln 30	Val	Asp	
Glu	Pro	Leu 35	Val	Glu	Val	Ser	Thr	Asp	Lys	Val	Asp	Thr	Glu	Ile	Pro	
Ser	Pro 50	Val	Ala	Gly	Val	Leu 55	Val	Ser	Ile	Ser	Ala 60	Asp	Glu	Asp	Ala	
Thr 65	Val	Pro	Val	Gly	Gly 70	Glu	Leu	Ala	Arg	Ile 75	Gly	Val	Ala	Ala	Glu 80	
Ile	Gly	Ala	Ala	Pro 85	Ala	Pro	Lys	Pro								
		(2	) IN	FORM	ATIO	N FO	R SE	Q ID	NO:	239:						
	(:	(A) (B) (C)	EQUE LENG TYP: STR: TOP	GTH: E: no ANDE	107 ucle DNES	bas ic a S: s	e pa cid ingl	irs								
	(:	ii)	MOLE	CULE	TYP	E: G	enom	ic D	NA							
	(:	xi)	SEQU	ENCE	DES	CRIP	TION	: SE	Q ID	NO:	239:					

(2) INFORMATION FOR SEQ ID NO:240:

TCGATATGTG GGCACCGTTC GTTCCGTCCG CCGAGGTCAT TGACGAT

GAGGTAGCGG ATGGCCGGAG GAGCACCCCA GGACCGCGCC CGAACCGCGG GTGCCGGTCA

(i)	SEOUENCE	CHARACTERISTICS

- (A) LENGTH: 339 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:240:

ATGAAGTTGA	AGTITGCTCG	CCTGAGTACT	GCGATACTGG	GTTGTGCAGC	GGCGCTTGTG	60
TITCCTGCCT	CGGTTGCCAG	CGCAGATCCA	CCTGACCCGC	ATCAGCCGGA	CATGACGAAA	120
GGCTATTGCC	CGGGTGGCCG	ATGGGGTTTT	GGCGACTTGG	CCGTGTGCGA	CGGCGAGAAG	180
TACCCCGACG	GCTCGTTTTG	GCACCAGTGG	ATGCAAACGT	CCTTTACCCC	CCCACAGTTT	
TACTTCGATT	GTGTCAGCGG	CGGTGAGCCC	CTCCCCCCCC	CCCCCCCCCC	GGGTGGTTGC	240
GGTGGGGCAA	THECHOLOGY	CCTCCCCTTC	CICCCCGGCC	CGCCGCCACC	GGGTGGTTGC	300
0010000CM	TICCGICCGA	GUAGUUCAAC	GCTCCCTGA			339

## (2) INFORMATION FOR SEQ ID NO:241:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 112 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:241:

 Met
 Lys
 Leu
 Special Lys
 Phe
 Ala
 Arg
 Leu
 Ser
 Thr
 Ala
 Ile
 Leu
 Gly
 Cys
 Ala

 Ala
 Ala
 Leu
 Val
 Phe
 Pro
 Ala
 Ser
 Val
 Ala
 Ser
 Ala
 Asp
 Pro
 Pro
 Asp

 Pro
 His
 Gln
 Pro
 Asp
 Met
 Thr
 Lys
 Gly
 Tyr
 Cys
 Pro
 Gly
 Arg
 Trp

 Gly
 Phe
 Gly
 Asp
 Met
 Thr
 Lys
 Asp
 Gly
 Tyr
 Pro
 Gly
 Tyr
 Pro
 Asp
 Gly
 Tyr
 Pro
 Asp
 Gly
 Tyr
 Pro
 Asp
 Gly
 Fro
 Asp
 Gly
 Fro
 Fro
 Fro
 Asp
 Gly
 Fro
 Fro</

## (2) INFORMATION FOR SEQ ID NO:242:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 371 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:242:

GTGACCACGG TGGGCCTGCC ACCAACCCGG GCAGCGGCAG CCGCGGCGGC GCCGGCGGCT	60
CCGGCGGCAA CGGTGGCGCC GGGGGTAACG CCACCGGCTC AGGCGGCAAG GGCGGCGCCG	120
GTGGCAATGG CGGTGATGGG AGCTTCGGCG CTACCAGCGG CCCCGCCTCC ATCGGGGTCA	180
CGGGCGCCCC CGGCGGCAAC GGCGGCAAGG GCGGCGCCGG TGGCAGCAAC CCCAACGGCT	240
CAGGTGGCGA CGGCGGCAAA GGCGGCAACG GCGGTGCCGG CGGCAACGGG GGCTCGATCG	300
GCGCCAACAG CGGCATCGTC GGCGGTTCCG GTGGGGGCCGG TGGCGCTGGC GGCGCCGGCG	360
GAAACGGCAG C	371
(2) INFORMATION FOR SEQ ID NO:243:	

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 424 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:243:

GTCCGGGTCC CACCAC	CGCG CCGGCGCGCC	CCTAGCGGCC	GGGCGCACCA	GCCCCTTTTC	60
TTGACTCGTT CAAGAA	AAGG GCCTTCTGTT	TGGTCGGCCA	TGTTGGCATG	ATCGTGACCC	120
ATGGGCAACA TCGACG	<del> </del>				180
GGTGGTGAGC ATCGGT					240
CCCGTCGGAG CCCGGG			•		300
CGTCGGCGCC CCAATG					360
CGAACTACCG GCGTGC	· · · · · · · · · · · · · · · · · · ·				420
_	wer wereasted	CAICGGGCIG	CCCGWGGIGI	ACGACGAICC	424
CGAC					424

### (2) INFORMATION FOR SEQ ID NO:244:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 317 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:244:

GCGATGGCGG	CCGCGGGTAC	CACCGCCAAT	GTGGAACGGT	TTCCCAACCC	CAACGATCCT	60
TTGCATCTGG	CGTCAATTGA	CTTCAGCCCG	GCCGATTTCG	TCACCGAGGG	CCACCGTCTA	120
AGGGCGGATG	CGATCCTACT	GCGCCGTACC	GACCGGCTGC	CTTTCGCCGA	GCCGCCGGAT	180
TGGGACTTGG	TGGAGTCGCA	GTTGCGCACG	ACCGTCACCG	CCGACACGGT	GCGCATCGAC	240
GTCATCGCCG	ACGATATGCG	TCCCGAACTG	GCGGCGCGT	CCAAACTCAC	CGAATCGCTG	300
CGGCTCTACG	ATTCGTC					317

## (2) INFORMATION FOR SEQ ID NO:245:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 422 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single

WO 99/42076 PCT/US99/03268

(D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:245:

TGGCGTATGC G	CTTCGCAGC	CGGTGCCGCG	TCAACGCGCC	GGAGGCAATC	GCTTCGCTGC	60
CGAGGAATGG T	TCGATCACG	ATCGCAGTGT	GCCGTCGTGC	ACCGACACCG	CCGTCCAACG	120
TGAACTGAGG G	CGGAAAATC	GGCCGAAATC	TCGCCCTCAG	TTCACGCTCG	GCGCCTAACG	180
GTTCTGGAAG T						240
GGACAGGAAG A	CCTTGATGC	CGATCTGGGT	GTCGATCTTG	AACGCCTCGT	TTTCGGGCAT	300
GCACTCGGTC TO						360
GATGGCGTCG G						420
AT						422

- (2) INFORMATION FOR SEQ ID NO:246:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 426 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:246:

GCGTGCCGCT	GAACACCAGC	CCGCGGCTGC	CAGATCTCCC	GGACTCGGTA	GTGCCGCCGG	60
TGGCGTCGTT	GCTCTCCTGA	CGGGGCGCGG	CGACCATAAG	GTCGCTAATG	CCCAGGTAGC	120
			GACTCTCCAG			180
			ACAAGTCGAT			240
			CGGCAAATGC			300
			GGAACCGCAG			360
			TCGACAGCCG			420
CCCCGA						426

- (2) INFORMATION FOR SEQ ID NO:247:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 327 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:247:

AGACCGGCGA GGGTGTGGTC	SCTGCCGCG	GCATTGTCGA	TAATCTGCGC	TGGGTCGACG	60
CGCCGATCAA CTAGTGAGGC					120
TCAAAGAAAC GAAGAAGGTT (	GCCATGAGCA	CTGTTGCCGC	CTACGCCGCC	ATGTCGGCGA	180
CCGAACCCCT GACCAAGACC					240
TCGACATCAA ATTCGCCGGA					300
GGCAACCGAA TTTACCTGTG					327

## (2) INFORMATION FOR SEQ ID NO:248:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 123 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:248:

## (2) INFORMATION FOR SEQ ID NO:249:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 104 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:249:

 Met
 Ala
 Ala
 Ala
 Gly
 Thr
 Thr
 Ala
 Asn
 Val
 Glu
 Arg
 Phe
 Pro
 Asn
 Pro

 1
 5
 10
 10
 15
 15
 15

 Asn
 Asp
 Pro
 Leu
 His
 Leu
 Ala
 Ser
 11e
 Asp
 Phe
 Ala
 Asp
 Phe
 Asp
 Asp
 Phe
 Asp
 Asp
 Asp
 Asp
 Leu
 Arg
 Arg
 Arg
 Asp
 Asp
 Phe
 Asp
 Phe
 Asp
 Phe
 Asp
 Thr
 Asp
 Thr
 Asp
 Phe
 Asp
 Phe
 Asp
 Thr
 Asp
 Thr
 Asp
 Phe

Giu ser Leu Arg Leu Tyr Asp Ser 100

- (2) INFORMATION FOR SEQ ID NO:250:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 41 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:250:

Ala Tyr Ala Leu Arg Ser Arg Cys Arg Val Asn Ala Pro Glu Ala Ile 1 5 5 10 10 15 Ala Ser Leu Pro Arg Asn Gly Ser Ile Thr Ile Ala Val Cys Arg Arg 20 25 25 30 Ala Pro Thr Pro Pro Ser Asn Val Asn 35 40

- (2) INFORMATION FOR SEQ ID NO:251:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 25 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:251:

Val Pro Leu Asn Thr Ser Pro Arg Leu Pro Asp Leu Pro Asp Ser Val 1 5 10 15 15 Val Pro Pro Val Ala Ser Leu Leu Ser 25 25

- (2) INFORMATION FOR SEQ ID NO:252:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 61 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:252:

 Met
 Ser
 Thr
 Val
 Ala
 Ala
 Tyr
 Ala
 A

WO 99/42076 PCT/US99/03268

Gln Thr Glu Trp Gly Gln Pro Asn Leu Pro Val Val Pro 50 55 60	
(2) INFORMATION FOR SEQ ID NO:253:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 213 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:253:	
GCTTGGAGCC CTGGAGCGAC GGTGTGGGTC TGGGGGTCGA TTCGTTCTCG GCGAAAGTCA ACTAAAGACC ACGTTGACAC CCAACCGGCG GCCCGGCATG GGCCGTCGCG GCGTAGAAGC TTTGACCGCG GCGCGAAACG TTCGCTGCTG CGGCCCATGC AGATCGCACA CGCTTGCTTG AACATCGGGT GGAGCCGGTG GTAACGCCAG GCT	60 120 180 213
(2) INFORMATION FOR SEQ ID NO:254:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 367 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:254:	
CCGAGCTGCT GTTCGGCGCC GGCGGTGCGG GCGGCGCGGG TGGGGCGGGC	60 120 180 240 300 360 367
(2) INFORMATION FOR SEQ ID NO:255:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 420 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:255:	
AAGGCGTGAT TGGCAAGGCG ACCGCGCAGC GGCCCGTAGC CGCGGGACGG CCCAGGCCCC GACCGCAGCG GCCGGTGTCT GACCGGGTCA GCGACCAGCG GCGCTGACCG TGCCGCTCGT CTACTTCGAC GCCAGCGCCT TCGTCAAACT TCTCACCACC GAGACAGGGA GCTCGCTGGC	60 120
TOTAL TOTAL TOTAL TOTAL TOTAL GRANTHOUGH GCTCGCTGGC	180

GTCCGCTCTA	TGGGACGGCT	GCGACGCCGC	ATTGTCCAAC	CGCCTGGCCT	ACCCCGAAGT	240
CCGCGCCGCA	CTCGCTGCAA	CGGGCCGCAA	TCACGACCTA	ACCGAATCCG	AGCTCGCCGA	300
CGCCGAGCGT	GACTGGGAGG	ACTTCTGGGC	CGCACCCGCC	CAGTCGAACT	CACCGCGACG	360
GTTGAACAGC	ACGCCGGGCA	CCTCGCCCGA	ACACATGCCT	TACGCGGAGC	CGACACCGTT	420

- (2) INFORMATION FOR SEQ ID NO:256:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 299 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:256:

CTCTTGTCGG	TGGCATCGGC	GGTACCGGCG	GAACCGGCGG	CAACGCCGGT	ATGCTCGCCG	60
GCGCCGCCGG	GGCCGGCGGT	GCCGGCGGGT	TCAGCTTCAG	CACTGCCGGT	GGGGCTGGCG	120
GCGCCGGCGG	GGCCGGTGGG	CTGTTCACCA	CCGGCGGTGT	CGGCGGCGCC	GGTGGGCAGG	180
GTCACACGGG	CGGGGCGGGC	GCCCCGCCG	GGGCCGGCGG	GTTGTTTGGT	GCCGGCGCA	240
TGGGCGGGC	GGGCGGATTC	GGGGATCACG	GAACGCTCGG	CACCGGCGGG	GCCGGCGG	299

- (2) INFORMATION FOR SEQ ID NO:257:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:257:

Leu Glu Pro Trp Ser Asp Gly Val Gly Leu Gly Val Asp Ser Phe Ser

1 5 10 15

Ala Lys Val Asn

- (2) INFORMATION FOR SEQ ID NO:258:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 121 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:258:

Glu Leu Leu Phe Gly Ala Gly Gly Ala Gly Gly Ala Gly 1 5 10 15

Thr Asp Gly Gly Pro Gly Ala Thr Gly Gly Thr Gly Gly His Gly Gly

#### (2) INFORMATION FOR SEQ ID NO:259:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 34 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:259:

Gly Val Ile Gly Lys Ala Thr Ala Gln Arg Pro Val Ala Ala Gly Arg

1 5 10 15

Pro Arg Pro Arg Pro Gln Arg Pro Val Ser Asp Arg Val Ser Asp Gln

20 25 30

Arg Arg

## (2) INFORMATION FOR SEQ ID NO: 260:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 99 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:260:

Gly Gly Ala Gly Gly Phe Gly Asp His Gly Thr Leu Gly Thr Gly Gly 85 90 95
Ala Gly Gly

## (2) INFORMATION FOR SEQ ID NO:261:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 282 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:261:

TCCTGTTCGG	CGCCGGCGGG	GTGGGCGGTG	TTGGCGGTGA	CGGTGTGGCA	TTCCTGGGCA	60
CCGCCCCCGG	CGGGCCCGGT	GGTGCCGGCG	GGGCCGGTGG	GCTGTTCAGC	GTCGGTGGGG	120
CCGGCGGCGC	CGGCGGAATC	GGATTGGTCG	GGAACAGCGG	TGCCGGGGGG	TCCGGCGGGT	180
CCGCCCTGCT	CTGGGGCGAC	GGCGGTGCCG	GCGGCGCGGG	TGGGGTCGGG	TCCACTACCG	240
GCGGTGCCGG	CGGGGCGGC	GGCAACGCCA	GCCTGCTGGT	AA		282

#### (2) INFORMATION FOR SEQ ID NO:262:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 415 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:262:

CGGCACGAGC	CGTGCTACTG	GTCAACTGAT	GCCCTGATTG	TGACCTTCCC	GGCGCCGGAT	60
CAGTGCTTCT	CAGGACCGAC	GTAATATTCG	AAAACCAATC	CGGCCGCCGA	GGCGAGGATG	120
AATGCCACAC	CGGCGGCGAT	CAGCCACGGG	AGCCACAACG	CGATGCCGAC	CGCTGCCACC	180
GAGCCGGACA	ACGCGACCAT	GATCGGCCAC	CAGCTATGCG	GACTGAAGAA	TCCAAGTTCT	240
CCTGCGCCGT	CGCTGATTTC	AGCGCCTTCG	TAGTCCTCGG	GCCGGGAATC	TAACCGGCGG	300
GCCACAAACC	GGAAGAAGGT	GGCGACGATC	AACGCCATGC	CGCCGGTGAG	CGCCAACGCA	360
ATGGTGCCAG	CCCACTCGAC	ACCACCGGTG	GCGAACATCG	AGGTCAACAC	GCCGT	415

### (2) INFORMATION FOR SEQ ID NO:263:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 373 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:263:

TCACCGCGTG	AACGGTTCGT	AACACTGATA	CGTATGCTTG	TCAGCGAGCA	GATCAAGTCC	60
AGTCCGACCA	ATGCCAGGAG	ATCATCGGCT	AGGCTCACGG	TTTCGCCTGG	GACGAGACGG	120
TATTGAGTTC	TGGCGTTGGA	CGGTCCGTGG	CGTGGTGGGA	AGTCTGACGC	GGCATCAGAA	180
CGGTTGTCAA	TACCAGTCTT	TGGGGGATAT	GGCCTATTTG	GTGTCGTCGG	GCCGCTCCAC	240
CGGATCCCTT	TTCGAACGTT	GCGCAAGCGC	GGTCCAGTTA	CGGCCTGTTC	ACTGCGCGCT	300
GGCGTAGCTG	CGCGGCCTCG	ATCGGTTTGA	ACGTCATCGC	AATTCCCGCA	ATGGGTGAGT	360
ACCTGACGCT	CCT					373

### (2) INFORMATION FOR SEQ ID NO:264:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 423 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:264:

CCAAACCGGA	CAGGCCGGCA	GCGACGGTCG	GAAGTTGCAC	CACGGTGCGC	GCTCCATGTA	60
GCCAACCGGT	GACCACGGCG	TAGACAGCAG	ATCCGTGGAT	CGCGCGTTCG	GTGTCGTCCG	120
GGCCGAGTAC	CCGCGGGCCG	AACCGCAGCG	ACCAAAGCAA	CGCGATCGAT	ACGGGGATCG	180
CCACTCGTGC	CGAATTCGAG	CTCCGTCGAC	AAGCTTGCGG	CCGCACTCGA	ACCCGGGTGA	240
ATGATTGAGT	TTAAACCGCT	TAGCAATAAC	TAGCATAACC	CCTTGGGGCC	TCTAAACGGG	300
TCTTGAGGGG	TTTTTTGCTG	AAAGGAGGAA	CTATATCCGG	ATAACCTGGC	GTAGTAGCGA	360
AGAGGCCCGC	ACCGATCGCC	CTTCCCAACA	GTTGCGCAGC	CTGAATGGCG	AATGGACGCG	420
CCC						423

### (2) INFORMATION FOR SEQ ID NO:265:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 404 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:265:

AGTGGCCAGC	CGGTCGGCCA	ATGCATCCAG	CTCCCGGTAC	GTCAGCTGAC	CATCCGCCCA	60
ACTGACCGCC	ACCGAGTCAG	GCTGTGCCGC	AGCGATTTCG	GCGAACCGGG	TATGCACCGC	120
GGGTGCCGAC	GTCGTCACAT	CCGGCAGGCC	GGGTGCGGTC	GGATCGTGCT	CGCCGTCCAG	180
CAGAATGTCG	ACGTCGCGCA	GCGGCCGATC	CCACCGGCTG	ACCAAGCGCT	GTAACACAGC	240
CAGCACCCGC	CTGCCGAGGC	TTTCGGGCGC	CATCGTGCCC	AGCGCACCGT	CGAGCACCTC	300
CACTAGCAGC	GTGAGCTCAC	CGGTGCTGCG	GTGCGCGGCG	ACGGTCACCG	GAAAGTGCGA	360
CAAACTCTCT	AGCGCCACCG	GACGGAACGT	CACCCCGTTT	GCGA		404

### (2) INFORMATION FOR SEQ ID NO:266:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 421 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:266:

GTCCTGGTCG	CAGGCTGTTC	TTCGAACCCG	CTGGCTAACT	TCGCACCCGG	GTATCCGCCC	60
ACCATCGAAC	CCGCCCAACC	GGCGGTGTCA	CCGCCTACTT	CGCAAGACCC	GGCCGGTGCA	120
GTGCGACCAC	TGAGCGGCCA	CCCCCGGGCG	<b>GCACTATTCG</b>	ACAACGGCAC	CCGCCAATTG	180
GTGGCTCTGC	GCCCGGGCGC	CGATTCGGCG	GCACCCGCCA	GCATCATGGT	CTTCGATGAC	240
ATGCACGTTG	CACCGCGCGT	CATTTTTCTG	CCGGGCCCGG	CAGCCGCGTT	GACCAGCGAC	300
GACCACGGCA	CGGCCTTCCT	TGCCGCCCGC	GGCGGCTACT	TCGTGGCCGA	CCTGTCCTCC	360
GGTCACACCG	CACGAGTGAA	TGTCGCTGAC	GCAGCGCACA	CCGATTTCAC	CGCGATCGCC	420
C						421

- (2) INFORMATION FOR SEQ ID NO:267:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 426 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:267:

ATGCATATCA	CGCTCAACGC	CATCCTGCGT	GCGATCTTCG	GGGCCGGCGG	CAGTGAACTA	60
GACGAGCTGC	GCCGCCTCAT	TCCGCCGTGG	GTCACGCTGG	GCTCGCGCCT	GGCGGCGCTA	120
CCGAAACCCA	AACGCGACTA	TGGCCGCCTT	AGCCCGTGGG	GCCGGCTGGC	CGAGTGGCGG	180
CGCCAGTACG	ACACTGTCAT	CGACGAGCTC	ATCGAAGCCG	AGCGGGCCGA	CCCGAACTTC	240
GCCGATCGGA	CCGACGTTTT	GGCGTTGATG	CTGCGCAGCA	CTTACGACGA	CGGTTCCATC	300
ATGTCGCGCA	AGGACATTGG	CGACGAACTG	CTCACGCTGC	TTGCCGCCGG	GCACGAAACC	360
ACGGCGGCGA	CATGGGCTGG	GCGTTCGAAC	GGCTCAACCG	GCACCCCGAC	GTGCTCGCGG	420
CTCTGG						426

- (2) INFORMATION FOR SEQ ID NO:268:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 522 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:268:

GTCCTGGTCG	CAGGCTGTTC	TTCGAACCCG	CTGGCTAACT	TCGCACCCGG	GTATCCGCCC	60
ACCATCGAAC	CCGCCCAACC	GGCGGTGTCA	CCGCCTACTT	CGCAAGACCC	GGCCGGTGCA	120
GTGCGACCAC	TGAGCGGCCA	CCCCCGGGCG	GCACTATTCG	ACAACGGCAC	CCGCCAATTG	180
GTGGCTCTGC	GCCCGGGCGC	CGATTCGGCG	GCACCCGCCA	GCATCATGGT	CTTCGATGAC	240
GTGCACGTTG	CACCGCGCGT	CATTTTTCTG	CCGGGCCCGG	CAGCCGCGTT	GACCAGCGAC	300
GACCACGGCA	CGGCCTTCCT	TGCCGCCCGC	GGCGGCTACT	TCGTGGCCGA	CCTGTCCTCC	360
GGTCACACCG	CACGAGTGAA	TGTCGCTGAC	GCAGCGCACA	CCGATTTCAC	CGCGATCGCC	420

CGCCGCTCCG ACGGCAAGCT GGTGCTGGGC AGCGCAGATG GCGCCGTCTA CACGCTTGCC AAGAACCCGC AGTTGACCGG CGTCGGCGCC GCCACCGTAG CC	480 522
(2) INFORMATION FOR SEQ ID NO:269:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 739 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:269:	
GCTGGGGCGC ACCGCCGTCC GGCGGCCCCA GCCCCTGGGC CCAGACCCCG CGCAAAACCA	60
ACCCGTGGCC CTTAGTGGCC GGCGCCGCCG CCGTCGTGCT CGTCCTCGTG TTGGGCGCCA	120
TCGGCATCTG GATCGCCATC CGGCCCAAGC CGGTACAGCC GCCTCAGCCG GTTGCGGAGG	180
AGCGCCTTAG CGCCCTACTG CTGAACTCCT CAGAAGTCAA CGCCGTGATG GGCTCGTCGT	240
CCATGCAGCC GGGCAAACCG ATCACATCGA TGGACTCTTC GCCGGTGACG GTGTCCCTGC	300
CGGACTGCCA GGGCGCGCTG TATACCAGCC AGGATCCGGT GTATGCCGGC ACCGGCTACA	360
CCGCCATCAA CGGCTTGATT TCATCCGAGC CGGGCGACAA CTACGAACAT TGGGTGAACC	420
AAGCCGTCGT CGCCTTTCCG ACCGCCGACA AAGCCCGCGC GTTCGTGCAG ACTTCGGCCG	480
ACAAATGGAA GAACTGCGCA GGCAAGACGG TCACCGTCAC GAATAAGGCC AAGACCTACC	540
GGTGGACGTT TGCCGACGTC AAAGGCAGCC CGCCGACGAT CACGGTGATA GACACCCAAG	600
AAGGCGCTGA GGGCTGGGAA TGCCAACGCG CGATGAGCGT GGCCAACAAT GTGGTTGTCG	660
ACGTCAACGC ATGCGGGTAC CAGATCACCA ATCAAGCAGG CCAGATCGCC GCCAAGATCT	720
GTTGACAAAG TCAACAAGG	739
(2) INFORMATION FOR SEQ ID NO:270:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 69 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: CDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:270:	
AGACGTCGTC GAGGCCGCCA TCGCCCGCGC CGAAGCCGTT AACCCGGCAC TGAACGCGTT GGCGTATGC	60 69
(2) INFORMATION FOR SEQ ID NO:271:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 523 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(B) TOPOLOGI: IIMERI	
(ii) MOLECULE TYPE: cDNA	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:271:

ACTGCACCCG	GCAGGCGCGA	CCAACGGATC	GGGTCAACTA	GCACTGCCGG	TGGAGGCGCC	60
CCCGCGGTCT	GTGCCTTCCC	ACGGGGAACC	CTTGGGCAGC	GCGGCTCCAG	AAGGGTTGGA	120
GGGAGAGTTC	GACGACCGTA	TCGACGAGCG	GTTCCCGGTC	TTCAGCTCGG	CCAGTCTCGC	180
CGAAGCGCTG	CCGGGTCCGC	TGACCCCGAT	GACGCTGGAT	GTCCAGTTGA	GTGGACTGCG	240
CGCGGCCGGT	CGGGCGATGG	GTCGGGTACT	GGCGCTTGGC	GGTGTCGTTG	CCGATGAGTG	300
GGAGAGAAGA	GCCATCGCGG	TGTTCGGTCA	CCGCCCGTAT	ATCGGAGTGT	CGGCCAATAT	360
TGTGGCCGCC	GCCCAACTGC	CGGGGTGGGA	CGCGCAGGCC	GTAACCCGGC	GGGCACTGGG	420
CGAGCAACCG	CAGGTCACTG	AGCTGCTTCC	GTTTGGTCGA	CCGCAACTTG	CGGGCGGACC	480
GCTCGGCTCG	GTCGCGAAGG	TGGTCGTGAC	GGCACGGTCG	CTG		523

#### (2) INFORMATION FOR SEQ ID NO:272:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 224 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:272:

GTGTCGGTGT	CGTCGGGGTA	GGAGCGACTT	CCCCGGCCGG	CGCCGGCGCC	GGAGCGGGCT	60
CTGCAGGAAC	CGGTGCCGGC	GCCGGCGGCG	GGGCGACCAA	AGGCCGGATC	GATTCGGCCA	120
GCGCCTTGGC	CGCGCCCTTG	TCCACCGGGT	TGTTGGCGGT	CCCGAGCCAT	ACCACAAACC	180
AACGCTGAAG	GGGCCCGGCG	TCCGGTGCGT	TCGCCGCGG	CGAC		224

#### (2) INFORMATION FOR SEQ ID NO:273:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 521 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:273:

TGAACTGACT	GCCCCGCTCG	ATCGGCGGCG	GCGGCGTGTC	ATAGCTGCGC	CGCCAGGCCA	60
TGAACTGCTC	TTCGCCATAG	CGGGCCTTGG	TCTCGGCCTT	GTCCAAACCC	TGCAGCGCGC	120
CGTAGTGGCG	TTCGTTGAGC	CGCCAGCTAC	GCCGCACGGG	AATCCAGAGC	CGATCGGCGC	180
TGTCCAACGC	CAGATGCGCG	GTGGTGATCG	CGCGCCGCAG	CAACGAGGTG	TAGAGCACGT	240
CGGGCAATAG	GTCGTGTTCC	GCGATCAGCT	CGCCGCTTCG	AACCGCCTCT	GCCTGGCCCT	300
TGTCCGTCAG	GCCGACATCG	ACCCAGCCGG	TGAACAGGTT	GAGGGCATTC	CAGTCGCTCT	360
CGCCGTGGCG	CAGCAACACC	AGGCTGCCAG	TGTTTGCCAT	ACCGGCAAGT	CTCTCACGCA	420
CTCCCGCACT	CCTCATCGTG	GACCAAAATG	CCCGAATTCT	CCTCGGTCCG	CTGCGCAGCG	480
CGTTCATACC	GCCGAGGTGG	TCGGCACCGT	AACGGCCGGT	T		521

- (2) INFORMATION FOR SEQ ID NO:274:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 426 base pairs
  - (B) TYPE: nucleic acid

571

(C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO:274: CTCCAGGCTC ATTCGCTCGA ACAAAGCCAC CCGGCCGTAC AGCGGACGCC CCCATTCGTT 60 GTCGTGATAG TCGCGGTACA GCTGGGCATC GGGCCCTGGA CGAACCTCCG CCCAGGGGCA 120 GCGAACCAGC CCGTCGCCGC TCACGCGGG TCAGAACGGT AGTGCACGAC AGTCTCGCCG 180 CGCGAAGGGT TTGACGCGTC AGACTCGGCC TCGGCGTCTT CCGACGAGGC GTGGATCGCC 240 CCGAGCTGAG AGCGTAGCGC CTCGAGCTCA CGGCCGAGCC GTTCCAGCAC CCAGTCCACC 300 TCGCTGGTCT TGTTCCCGCG CAGCACCTGC GTGAACTTGA CCGCGTCGAC ATCGGCGCGG 360 GTGACCCGGA ACGCCGGCAG CGTCGTCGCC GTCGTCGCCC GCGGCAGGGG CGGCAACTGC 420 TCGCCA 426 (2) INFORMATION FOR SEQ ID NO:275: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 219 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (xi) SEQUENCE DESCRIPTION: SEO ID NO:275: GCGGACACGG CGGACAAAGC GCAATCGGCC TCGGCGGCGG CGCCGGCGGC GACGGGGGCC AGGGCGGCGC CGGCCGCGGA CTGTGGGGTA CTGGCGGCGC CGGCGGACAC GGCGGGGCAA 120 GGCGGTGGTA CCGGGGGCCC ACCGCTGCCC GGTCAGGCAG GCATGGGCGC CGCGGGTGGC 180 GCCGGTGGGC TGATCGGCAA CGGCGGGGCC GGCGGCGAC (2) INFORMATION FOR SEQ ID NO:276: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 571 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (xi) SEQUENCE DESCRIPTION: SEQ ID NO:276: AAGATCATCG GCGCCGCTCC TTAGCATCGC TGCGCTCTGC ATCGTCGCCG GCGCGGATCA 60 CGGAGGTCCG GCCTTGTACC CCACTCCTCG AACGGTCAGC ACCACAGTCG GGTTCTCGGG 120 ATCCTTTCG ACCTTGGCCC GCAGACGCTG GACATGCACG TTCACCAGCC TGGTATCGGC TGGGTGCCGG TAACCCCATA CCTGTTCGAG CAGCACATCA CGAGTAAACA CCTGGCGCGG 240 CTTGCGCGCC AATGCGACCA ACAGGTCGÃA TTCCAGCGGT GTCAACGAGA TCTGCTCACC 300 GTTGCGAGTG ACCTTGTGCG CCGGTACGTC GATTTCTACG TCGGCGATGG ACAGCATCTC 360 GGCGGGTTCG TCGTCGTTGC GGCGCAGCCG CGCCCGCACC CGCGCAACCA GCTCCTTGGG 420 CTTGAACGGC TTCATGATGT AGTCGTCGGC GCCCGACTCC AGACCCAGCA CCACATCCAC 480

GGTGTCGGTC TTTGCGGTGA GCATCACGAT CGGAACACCG GAATCGGCGC GCAACACCCG

GCACACGTCG ATGCCGTTCA TACCGGGGCA A

WO 99/42076 PCT/US99/03268

234

(2) INFORMATION FOR SEQ ID NO:277:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 93 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:277:

Leu Phe Gly Ala Gly Gly Val Gly Val Gly Gly Asp Gly Val Ala Phe Leu Gly Thr Ala Pro Gly Gly Pro Gly Gly Ala Gly Gly Ala Gly Gly Leu Phe Ser Val Gly Gly Ala Gly Gly Ala Gly Gly Ile Gly Leu Val Gly Asn Ser Gly Ala Gly Gly Ser Gly Gly Ser Ala Leu Leu Trp 60 Gly Asp Gly Gly Ala Gly Gly Gly Val Gly Ser Thr Thr Gly 70 Gly Ala Gly Gly Ala Gly Gly Asn Ala Ser Leu Leu Val

- (2) INFORMATION FOR SEQ ID NO:278:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:278:

Met Pro Pro Val Ser Ala Asn Ala Met Val Pro Ala His Ser Thr Pro 1 5 10 Pro Val Ala Asn Ile Glu Val Asn Thr Pro 20

- (2) INFORMATION FOR SEQ ID NO:279:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 26 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:279:

WO 99/42076 PCT/US99/03268

235

Lys Pro Asp Arg Pro Ala Ala Thr Val Gly Ser Cys Thr Thr Val Arg 5 Ala Pro Cys Ser Gln Pro Val Thr Thr Ala 20

- (2) INFORMATION FOR SEQ ID NO:280:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:280:

Trp Pro Ala Gly Arg Pro Met His Pro Ala Pro Gly Thr Ser Ala Asp His Pro Pro Asn 20

- (2) INFORMATION FOR SEQ ID NO:281:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 140 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:281:

Val Leu Val Ala Gly Cys Ser Ser Asn Pro Leu Ala Asn Phe Ala Pro 10

Gly Tyr Pro Pro Thr Ile Glu Pro Ala Gln Pro Ala Val Ser Pro Pro 25

Thr Ser Gln Asp Pro Ala Gly Ala Val Arg Pro Leu Ser Gly His Pro

Arg Ala Ala Leu Phe Asp Asn Gly Thr Arg Gln Leu Val Ala Leu Arg

Pro Gly Ala Asp Ser Ala Ala Pro Ala Ser Ile Met Val Phe Asp Asp

Met His Val Ala Pro Arg Val Ile Phe Leu Pro Gly Pro Ala Ala Ala 90

Leu Thr Ser Asp Asp His Gly Thr Ala Phe Leu Ala Ala Arg Gly Gly 105

Tyr Phe Val Ala Asp Leu Ser Ser Gly His Thr Ala Arg Val Asn Val 120=

Ala Asp Ala Ala His Thr Asp Phe Thr Ala Ile Ala 130

(2) INFORMATION FOR SEQ ID NO:282:

WO 99/42076 PCT/US99/03268

236

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 142 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:282:

Met His Ile Thr Leu Asn Ala Ile Leu Arg Ala Ile Phe Gly Ala Gly Gly Ser Glu Leu Asp Glu Leu Arg Arg Leu Ile Pro Pro Trp Val Thr Leu Gly Ser Arg Leu Ala Ala Leu Pro Lys Pro Lys Arg Asp Tyr Gly Arg Leu Ser Pro Trp Gly Arg Leu Ala Glu Trp Arg Arg Gln Tyr Asp Thr Val Ile Asp Glu Leu Ile Glu Ala Glu Arg Ala Asp Pro Asn Phe 70 Ala Asp Arg Thr Asp Val Leu Ala Leu Met Leu Arg Ser Thr Tyr Asp Asp Gly Ser Ile Met Ser Arg Lys Asp Ile Gly Asp Glu Leu Leu Thr 105 Leu Leu Ala Ala Gly His Glu Thr Thr Ala Ala Thr Trp Ala Gly Arg 120 Ser Asn Gly Ser Thr Gly Thr Pro Thr Cys Ser Arg Leu Trp 130 135

- (2) INFORMATION FOR SEQ ID NO:283:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 163 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:283:

Val Leu Val Ala Gly Cys Ser Ser Asn Pro Leu Ala Asn Phe Ala Pro Gly Tyr Pro Pro Thr Ile Glu Pro Ala Gln Pro Ala Val Ser Pro Pro 25 Thr Ser Gln Asp Pro Ala Gly Ala Val Arg Pro Leu Ser Gly His Pro 40 Arg Ala Ala Leu Phe Asp Asn Gly Thr Arg Gln Leu Val Ala Leu Arg Pro Gly Ala Asp Ser Ala Ala Pro\*Ala Ser Ile Met Val Phe Asp Asp Val His Val Ala Pro Arg Val Ile Phe Leu Pro Gly Pro Ala Ala Ala 90 Leu Thr Ser Asp Asp His Gly Thr Ala Phe Leu Ala Ala Arg Gly Gly 100 105

## (2) INFORMATION FOR SEQ ID NO:284:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 240 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:284:

Trp Gly Ala Pro Pro Ser Gly Gly Pro Ser Pro Trp Ala Gln Thr Pro Arg Lys Thr Asn Pro Trp Pro Leu Val Ala Gly Ala Ala Ala Val Val 25 Leu Val Leu Val Leu Gly Ala Ile Gly Ile Trp Ile Ala Ile Arg Pro Lys Pro Val Gln Pro Pro Gln Pro Val Ala Glu Glu Arg Leu Ser Ala 55 Leu Leu Leu Asn Ser Ser Glu Val Asn Ala Val Met Gly Ser Ser Ser 75 Met Gln Pro Gly Lys Pro Ile Thr Ser Met Asp Ser Ser Pro Val Thr 85 90 Val Ser Leu Pro Asp Cys Gln Gly Ala Leu Tyr Thr Ser Gln Asp Pro 105 Val Tyr Ala Gly Thr Gly Tyr Thr Ala Ile Asn Gly Leu Ile Ser Ser 120 Glu Pro Gly Asp Asn Tyr Glu His Trp Val Asn Gln Ala Val Val Ala 135 Phe Pro Thr Ala Asp Lys Ala Arg Ala Phe Val Gln Thr Ser Ala Asp 150 155 Lys Trp Lys Asn Cys Ala Gly Lys Thr Val Thr Val Thr Asn Lys Ala 170 Lys Thr Tyr Arg Trp Thr Phe Ala Asp Val Lys Gly Ser Pro Pro Thr 185 Ile Thr Val Ile Asp Thr Gln Glu Gly Ala Glu Gly Trp Glu Cys Gln 200 Arg Ala Met Ser Val Ala Asn Asn Val Val Asp Val Asn Ala Cys 215 220 Gly Tyr Gln Ile Thr Asn Gln Ala Gly Gln Ile Ala Ala Lys Ile Cys 230

## (2) INFORMATION FOR SEQ ID NO:285:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 22 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:285:

Asp Val Val Glu Ala Ala Ile Ala Arg Ala Glu Ala Val Asn Pro Ala 1 5 10 15
Leu Asn Ala Leu Ala Tyr

- (2) INFORMATION FOR SEQ ID NO:286:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 174 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:286:

Leu His Pro Ala Gly Ala Thr Asn Gly Ser Gly Gln Leu Ala Leu Pro 1 5 10 15 Val Glu Ala Pro Pro Arg Ser Val Pro Ser His Gly Glu Pro Leu Gly

val Glu Ala Pro Pro Arg Ser Val Pro Ser His Gly Glu Pro Leu Gly
20 25 30

Ser Ala Ala Pro Glu Gly Leu Glu Gly Glu Phe Asp Asp Arg Ile Asp 35 40 45

Glu Arg Phe Pro Val Phe Ser Ser Ala Ser Leu Ala Glu Ala Leu Pro 50 55 60

Gly Pro Leu Thr Pro Met Thr Leu Asp Val Gln Leu Ser Gly Leu Arg
65 70 75 80

Ala Ala Gly Arg Ala Met Gly Arg Val Leu Ala Leu Gly Gly Val Val 85 90 95

Ala Asp Glu Trp Glu Arg Arg Ala Ile Ala Val Phe Gly His Arg Pro 100 105 110

Tyr Ile Gly Val Ser Ala Asn Ile Val Ala Ala Ala Gln Leu Pro Gly
115 120 125

Trp Asp Ala Gln Ala Val Thr Arg Arg Ala Leu Gly Glu Gln Pro Gln 130 135 140

Val Thr Glu Leu Leu Pro Phe Gly Arg Pro Gln Leu Ala Gly Gly Pro 145 150 155 160

Leu Gly Ser Val Ala Lys Val Val Val Thr Ala Arg Ser Leu 165 170

- (2) INFORMATION FOR SEQ ID NO:287:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 61 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:287:

Val Gly Val Val Gly Val Gly Ala Thr Ser Pro Ala Gly Ala Gly Ala 1 5 15

Gly Ala Gly Ser Ala Gly Thr Gly Ala Gly Ala Gly Gly Gly Ala Thr
20 25 30

Lys Gly Arg Ile Asp Ser Ala Ser Ala Leu Ala Ala Pro Leu Ser Thr 35 40 45

Gly Leu Leu Ala Val Pro Ser His Thr Thr Asn Gln Arg
50 55 60

- (2) INFORMATION FOR SEQ ID NO:288:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 133 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:288:

Met Ala Asn Thr Gly Ser Leu Val Leu Leu Arg His Gly Glu Ser Asp

10 15

Trp Asn Ala Leu Asn Leu Phe Thr Gly Trp Val Asp Val Gly Leu Thr

Asp Lys Gly Gln Ala Glu Ala Val Arg Ser Gly Glu Leu Ile Ala Glu

His Asp Leu Leu Pro Asp Val Leu Tyr Thr Ser Leu Leu Arg Arg Ala 50 55 60

Ile Thr Thr Ala His Leu Ala Leu Asp Ser Ala Asp Arg Leu Trp Ile

Pro Val Arg Arg Ser Trp Arg Leu Asn Glu Arg His Tyr Gly Ala Leu 85 90 95

Gln Gly Leu Asp Lys Ala Glu Thr Lys Ala Arg Tyr Gly Glu Glu Gln
100 105 110

Phe Met Ala Trp Arg Arg Ser Tyr Asp Thr Pro Pro Pro Pro Ile Glu 115 120 125

Arg Gly Ser Gln Phe

- (2) INFORMATION FOR SEQ ID NO:289:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 63 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:289:

 Pro Gly Ser Phe Ala Arg Thr Lys Pro Pro Gly Arg Thr Ala Asp Ala 1
 5
 10
 15

 Pro Ile Arg Cys Arg Asp Ser Arg Gly Thr Ala Gly His Arg Ala Leu 20
 25
 30

 Asp Glu Pro Pro Pro Pro Arg Gly Ser Glu Pro Ala Arg Arg Arg Ser Arg 35
 40
 45

 Gly Val Arg Thr Val Val His Asp Ser Leu Ala Ala Arg Arg Val 50
 55
 60

#### (2) INFORMATION FOR SEQ ID NO:290:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 72 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:290:

Gly His Gly Gly Gln Ser Ala Ile Gly Leu Gly Gly Gly Ala Gly Gly 1 5 10 10 15

Asp Gly Gly Gln Gly Gly Ala Gly Arg Gly Leu Trp Gly Thr Gly Gly 20 25 30

Ala Gly Gly His Gly Gly Ala Arg Arg Trp Tyr Arg Gly Pro Thr Ala 35 40 45

Ala Arg Ser Gly Arg His Gly Arg Arg Gly Trp Arg Arg Trp Ala Asp 50 55 60

Arg Gln Arg Arg Gly Arg Arg Arg Arg 55

#### (2) INFORMATION FOR SEQ ID NO:291:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 74 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:291:

Pro Ile Pro Val Arg Ala Ala His His Glu 65 70

- (2) INFORMATION FOR SEQ ID NO:292:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 174 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:292:

CCGCACGTAA CACCGTGAAT TGAAGGGAGC CGCTGGTCAT GGGCCGATTC TATCCGTGGG 60
CGAACGGTTA TTGACGGCCC GGAGGCCACT CCGCTGCCAC CAAGTGGTGA CTCAGCGCGT 120
TTTCACGGCA ACGAACGGCG GACACACCAC TTGACATTCG ACAGCACGGC CGCG 174

- (2) INFORMATION FOR SEQ ID NO:293:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 404 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:293:

TCGCAAACGG GGTGACGTTC CGTCCGGTGG CGCTAGAGAG TTTGTCGCAC TTTCCGGTGA 60
CCGTCGCCGC GCACCGCAGC ACCGGTGAGC TCACGCTGCT AGTGGAGGTG CTCGACGGTG 120
CGCTGGGCAC GATGGCGCC GAAAGCCTCG GCAGGCGGGT GCTGGCTGTG TTACAGCGCT 180
TGGTCAGCCG GTGGGATCGG CCGCTGCGCG ACGTCGACAT TCTGCTGGAC GGCGAGCACG 240
ATCCGACCGC ACCCGGCCTG CCGGATGTGA CGACGTCGGC ACCCGCGGTG CATACCCGGT 300
TCGCCGAAAT CGCTGCGGCA CAGCCTGACT CGGTGGCGGT CAGTTGGGCG GATGGTCAGC 360
TGACGTACCG GGAGCTGGAT GCATTGGCCG ACCGGCTGGC CACT 404

- (2) INFORMATION FOR SEQ ID NO:294:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 134 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:294:

Ala Asn Gly Val Thr Phe Arg Pro Val Ala Leu Glu Ser Leu Ser His

1 5 10 15

Phe Pro Val Thr Val Ala Ala His Arg Ser Thr Gly Glu Leu Thr Leu
20 25 30

 Leu
 Val
 Glu
 Val
 Leu
 Asp
 Gly
 Ala
 Leu
 Gly
 Thr
 Met
 Ala
 Pro
 Glu
 Ser
 Arg
 Trp

 Leu
 Gly
 Arg
 Arg
 Val
 Leu
 Ala
 Val
 Leu
 Gln
 Arg
 Leu
 Val
 Ser
 Arg
 Trp

 Asp
 Arg
 Pro
 Leu
 Arg
 Asp
 Val
 Asp
 Ile
 Leu
 Leu
 Arg
 Gly
 Glu
 His
 Arg
 Gly
 Gly
 Leu
 Arg
 Val
 Arg
 Ile
 Arg
 Gly
 Ile
 Arg
 Ile
 Arg
 Ile
 Arg
 Ile
 Inc
 I

#### (2) INFORMATION FOR SEQ ID NO:295:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 526 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:295:

GCTTCGACGG	CTACGAGTAC	CTGTTCTGGG	TGGGTTGTGC	GGGCGCCTAC	GACGACAAGG	60
CCAAGAAGAC	CACCAAGGCC	GTCGCCGAGC	TGTTCGCCGT	CGCCGGGGTG	AAATACTTGG	120
TGCTGGGCGC	TGGGGAAACC	TGCAACGGCG	ACTCGGCGCG	CCGCTCCGGC	AACGAGTTCC	180
TCTTCCAGCA	GCTGGCACAA	CAGGCCGTCG	AGACCCTGGA	CGGTTTGTTC	GAGGGTGTGG	240
AGACCGTCGA	CCGCAAGATC	GTTGTCACCT	GCCCGCACTG	CTTCAACACC	ATCGGCAAGG	300
AATATCGGCA	GCTGGGCGCC	AACTACACCG	TGCTGCACCA	CACCCAGCTG	CTCAATCGGT	360
TGGTGCGCGA	CAAGAGGCTG	GTCCCTGTCA	CTCCGGTTTC	TCAGGACATC	ACCTACCACG	420
ACCCGTGCTA	CCTGGGTCGG	CACAACAAGG	TCTACGAGGC	ACCACGGGAG	CTGATCGGTG	480
CCGCGGGGGC	CACCTGAGCC	GAGATGCCGC	GCCATGCCGA	CCGCAG		526

### (2) INFORMATION FOR SEQ ID NO:296:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 487 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:296:

CTCGCCGCCG	TGATCTGGCC	GGCGAACTTC	GTCAGTGCAT	CCAGACCCCA	ACGATCATCG	60
ATCAGGCCGA	TGCCCATGAT	CACCGCACCG	GCCACCAGCA	CCGCGGGCAT	GCCGGTGGAA	120
TAGACGAACC	CCCGGGTGAG	TGCCGGAAGC	TGGGAGGCAA	GAAAGACGGC	GCCGACAATG	180
CCCAGGAACA	TCGCCAACCC	ACCCATCCGA	GGGGTAGGCG	TGACGTGCAC	ATCTCGCTCC	240
CGCGGGTAGG	CGACGGCTCC	CAGGCGACTG	GCCAGCATCC	GCACCGGACC	GGTCGCAAAA	300
TAGGTGATGA	TCGCCGCGGT	CAGCCCGACC	AGCGCAAGCT	CACGCAGCGG	GACACCGGCG	360

600

610

CCGCGATAGG ACAGGGCGAG CAAGCCACCG GCAACGCCGG CCACATCGCT GGACACCTCG	420
AGACCGTACT GCACCAACCT GAAGAGCTGA ACACTCGCCG AACGTGCAAC AGCTGCGAAC	480
AATTGGG	487
ANI 1000	40/
(2) INFORMATION FOR SEQ ID NO:297:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 528 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:297:	
ACGAAGCGCG AGAATATGAG CCGGGGCAAC CCGGCATGTA CGAGCTTGAG TTCCCGGCGC	
CTCAGCTGTC GTCGTCCGAC GGCCGTGGTC CGGTGTTGGT GCACGCTTTG GAAGGTTTCT	
CCGACGCCGG CCATGCGATC CGGCTGGCCG CCGCCCACCT CAAGGCGGCC CTGGACACAG	180
AGCTGGTCGC GTCCTTCGCG ATCGATGAAC TACTGGACTA CCGCTCGCGG CGGCCATTAA	240
TGACTTTCAA GACCGATCAT TTCACCCACT CCGATGATCC TGAGCTAAGC CTGTATGCGC	300
TGCGCGACAG CATCGGCACC CCATTTCTGC TGCTGGCGGG TTTGGAGCCG GACCTGAAGT	360
GGGAGCGGTT CATCACCGCC GTCCGATTGC TGGCCGAGCG CCTGGGTGTA CGGCAGAACC	
ATCGGCCTGG GCACCGTCCC GATGGCCGTT CCGCACACAC GACCGATCAC GATGACCGCT	
CATTCCAACA ACCGGGAGCT ATCTCCGATT TTCAACCGTT CGATCTCC	528
(4) TITTONIA WYOU TOD ONE TO 110 000	
(2) INFORMATION FOR SEQ ID NO:298:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 610 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(-)	
(ii) MOLECULE TYPE: cDNA	
,,	
(xi) SEQUENCE DESCRIPTION: SEO ID NO:298:	
CCAAGCCCGT CAAGGAGCCG GTGCCGGCCT TGCCTCCGGT GCCGCCGACG CCGGCGTTGC	60
CGCCGTTGCC GCCGTTGCCG CCGGTACCGG GGTTTCCTAC GGTGCCGCCG CCCGGCAGCA	120
TGGCCCCGCT GTTTAGGCCG TTTTCGCCGG CCCCGCCGTC ACCGGCTTTG CCGCCATCGC	180
CGCCGTTGCC GCCGCTGGTG GGGGTGGCGG CCTGGTTGAC GTATTGTTCC ACCGGCCCGG	240
CCCTTGACCC TTTGGCGGTG TCGATCGCGG CGTCGATGGA TCCGCCGACC ACGACGTGCG	300
AAGCCTCGCC TGCCGCCGCA GCCGCCCAAC TGTGTCGCGG CTCCTGCGAT TTGGCCCCGG	360
CCGACGAGAT GATGGGCACC ACCGGAGCCT GCGGCCGTCT GGGGGAGGCC AGCGCGGGTT	420
CGCGGTCACG CCATACGCGA CGGTGCGCCG CCGCTTCGGA GATTTGCAGG CTGCGTTGCA	480

### (2) INFORMATION FOR SEQ ID NO:299:

CCAGATCGAG CAGCGGTGTG CCCAGGGACT GGGTTAGCCC GTTGGCGCCG CCGTTGTAGC

GGCGAGCGCA ATATCGGTGC CCACTCGACC CAACCGCGAC TCCATAAGCG ACACCATTCG

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 164 amino acids
  - (B) TYPE: amino acid

CGGTTGATGC

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:299:

Phe Asp Gly Tyr Glu Tyr Leu Phe Trp Val Gly Cys Ala Gly Ala Tyr Asp Asp Lys Ala Lys Lys Thr Thr Lys Ala Val Ala Glu Leu Phe Ala Val Ala Gly Val Lys Tyr Leu Val Leu Gly Ala Gly Glu Thr Cys Asn 40 Gly Asp Ser Ala Arg Arg Ser Gly Asn Glu Phe Leu Phe Gln Gln Leu Ala Gln Gln Ala Val Glu Thr Leu Asp Gly Leu Phe Glu Gly Val Glu Thr Val Asp Arg Lys Ile Val Val Thr Cys Pro His Cys Phe Asn Thr 90 Ile Gly Lys Glu Tyr Arg Gln Leu Gly Ala Asn Tyr Thr Val Leu His 105 His Thr Gln Leu Leu Asn Arg Leu Val Arg Asp Lys Arg Leu Val Pro 120 Val Thr Pro Val Ser Gln Asp Ile Thr Tyr His Asp Pro Cys Tyr Leu 135 140 Gly Arg His Asn Lys Val Tyr Glu Ala Pro Arg Glu Leu Ile Gly Ala 150 155 Ala Gly Ala Thr

## (2) INFORMATION FOR SEQ ID NO:300:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 161 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:300:

## (2) INFORMATION FOR SEQ ID NO:301:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 175 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:301:

Glu Ala Arg Glu Tyr Glu Pro Gly Gln Pro Gly Met Tyr Glu Leu Glu Phe Pro Ala Pro Gln Leu Ser Ser Ser Asp Gly Arg Gly Pro Val Leu 25 Val His Ala Leu Glu Gly Phe Ser Asp Ala Gly His Ala Ile Arg Leu Ala Ala Ala His Leu Lys Ala Ala Leu Asp Thr Glu Leu Val Ala Ser Phe Ala Ile Asp Glu Leu Leu Asp Tyr Arg Ser Arg Arg Pro Leu Met Thr Phe Lys Thr Asp His Phe Thr His Ser Asp Asp Pro Glu Leu Ser 90 Leu Tyr Ala Leu Arg Asp Ser Ile Gly Thr Pro Phe Leu Leu Ala 105 Gly Leu Glu Pro Asp Leu Lys Trp Glu Arg Phe Ile Thr Ala Val Arg 120 Leu Leu Ala Glu Arg Leu Gly Val Arg Gln Asn His Arg Pro Gly His 135 Arg Pro Asp Gly Arg Ser Ala His Thr Thr Asp His Asp Asp Arg Ser 150 155 Phe Gln Gln Pro Gly Ala Ile Ser Asp Phe Gln Pro Phe Asp Leu 165 170

## (2) INFORMATION FOR SEQ ID NO:302:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 178 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein

WO 99/42076 PCT/US99/03268

246

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:302:

Lys Pro Val Lys Glu Pro Val Pro Ala Leu Pro Pro Val Pro Pro Thr 5 10 Pro Ala Leu Pro Pro Leu Pro Pro Leu Pro Pro Val Pro Gly Phe Pro 25 Thr Val Pro Pro Gly Ser Met Ala Pro Leu Phe Arg Pro Phe Ser 40 Pro Ala Pro Pro Ser Pro Ala Leu Pro Pro Ser Pro Pro Leu Pro Pro 55 Leu Val Gly Val Ala Ala Trp Leu Thr Tyr Cys Ser Thr Gly Pro Ala 70 75 Leu Asp Pro Leu Ala Val Ser Ile Ala Ala Ser Met Asp Pro Pro Thr 90 Thr Thr Cys Glu Ala Ser Pro Ala Ala Ala Ala Ala Gln Leu Cys Arg 105 Gly Ser Cys Asp Leu Ala Pro Ala Asp Glu Met Met Gly Thr Thr Gly 120 Ala Cys Gly Arg Leu Gly Glu Ala Ser Ala Gly Ser Arg Ser Arg His 140 135 Thr Arg Arg Cys Ala Ala Ala Ser Glu Ile Cys Arg Leu Arg Cys Thr 150 155 Arg Ser Ser Ser Gly Val Pro Arg Asp Trp Val Ser Pro Leu Ala Pro 165 170 Pro Leu

#### (2) INFORMATION FOR SEQ ID NO:303:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 921 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:303:

AATTCGGCAC GARCAGCACC AACACCGGCT TCTTCAACTC CGGCGACGTC AATACCGGTA 60 TCGGCAACAC CGGCAGCTTC AACACCGGCA GCTTCAATCC GGGCGATTCC AACACCGGGG ATTTCAACCC ANGCAGCTAC CACACGGGGA CTCGGAAACA CCGGCGATTT TACACCGGCS 180 CCTTCATCTC CGGCAGCTAC AGCAACGGGT CTTGTGGAGT GGAAATTATC AGGGCTCATT GENTGCACCC GGSCTTRCGA ATCCCTCGKG CCAATTCAAC TCCTCNACAA GCTTGCGGCC 300 GCACTCSAGC CCGGGTGAAT GATTGAGTTT AACCGCTNAN CAATAACTAG CATAACCCCT 360 TKGGGCCTCT AAACGGGTCT TGAAGGGTTT TTTGCTGAAA GGANGAACTA TATCCGGATA ACTGGCGTAN TACGAAAAGC CGCACCGATC GCCTTCCCAA CAGTTGCGCA CCKGAATGGC 480 AATGGACCNC CCTKTTACCG GSCATTAACN CGGGGGTGTN GGKGTTACCC CCACGTNACC 540 GCTACCTTGC CANNSSCCTN RSGCCGTCTT TCSTTTCTTC CTTCCTTCTC CCMCTTCGCC 600 GGTTCCCNTC AGCTCTAAAT CGGGGNNCCC TTTMGGGTTC CAATTATTGC TTACNGSCCC 660 CCACCCCAAA AAYTNATTNG GGTTAATGTC CCTIMTTGGG CNTCCCCCTA WTNANNGTTT 720 TCCCCCTTNA CTTTGRSTCC CTTCYTTATW NTGAMNCTNT TTCCACYGGA AAAMNCTCCA 780 CCNTTYSSGS TTTCCTTTGA WTTATMRGGR AATTSCAATY CCGCYTTKGG TTMAANTTAA 840 CYTATTTCNA ATTITCCCGM ITITMMNATR TINSNCKCGM KNCTCCNRKA SSGNITTCCT 900 CCCCCYTTSS GKTYCCCCRN G 921

#### (2) INFORMATION FOR SEQ ID NO:304:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1082 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:304:

AATTCGGCAC	GAGATANGGG	CGCACCGGGG	TCCGCAGCCG	GCGGGACCGT	CGCCAGCACC	60
ACCGGGGTCA	ACAGCACCAC	GGTGGCGTCC	ANGCAGAGCG	CCGCGGTGAT	GGCGGCCGAG	120
ACGGCRAACA	CCTGCCGTAG	CAGTCGGTGC	GACTCCGCGC	TCGCTCGANC	CATGGCCGCG	180
CCGGCTGCCT	CGAACANGCC	TTCGTCGTCC	ACAGCTTAGC	CAGCANCCAA	ACCGCACCCA	240
GAAACCCACA	CGCCCGCCGC	CCCGGANACC	TGCGCCATCG	KCTGCTGGGG	CGANATCCCC	300
CGATCGCTNA	CANGATGACC	GCTGCCGGAA	CGCCGCCGCT	GCCTCCGGGC	AGCCGCGTGG	360
GCSGGGCAAC	CGCGAACCCA	NGAACACGGC	AAGCAGTATC	ANCGCAACAG	CAATTGTCAA	420
GGGCTAAACG	CTTCACATCC	AGGGATCTCG	CGGCGCCACA	CCGTCGGMTC	TGCAGSGCGA	480
CCCCNTCCTN	GGGCGGNCAC	TCNTCAAAGA	TGCNGATCNA	CAGKCTAGGT	CTTCGGCCGA	540
TATGSAAGGN	CCCAACGGNT	TTAAAGCGGC	SAAAAAASTC	TCCCANTGGA	TAAAATCAGC	600
CGGGGANCCC	CCCGTGSCMM	NGTCYCGGKC	ATTNTTCAAC	MGGTTTNACG	GCGGKTGCNG	660
GCCAACTKGC	CAAAMITAAG	KTNGGGGNTY	CGGGGCGGTA	ACCGGCNNTK	NGCCCCTTAA	720
AAAACCGGNC	YTTTCTKGAT	TAMMACCGGN	CCCCCAWTGG	CGGKTGKTCC	CANGNIYAAC	780
AMCCYCCCSS	MNGGGKTGGS	SAACCCTTCC	CGNGGGGTTC	NTKGTTSCYT	AWMCCCCCGG	840
AAACCSGKYG	GGKTGGCRTN	WASSAMNCCC	CMNGYYTCTT	TAAAGGCCAN	KNRAAWGKYT	900
CCTTGGGAAW	CCINCAATYC	GAAAAYYCTC	CTYMMGSSCN	CTTKCWRTYN	NRNGGGAACS	960
AMWINYCCNC	GWTTCAWTCG	GGTCCGASMN	AAACKCTTTY	TTTTYCGSSC	STCCMGGSNC	1020
SGGTKNANAN	AAASATTTMC	YYCNNNANKK	YYYCSSGCTT	CYKMGRRNRR	GMGAACCCGR	1080
GS				•		1082

### (2) INFORMATION FOR SEQ ID NO:305:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 990 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:305:

AATTGGCACG	AGTGATCGCG	CTGAAGCCGG	TAGCGCGGGT	GGCTCGGGTG	GTTTGCGAAC	60
RAAATCCGCT	CGANGTGGTC	TCGGTAGGCG	GTGTCCANAA	CGGTGGCGCG	GTGCCGGCGG	120
ATCTGATCGG	CGCGGCCGTA	GTGCACGTCG	GCGGGCGTGT	GCAGTCCGAT	GCCGGAATGC	180
TTGTGTTCGT	GGTTGTACCA	GCCGAAGAAC	CGGTCGCAGT	GCACCCGGGC	CGCCTCGATC	240
GACTCGAACC	GTTTCGGGAA	ATCGGGCCGG	TACTTGAAGG	TCTYGAACTG	GGCCTCAGAC	300
AACGGGTTGT	CTTGCTGGTG	TGCGGGCGTG	AGTGCGACTT	GGTGACACCG	AAGTCGGCCA	360
NCANCAATGC	CACCGGTTTG	GAACTCATCC	ACAACCCCCG	TCCGCGTCMA	GGTCACTTGT	420
NCGGCGCTAA	TTTNYTGGGC	GGCAAGGGTT	TGCCGAYCAN	KCCGCTCGGC	CAAAACTTCG	480
ANTCNCSCCA	AGGCCNCCAT	CCNCCCAAAC	AMGTTACGGG	ANAAAANATY	CAAAGAYCAC	540
CYTCCGGKTN	TTATANCTYC	CCYTTTGSTY	GGGCCCCCX	CYYTGKKNAT	ACCCCTNCCA	600

AWTCCCAACN CCCKCCAANA RCYKGGGGCC CCCNCCAACC CGGGKGAAKA WTAATTTAAA	660
CCCYAACMAW ACTWMMNACC CNNGGGSCCY AAMCGTYYNR AGGTTTTSCT NAAAGAAASA	720
ANTEGGAAME CGGNTSTACE AAAAASCECK CENWTECETE CRASATTGSE NEESAAWKSA	780
AKGCCCCCNY TCSGCNWNNC CSGCGGKKKT KKGTTNCCCT WMRCWMWYTS GGCCNASCCN	840
CKYYSSMYCC CCCCTCCCCM CTCCGNKTCC CCAMCCYANC MGGCCCCYTM GKKCCCWKNT	900
YKGCCCCCC AMMININGGG WGACCCTNGG CCCCMKRRGM TCCCNANTGA MCCTCWGNRA	960
MKCYCCNRAR ANMCCSCNCC NGCNCRCKNN	990
(2) INFORMATION FOR SEQ ID NO:306:	
(i) CHOMENOS CHADACOSTRACO	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 223 base pairs (B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
,	
(ii) MOLECULE TYPE: Genomic DNA	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:306:	
the second results of the second seco	
AATTCGGGTG GCAACGCGGG CCTGTTCGGC AACGGCGGCG CCGGTGGTGC CGGTGGGGCT	60
GGTGGTGGCG CCGGCGCGC GGGCGGTAAC GCGGGGTGGT TTGGTCATGG GGGCGCTGGC	120
GGCGTGGGTG GTGTANGTGC GGCCGGGGCC AACGGTGCTA CGCCCGGTCA GGATGGGGCG	180
GCTGGTGTTG CCGGGTCGGA CRACRCTCGT GCCGCTCGTG CCG	223
(2) INFORMATION FOR SEQ ID NO:307:	
(i) SEQUENCE CHARACTERISTICS:	
(A) LENGTH: 418 base pairs	
(B) TYPE: nucleic acid	
(C) STRANDEDNESS: single	
(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: Genomic DNA	
(an) response seem working bires	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:307:	
AATTCGGCAC GANGCGGCAA CGGTGGCAGC GGCGGCACGT CNGTTGCCAC CGGGGGGGCC	60
GGGAACGGCG GTGCCGGCGG CGCCGGCGGC GGGGCCGGGC TGATCGGCAA CGGCSGCAAC	120
GGCGGCAGTG GCGGAATGGG CGATGCCCCG GGCGGCACCG GCGTCNGCGG CATCRGTGGG	180
CTGTTGTTGG GTTTGGACRG CGCCAACGCC CCGGCCAGCA CCAACCCGCT GCACACCGCG	240
CAGCACAGGC GTTGGCCGCA GTCAACGCGC CCATCCAGGC CGTGACCGGG CGCCCCTGAT	300
CGGCAACGCG CCAACGGCGC CCCGGGCAAC GGGGCCCCCG GCRGGCACGG CGGGTGGTTG	360
TTCGGCGGCG GAAGGAACGG CGGGTCCGGC GTCANCRGCG GGGCGGGCGG AAATGCCG	418
(2) INFORMATION FOR SEQ ID NO:308:	

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1049 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:308:

AATTCGGCAC	GAGGGGCACG	ATCGCATACA	GCGCTCGCGG	CAGACCCGCC	CGATACAGCA	60
GCTCGGCACA	CGCGAGCGCA	CAATACGGCG	TCTGGCTGTC	CGGCTTGARC	ACCACCGCGT	120
TACCGGCCAC	CAGCGCGGGC	ACCGAGTCCG	ACACCGTAAG	CGTCATGGGG	TAGTTCCACG	180
GCGAGATCAC	CCCCACCACG	CCCTTCGGTT	GATAGCACAC	CGTGGTCTTG	CCTATCCCGG	240
GCAGCAGCGG	CTGTGCCTTA	CGGGGCTTCA	GCAGGTCCAC	ACAGACTCGT	GCSTTATAAT	300
TNCGCSTTCC	GCGATCAGAT	CGACAATTTC	CTCTTGCGCC	GCCCATCGGG	CCTTGCCCGC	360
CTCGGCTTGC	AGGAAGTCCA	TGAAGAACTC	GCGGTTCTCG	ATNAACAGGT	CGCGATAGCG	420
GCSGATGACT	GCAGCTCGCT	CGATNACGGG	ACCTTCGCCA	GTCGGTCTGC	GCCGCGCGAN	480
CTTCCGCGAA	TGCCGCTTCG	ACTTCCGCGG	NCGTGCCAAC	GGAATCNTAT	CACGGGTTGC	540
CGGTTAAAAC	TCCTCAATST	NCYGGTCGAA	ATTCGGCAAC	TTCTTATCCC	GGCAGGTRCC	600
AACSANNCAA	ACCTCGGCAA	GGTTAGGMTT	TCCCCCNCTT	YCAAAAATNC	GGKTTTTGGN	660
CMAATTTCGC	CKCNATGKTG	MCAAGGMTCT	CKAANAAKCS	GGGTCYTCTN	NTCNGKGGAK	720
CCAAAMGGKT	TTGGGGMAGC	GKNMNCCAAN	CCTWACCCTG	KTKAANGGNW	TTCCCCCCGG	780
GGGAKKGNGA	ATYCYCCSNA	NCCCRGGGG	GNMCARATTC	TYCCGGMCTC	CTCKGGAWTC	840
WGMGSTTTCC	CAAAAAACSC	CCCAAATTMM	TTTTTCCRCN	TRTTGANACW	CTTTTKARCA	900
MMCSSAARNS	ANMCNCTCYC	CKCTKTGKTK	AAAAAGNAYW	CCCCMAAATT	TYTAWTTSSC	960
CCSCGCGGGN	CCCNCINTIT	TSCNMTWCTM	WNYTNCRMCC	MMMSNCKSNG	KKGGNRCCNN	1020
CRCCSNCCCM	AAWYNTKGYN	KNTATMAGC				1049

### (2) INFORMATION FOR SEQ ID NO:309:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1036 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:309:

AATTCGGCAC	GAGGGAATCG	AGAATCCCGG	AATGGTGAAG	CCTCGGTGCC	TGCCGTTACG	60
CCAAGAKTCA	GGGTGAGCGG	CCCCCCGGTG	GGAATGCTGA	SGCCAACCGG	GAAAAGGGTG	120
AGGGCTGGGG	TGGAATAACT	GAANGTTACT	GGGATGGAAA	ACCCGGTATT	GATATGTATT	180
GGGCCGATCA	ANGTTGTGGG	AATGGGGGAA	GGCTGAGGGC	GACCTGTTGG	ATTTGGGGAA	240
TTGTYRTGGA	CRAKACWGGC	CAGCCMGCGT	GATGGTTTGG	TTSAANTTTT	GTGCCGSCCA	300
CANGGTGATG	GGATTGATTT	TGATGGGGCC	SATCGAAATA	TTGGGTATGC	CNACGCCSAA	360
CGAGATYGCC	GGGACGTTCA	TGGGCGGGAC	AACCMASGGT	CCSANGTAAK	GGTTTCCTTN	420
ATNTTGATCG	GGATTCCGGA	ACTMTSTCGA	TGSGCTCSAY	MTSATSGCCC	NACNCCWCCG	480
YTTATTTCMS	GCTNAYGGGA	ATBAMRGGAA	CAAYNTCCCT	CCCMGGAAAA	ACCAACMSGC	540.
CCTGGTNSYC	CNCCCRCCNC	AKAACCCRTT	KCTGTRSTMC	CCSMAAATNA	CSCCCSCTTS	600
NACTCCNCSG	AANTNSCCCC	CCCSCKNNTT	ATSTYCCCGK	GTTCCCCCMC	CCCTTNAAMC	660
TCCCCGGTTA	ACCCCCWINT	SNCNCCCCCS	YTAAKMNCRG	GCTTSTTNCT	CCCCCYTRMK	720
CNCCCCCTCK	SAMCWNCCNC	CTCKAACNAC	CCCKCYKGSM	TNCCCAATNT	WCMWCKCCNS	780
KTTNTMCTKC	CCAAYTNCRC	CCNCRCTCCC	CCKSTSTCAM	WTATAAAACC	WCWYAWYNNK	840
KCNCWMAWTA	MGACWCTCNY	NCCCCNCNCK	NTTKTAMWCC	CXMCCCKCSW	TWCYCKCSCC	900
CCMTCTMNAC	YCCCCCKKTY	NKWMCCCTTC	CCCCCTCCC	MCNMBMKTCT	YCSGKTWCWC	960
NCYNTIMICN	CYNANMCKCK	KTCTCTTCCN	CRNTCTCCCC	CCWCCCCCCV	KKCTCTSKCC	1020
CNCNCTCCSC	MMKGSC					1036

- (2) INFORMATION FOR SEQ ID NO:310:
- (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1036 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:310:

```
AATTCGGCAC GAGATCATGA ATAGCGGGCT GGTCAGCACC GAAGTGGTCG GCGATCTCGC
                                                                    60
GAGCAAGTCT CGTCTGCTCG CCCAGCAGGA GGTCGGCATC GATGCGGACA CCTGCGATGT
                                                                   120
CTTGGATGGT GTTCAGTTGC AGGTAAGGCC GACGCCGCAG CTTTGCTAGC AGGGTGTCTT
GGCTCTTCGC ACGTGAGGTA ACCAATAACT CCGACGCAGA CCAACTCCGG CCCTCGATCC
                                                                   240
GGGTACCAGG CTCCGCCGGA GCCAGCCGTT GTGCCCCCTG GGCCGAAGGT CAGCTGCTGT
                                                                   300
GCGATCGAAG TAAGAAACCG CGCCATGCCC GTCGCCAAGT ACGACTGACC GAGCAAACGA
ACGATCGTCG TCCTTTCCGT GGGGGTAATC GANCCCAGCA ACCGCACGAG CCACCAATCA
TTGGGATTCG GCCACTGACC GACCAACCGC CTGTGCGACA CCCCAGCGGA ATTGGTGGTC
                                                                   480
TTCCGCGGGG CCGCNAACGG AATCANCGSG ACGCGCTCGC CGAASCANCC GCATANCCNT
ACATANCAAC GGNNTCTGCG CCCACATTTC GGGSTTMTGC CCCTCNGCAA CSSNAAYNCC 600
CCCAATTCYG AACNAAAAA TTGGYCCATY ARNGTYCTCM CCAAAAACCN AWTCCCCKTA
                                                                   660
TCCCCCGGGG GGGRCCCCYY NMNAAAACGG CCCWWAANCC CCSGGGCSCC CGGGTTRWTN
                                                                   720
CCCCTTGTCG GCCCNCCSGG TTTGGTCMCM GGSCMMTNWN GGGNTGCSCC CCCNCNAAAA
                                                                   780
AAAAAYCKNG NCAAATYAAA CCCKYCMAAA ASKTGGGSSC CCCMARCCGG GGKAAKKWWA 840
ANTTAANCCN KAAAAAAAWW NCANNMCCCC NGGGNCCTAA GGKYTTAGGG GTTSTTNANG 900
ARAAAATMTC CANATMNSSK TTNNAAAAAA ASCCSWAKCC CCCNNNKKNN CCAAWKAARR
                                                                   960
SRCCTTCGGG TNWNSGGGGG KKKKKTNCMS KMNMMTTWGR CCCNCCGCCN NNTWKCCTTN 1020
TCCNYGGNGC RNCAGN
                                                                  1036
```

#### (2) INFORMATION FOR SEO ID NO:311:

## (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1060 base pairs

(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:311:

60 GCCATGGCCA ACGCCTACTC GGCCAACCCG AATCCATTCG GCGTCTCACC GCAACCCCCG AAACCGGCGA CCGCGGCATG GATCAACCCG CCCACCCCAG ATCCGAAATA GCGTCCACAT 180 AATGAGACAC TGGCGCAAAG AGCTTGACAG GCGCCGCACC ACGCAAGCTG TTAGACGTGT CGGTCTTGCA AGAAGCGGGT TGGCCACCCA AGATCACGCC GCCCAAGGGC ATCGAGTCAA 300 CGTTGCGGTG GTATCGCGCT AACGTCGGCG CCGCCAAGAA ATGACGGTGC GCATTACCAT 360 GGCCCTGCTG ATCACCTTTG GCCACCTGCG CACCANAACT ATGANCAGCC TTATGCCGAG TCTCGTGGAC ATCGGCAGCC GCTTCAAAAA CTCCTTGTCG ACAATSGTAT TGCTGANCCG 480 CCGAATTCTT NTRCTTGCAA SAACACTNCA TGTTNCSGGT NAACAACCYT GGTTNGAAAA 540 ACANCCAATA TTGAANTCCC ANTCGGGCAM GAACCNGTTM CGGAAGKTGK TGGGAACGAA 600 TGKTGCCCAA AAATCCCGGG NGGTRAAAWW CCCNSNATGG MSAATTTTSC CTNGAACAAM 660 AAAAGGTCCA AGKYCAAAGG NGCCCCCCC SGNAAATTGG TGAACSCAKA WYANRTTCCC 720 WWWTNCAAAT MTTNGGGTCC KNNTCCCCWT AAANGGGSCN CCCCNCCRGG GMGTYTCCCC 780 NWNMGGGMGN CYYCSCCCCA AAAAAAAMMM MTTTCSGKGG SMGGKKCCCC CCSGGTYWGG 840 GKKYTTAAAC CCGGKGGGTN CAAAAAANAN ACCCCCCAMS NGGGGGGAAA ATTTGNAAWT 900

AAGGKKKTKC	SCMACCCCAA	AAANMMNNCN	AWNCCCGMGK	SARGGGGRNY	TIMKAGGGMG	960
GNYCCCCCCW	YCGGGGGGNA	NAAYAAAAGK	NGSNGRGAAT	NTINTITIGK	RSSSRNKTTT	1020
TYNTCCTYCN	CCNMGNRWWG	SRAMNTGKTS	NSSGGGSGGC			1060

- (2) INFORMATION FOR SEQ ID NO:312:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1040 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:312:

AATTCGGCAC	GAGCTTCACC	AAAGAGCTGA	CATGCCGGGT	GATGCGACAT	CGCATCGAGG	60
GCAATACGGG	CATGGATGAN	CCGAANGGAN	TCTGGCGTTC	GCTCAACTGG	ATTACGGTTC	120
CCAAGGTGAA	ACGCTTTGCG	GCGAAAGATG	CGACGCTTAA	CTTGCGCTTC	CACCGTGCAA	180
TGTTNGTATG	GATGCTGGAA	CCGCGCTGAC	NGATAANGAA	TTCGCTGGTC	GCCGGGCACN	240
ATGGATGGTC	CKSTTTTCNC	TCCGCSGTTA	AATTGCSTGT	GCATCATCTG	GCAGGCTATG	300
TTCCCGCTAC	RCTGCAGCCC	ATCATGGATG	TGCGGCTAAC	GAANAAGTTA	TGACATGGCG	360
CAAGCGAMTC	GGGCATSCNC	GCGGCAMTTT	CGCAACCTGC	TGTGTNTGAA	GCGTMTCAAC	420
CGAATGCGGC	GCTYAAAAGC	NGGCTTGCGT	TGATTMMAAC	CNAACCCNTN	CNATYCTTTG	480
CCGNGNMNTG	CGTTCTCTCC	AACTCCGKKG	SYTGCCNCCG	TGAAACCCMA	CTNCCCCCCC	540
GTTGGACTTA	MRTNTTCAAA	AAMCGGMTNA	ACCSGAATNN	SAACCTNCCR	TCAAANTAMM	600
SAANTCGGGC	TTYGGGNRCC	CCCCNGAAYW	TTCKNCNGGG	GMNNTYCTCN	GGTTYNGGCG	660
SAAACNTTTG	CCRTNCYMNN	TTTACAMGGC	NCMTNMTTGM	GGGSCSNNAS	GWCCCGGGKK	720
TNTTTNCAAW	TCNCNSKTTT	TTKGGGGGGG	GGCYGRTRMC	NCGGGCCCCC	GGCCCKKMAA	780
AAAAAMCMSA	RRCCNCYGGG	KKCCCCCCCM	NNATNGGGCG	YKCRAAACAA	ACCCCAANRA	840
TNGNGMGGGC	SMACCSGNGN	GYNAAAKGGT	TSNSCTMANM	MKGMANNNCT	SGMSCCMNSN	900
NCTGMGGGKT	TTKGNNGARN	AANAMKMGGM	RCGGNCGCNN	GAAAGGGSMS	GSCKSCNNGN	960
NGASNGWMGN	CRNNGANRCC	NCNGYGNMRN	NNGNNNGNNN	GGGRKNNACN	NMKMCAWSMC	1020
NSNMMGNNNS	CGYMTNKCGC					1040

- (2) INFORMATION FOR SEQ ID NO:313:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 348 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:313:

	AATTCGGCAC	GAGACAANGG	CGTGAAATGG	GATCCGGCCG	AGCTGGGGCC	CGTCGTCAGC	60
	GACCTGTTGG	CCAAGTCGCG	GCCGCCGGTŦ	CCGGTCTATG	GGGCCTAGTT	ATCTGCGCCG	120
	AGCGTGAACT	CAGGGCGAGA	TTTCGGCCGT	TTTCTCGCCC	TGGCTTCACG	TTCGGCGAAG	180
	TKGGGAACGG	TCAGGGTTCG	CAAACCACGA	TCGGGATCGT	GCGGTCGGTC	CAGGACTGGT	240
	ANTCCTGATA	CTTKGGTACA	TCGTGACCAA	CTGTGGNCAA	TATTCGGCGC	GCTCCTCGTC	300
,	NGTCGCGTCC	CGCGCGGTAA	GGTCCANCAC	TTCCTTTTTC	TCGTGCCG		348

(2) INFORMATION FOR SEQ ID NO:314:

WO 99/42076 PCT/US99/03268

252

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 332 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:314:

AATTCGGCAC	GAGAGACCGG	GTCGTTGACC	AACGGACGCT	TGGGCGCGGG	CCCCTTGCGT	60
GGCATCAGCC	CTTCTCCTTC	TTAGCGCCGT	AACGGCTGCG	TGCCTGTTTG	CGGTTCTTGA	120
CACCCTGCGT	ATCCAGCGAA	CCGCGGATGA	TCTTGTAGCG	CACACCAGGC	AGGTCCTTCA	180
CCCGGCCGCC	GCGCACCAGC	ACCATCGAGT	GCTCCTGCAG	GTTGTGGCCC	TCGCCGGGAA	240
TGTACGCCGT	GACCTCGAAC	TGACTCGTCA	CTTCACGCGG	GCAACCTTCC	GAAGCGCCGA	300
GTTCGGCTTC	TTCGGAGTGG	TGGCTCGTGC	CG			332
	GGCATCAGCC CACCCTGCGT CCCGGCCGCC TGTACGCCGT	GGCATCAGCC CTTCTCCTTC CACCCTGCGT ATCCAGCGAA CCCGGCCGCC GCGCACCAGC TGTACGCCGT GACCTCGAAC	GGCATCAGCC CTTCTCCTTC TTAGCGCCGT CACCCTGCGT ATCCAGCGAA CCGCGGATGA CCCGGCCGCC GCGCACCAGC ACCATCGAGT TGTACGCCGT GACCTCGAAC TGACTCGTCA	GGCATCAGCC CTTCTCCTTC TTAGCGCCGT AACGGCTGCG CACCCTGCGT ATCCAGCGAA CCGCGGATGA TCTTGTAGCG CCCGGCCGCC GCGCACCAGC ACCATCGAGT GCTCCTGCAG	GGCATCAGCC CTTCTCCTTC TTAGCGCCGT AACGGCTGCG TGCCTGTTTG CACCCTGCGT ATCCAGCGAA CCGCGGATGA TCTTGTAGCG CACACCAGGC CCCGGCCGCC GCGCACCAGC ACCATCGAGT GCTCCTGCAG GTTGTGGCCC TGTACGCCGT GACCTCGAAC TGACTCGTCA CTTCACGCGG GCAACCTTCC	AATTCGGCAC GAGAGACCGG GTCGTTGACC AACGGACGCT TGGGCGCGGG CCCCTTGCGT GGCATCAGCC CTTCTCCTTC TTAGCGCCGT AACGGCTGCG TGCCTGTTTG CGGTTCTTGA CACCCTGCGT ATCCAGCGAA CCGCGGATGA TCTTGTAGCG CACACCAGGC AGGTCCTTCA CCCGGCCGCC GCGCACCAGC ACCATCGAGT GCTCCTGCAG GTTGTGGCCC TCGCCGGGAA TGTACGCCGT GACCTCGAAC TGACTCGTCA CTTCACGCGG GCAACCTTCC GAAGCGCCGA GTTCGGCTTC TTCGGAGTGG TGGCTCGTGC CG

#### (2) INFORMATION FOR SEQ ID NO:315:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 962 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:315:

```
AATTCGGCAC RAGTCGGTCT AGACGGATTC AATGCTCCCG CGAGCACCTC GCCACTGCAC
                                                                     60
ACCCTGCAGC AAAATGTGCT CAATGTGGTG AACGAGCCCT TCCAGACGCT CACCGGCCGC
CCGCTGATCG GCAACGGCGC CAACGGGACT CCTGGAACCG GGGCTGACGC GGGGCCGGCG
                                                                     180
                                                                     240
GGTGGCTGTT CGGCAACGGC GGCAACGGCG GGTCCGGGGC GAACGGAACC AACGGCGGGG
ACGTGGGGAC GCGCCCGGCG GGATTTCTTC GCACCGGSGC ACCGGCGGGG CCGGCGGCGT
                                                                     300
CGCACAACGG CACCGGCGGG GACGCNGCGC CCGTNGGGCG GCTTCTKGAT GGGCTCCGGC
                                                                     360
GGTNACGCGG CACGGCGGCG CCCGGCTCAC CGCCNGTTGG GACGCGGGGA CGCGTNACCC
                                                                     420
CGATCTTCTT CCGCNCCCCG GAAACCGCGG GGCCGGCCCC ACATTAKACC CGGCGGNACC
                                                                     480
                                                                     540
GCGGMCCCGG CGGAACGGNG GGYNTTTTCC AACGGCGGGG CCGCGGAACC GNMGGSTGTT
CCTTNGGSGA AGGNCCAAKT CCCGKCTANC YYAATCCCCG ANGGKTGAMC CTSATGSNCA
                                                                     600
MYTTMAGGAA CYTNCCCANT KTTSGRACCW CRCCNGGAAA ASRAWNKNGT KGGCAAACNA
                                                                     660
NNTNCYTTKN NATTKGGNNA AAAANCCCTY CCWCSGRACT NCCCCCCNGM GRGMCNNTNN
                                                                     720
NTTTYGNCNN CCCGGSNAAM RNTTKATTTC NGGGGGNTCN GGGTKMNNNA AACCCCAAAM
                                                                     780
MNRNNKCSCA ANGGGKSNGC NKNNMMNSGT TTTYCKNMRA MRNWTYKNKN NTCNGARSRN
                                                                     840
                                                                     900
NAAMCNNSNK NGKKKNNKAA ARNNTTWKTN KNSCNNNCNN GRRNGVRGGC CKMKGSNMNG
                                                                     960
MCWHNAWRNG NNGSNCNCKC NNKMNAAAAA AASGGVNCKS NSMKNKKKKG NRGGGGGGGG
                                                                     962
```

#### (2) INFORMATION FOR SEQ ID NO:316:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 323 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

WO 99/42076 PCT/US99/03268

253

(ii) MOLECULE TYPE: Genomic DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:316:

AATTCGGCAC	RAGAAGACGC	CCGAANGTTT	GCGCTGGCTC	TACAACTTCA	TCAARGCGCA	60
GGGGGAACGC	AACTTCGGCA	AGATCTACGT	TCGCTTCCCC	GAAGCGGTCT	CGATGCGCCA	120
GTACCTCGGC	GCACCGCACG	GCGAGCTGAC	CCAGGATCCG	GCCGCGAAAC	GGCTTGCGTT	180
GCAGAAGATG	TCGTTCGAGG	TGGCCTGGAG	GATTTTGCAN	GCGACGCCNG	TGACCGCGAC	240
GGGTTTKGTG	TCCGCACTGC	TGCTCACCAC	CCGCGGCACC	GCGTTGACCT	CGACCAGCTG	300
CACCACTCGT	GCCGCTCGTG	CCG				323

#### (2) INFORMATION FOR SEQ ID NO:317:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1034 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:317:

AATTCGCAGT G	TGTGTGGCG	GCGTCCAGAA	GAAGATGATC	GCGAACATCG	CCAGCGCCGG	60
CCAGGCTATG G	STGCCGGTGA	TGGCCGACCA	GCCGATCATC	ACCGGCATAC	AGCCGGCCGC	120
CCCACCCCAC A	CCACGTTCT	GTGACGTGCG	TCGCTTGAGC	CAAAGCGTGT	AGACRAACAC	180
ATAAAACGCG A	ACGGTGACCA	GGGCCAGCAC	CCCCGCCAGC	AGGTTCGTGG	CGCACCATAG	240
CCAGAAGAAC G	AGATCACCG	TCNACGTCAC	CCGAGTGCCA	ACGCGTTTCG	GGTCGGCACC	300
GCTTCCCGCG C	CAAGGGCCG	GCGCGCGGTT	CGCTTCATCA	CCTTGTCGAT	ATCGGCGTCG	360
GCNACCAGTT G	BAGCGTGTTG	GCGCCGGCGG	CSGCCATCAT	CCCGCCGACN	ANCGTGTTGA	420
GCATGANCAG C	GGATGAATG	GCGCCGCGGC	TCGTGCCGCT	CGTGCCGAAT	TCAACTCCGT	480
CNACAACTIG C	CGGNCGCACT	CGAACCCGGG	TGAATGAWTG	AATTTAAACC	GSTSAACANT	540
AACTACATAA C	CCTTGGGGG	CTCTTAACCG	GTYYTGAANG	GGTTTTTTGC	TTAAAGGAAG	600
AACYATTTCC C	GATANCTGG	CSTINWIARC	GAAAAGGCCC	CRCCCATNGC	CCTCCACAGT	660
TTSCCCCTGA A	ATGGSAATGG	MNCNCCYKNR	CNGGGNCTTT	AACRCSGGCG	GGNTTTTGKT	720
MCCCNNCTKA C	NTTMMMTGC	ARMNCNGGCC	SKCCCTTCCK	TNTYCCCTCC	NTCCCCCNST	780
TNCNGKTCCC C	WITYIMAIN	ACGGGGGGCC	YTNGGGKCRM	TWTKKTTTGG	GCCCCMCCCC	840
MAAANASAAN C	GGGKRNGTY	CSTTTGGCNC	CCCAMAARGG	NYCCCCCCAM	YTNRRKMCSY	900
CNNTNKGGNN C	TGTNCKNCG	GAARAMAMCC	KCCCCGNSTS	STTNGTYWAG	GNRWKGNSRG	960
CCSCCCCGGY M	NWAYAANN	WMNATNCNNS	STNANMAKKN	NNNNNNSCN	WNGNGNNTCN	1020
SCNSNGGKBC (	CSCC					1034

#### (2) INFORMATION FOR SEQ ID NO:318:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 331 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MCLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:318:

AATTCGGCAC	GAGCCCACAT	CCGGGGCCGC	TCGTTGCATG	ACTCGTTCGT	CATCGTCGAC	60
RAGGCACAGT	CGCTGGAGCG	CAATGTGTTG	CTGACCGTGC	TGTCCCGGTT	GGGGACCGGT	120
TCCCGGGTGG	TGTTGACCCA	CGACATCGCC	CAGCGCGACA	ACCTGCGGGT	CGGCCGCCAC	180
GACGGGTCGC	CGCGGTGATC	GAGAAGCTCA	AAGGTCATCC	GTTGTTCGCC	CACATCACCT	240
TGCTGCGCAG	TGAGCGCTCG	CCGATCGCCG	CGCTGGTCAC	GAGATGCTCG	ANGAGATCAC	300
CGGGCCGCGC	TGAGTGCGCC	TCCCGCGAGC	A			331

#### (2) INFORMATION FOR SEQ ID NO:319:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1026 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:319:

AATTCGGCAC	GAGATCGTCA	CCCTGGCGAC	CAGTGCACCC	AGGCCACGCC	ACCAGTTACG	60
GCTGATGGGC	CAGAAGATGG	ACCAGGTGCT	GCCCATCCCG	CCCACCGCAC	TGCAGCTGAG	120
CACCGGGATC	GCGGTCCTCA	GCTACGGCGA	TRAGCTGGTG	TTCGGCATCA	CCGCTGACTA	180
TGACGCCGCG	TCCGAAATGC	AGCAGCTGGT	CAACGGTATC	GAACTGGGTG	TGGCGCGTCT	240
GGTGGCGCTC	ANCGACAATT	CCGTGCTGCT	GTTTACAAGG	ATCGGCSTAA	GCGTTCATCC	300
CGCGCACTCC	CCANCGCCGC	GCGGCSGGG	CGGCCCTCTG	TGCCGACCGC	CCGAGCGCGT	360
CACTGACGCC	ATCTCCGTCG	GCGTTAACCC	CGTGAGAAGG	TGGGTCGTGC	GCAAGTTGGG	420
CCCGGTCACC	ATCNATCCGC	GCCGCCATGA	CGCNGTGCTG	TTCCACACCA	CNTSNGACNC	480
CCCCCAGGAA	CTGGTCCGGC	<b>AMTNCAGGAA</b>	NTYCGTGTGG	GCACCNGCTT	CTTCCGKTRT	540
GGCYTAAACT	TCCNATSTTN	CSGCSGGCCT	CTGGCGTTNC	GNCCGGGCCG	NTCTTNCCAA	600
<b>ATCGGSMMAA</b>	ATCCCCANMC	AAACCCCCCG	GGTCTTGSGG	GCSGGGNGGC	GGCCNAWNCC	660
AAACCCCCCC	NTTAAANTCT	TTGKTNCCNN	CNCSGGCNCC	NCNAANSCAN	CCCTTTKGGC	720
NCTTCCCCCC	CCCAWTTTAA	CCGAKCGSCN	AAYCCCAAGY	TMMGKCCYCY	KNAAAAAAA	780
AATTTGSCSG	CCCCAANTAA	ATTCCCNGGC	CCYTTGGGGG	CGRANCNYNT	TTTMCCSNSS	840
TKGNNNAAMC	NGGANCESGG	KAAYTMMTKG	NAAYCGCCSN	AAMBNTTTTC	TAANNCCCCN	900
YNCCCSGAAA	ATTINNAMAAM	CMNNKTGSNG	GGGGKTTSNC	SGKKGRAGGM	AAAAAANRSN	960
SKTTNMCNNN	SAMMNCNSNN	SGGNSNNNNN	NNNCNCGYKC	CSNAANMCCC	CGCGGGGGG	1020
CCMMCC						1026

#### (2) INFORMATION FOR SEQ ID NO:320:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 324 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:320:

AATTCGGCAC	GAGAAGACGC	CCGARNGTST	GCGCTGGCTC	TACAACTTCA	TCAARGCGCA	60
NGGGGAACGC	AACTTCGGCA	AGATCTACGT	TCGCTTCCCC	GAAGCGGTCT	CGATGCGCCA	120
GTACCTCGGC	GCACCGCACG	GCGAGCTGAC	CCAGGATCCG	GCCGCGAAAC	GGCTTGCGTT	180
GCAGAAGATG	TCGTTCGAGG	TGGCCTGGAN	GATTTTGCAN	GCGACGCCNG	TNACCGCGAC	240
GGGTTTKGTG	TCCGCACTGC	TGCTCACCAC	CCGCSGCACC	GCGTTGACGC	TCGACCAGCT	300

255

#### GCACCACTCG TGCCGCTCGT GCCG

324

#### (2) INFORMATION FOR SEQ ID NO:321:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1010 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:321:

AATTCGGCAC	GANGCGTGCC	GCTNAACACC	AGCCCGCGC	TGCCAGATAT	CCCGGACTCG	60
GTAGTGCCGC	CGGTGGCGTC	GTTGCTCTCC	TGACGGGGCG	CGGCGACCAT	AAGGTCGCTM	120
ATGCCCAGGT	AGCGGCCCAG	GTGCATGGAG	TCGATGATGA	TGCGACTCTC	CAGCTCGCCG	180
ACCGGGAGCT	TGGCATCGGG	CCTGATCAGC	CAGGACGCGT	AGGACAAGTC	GATCGAATGC	240
ATAGTGGCCT	CCAGAGTGGC	CGTGCAMTTC	CNGCGTGCTC	CACGGCAAAT	GCCTTGATTT	300
CTACTCCGCG	TANTGTTCCC	GCATCGCCTG	CGGGATGAAT	GGGAACCGCA	SGATGGCGAC	360
GAACGGGTCT	GANCTCAGGT	TTGCCGCTTT	GCGCACAGTG	GTCNACANCC	GGTACTCGGC	420
ATANATCTGG	CCCNAAATCG	GCGCCGACGG	CGCCCACNAT	AANAACGGGC	ACNACAATCG	480
CCGCCCCGGT	CACCCNAACA	ACANCTTGSC	ATCGGATTTT	GTCCCCANCG	CTCAANCCGT	540
CCCGAACGCC	TCNTCCGGCG	NACTTTTCTT	NNAWTAACTG	CCGCTTCCGK	CCCTGGNGCA	600
WTAAATGGGA	AACCCTTNCC	CCACCTTGAA	GGGGTTGTTG	NATTTTTACT	GSTAACCCCG	660
AATTNTTCCG	GANTCGGTCN	KCCGGGSTTT	YSTNTTCCCC	ACCTINGNAN	GGGCCGGCCA	720
AGSTTTTCTT	SYTGAAGGGG	GAAACCCAAC	TTTNTYTYYN	AACCSCMNAA	MYMITTYCSG	780
MNAASCCNKT	CCCCTTTAAC	CAMGGSGGTN	AACCGKTMNG	NGGKTAAAAA	GGGSKNNKTG	840
NCCCCYMANG	GGGGGRAAAA	TSTKTCNNCG	GGGCCKAAAW	ACCMMMYGN	GTGKKKNKSS	900
GCSAAATTTT	NMMRAACTKN	GGGGCCSSGA	NNTTINAAAG	MSCCCCCSNN	GSTGKCCCNN	960
NTTTCCNNAA	WMKKGKNWNM	SNMNSCSNGG	GKYNSGGSNN	NNAAGMGGGG		1010

- (2) INFORMATION FOR SEQ ID NO:322:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1010 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:322:

AATTCGGCAC	GANGCGTGCC	GCTNAACACC	AGCCCGCGGC	TGCCAGATAT	CCCGGACTCG	60
GTAGTGCCGC	CGGTGGCGTC	GTTGCTCTCC	TGACGGGGCG	CGGCGACCAT	AAGGTCGCTM	120
ATGCCCAGGT	AGCGGCCCAG	GTGCATGGAG	TCGATGATGA	TGCGACTCTC	CAGCTCGCCG	180
ACCGGGAGCT	TGGCATCGGG	CCTGATCAGC	CAGGACGCGT	AGGACAAGTC	GATCGAATGC	240
ATAGTGGCCT	CCAGAGTGGC	CGTGCAMTTC	CNGCGTGCTC	CACGGCAAAT	GCCTTGATTT	300
CTACTCCGCG	TANTGTTCCC	GCATCGCCTG	CGGGATGAAT	GGGAACCGCA	SGATGGCGAC	360
GAACGGGTCT	GANCTCAGGT	TIGCCGCTIT	GCGCACAGTG	GTCNACANCC	GGTACTCGGC	420
ATANATCTGG	CCCNAAATCG	GCGCCGACGG	CGCCCACNAT	AANAACGGGC	ACNACAATCG	480
CCGCCCCGGT	CACCCNAACA	ACANCTTGSC	ATCGGATTTT	GTCCCCANCG	CTCAANCCGT	540
CCCGAACGCC	TCNTCCGGCG	NACTITICIT	NNAWTAACTG	CCGCTTCCGK	CCCTGGNGCA	600
WTAAATGGGA	AACCCTTNCC	CCACCTTGAA	GGGGTTGTTG	NATTTTTACT	GSTAACCCCG	660

256

AATTNTTCCG	GANTCGGTCN	KCCGGGSTTT	YSTNTTCCCC	ACCTTNGNAN	GGGCCGGCCA	720
AGSTTTTCTT	SYTGAAGGGG	GAAACCCAAC	TTTNTYTYYN	AACCSCMNAA	MYMTTTYCSG	780
MNAASCCNKT	CCCCTTTAAC	CAMGGSGGTN	AACCGKTMNG	NGGKTAAAAA	GGGSKNNKTG	840
NCCCCYMANG	GGGGGRAAAA	TSTKTCNNCG	GGGCCKAAAW	ACCMMMYGN	GTGKKKNKSS	900
GCSAAATTTT	NMMRAACTKN	GGGGCCSSGA	NNTTTNAAAG	MSCCCCCSNN	GSTGKCCCNN	960
NTTTCCNNAA	WMKKGKNWNM	SMMNSCSNGG	GKYNSGGSNN	NNAAGMGGGG		1010

- (2) INFORMATION FOR SEQ ID NO:323:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1092 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:323:

NGNGGGGWNS	NTCAYCAYCA	YCACSGGGYW	CWATTGCGGC	CGCAWCTTGT	MAASAGATCT	60
CGAAYTCGGC	AMGAGGGAMT	CKCTMGCNCC	GCTGTGCAAN	CCAATRAGGC	CTRATAATTY	120
CCACTCCACA	AAAAACCGTT	GTGTGTAYYT	SCCGRAAATR	AAGGCGCCGG	TNTCAACWYC	180
GCCGGTKTTY	CCRATYCCCG	TKTTGTAMCT	GCCKGGGTSR	AAAYCCCCGG	TGTTGGAYCC	240
CCGGATTGAA	ACTGCCGGKT	TGAAACTGCC	GKTTTSGCSA	TCCGGKWATT	GAMSTCRCGG	300
ATTAAAAAAC	CGGKKTTGGN	GCTGSNCGTG	CCAAATNCGR	AYCCRATAYC	CCATGGCCTG	360
KYCTYCTCCK	YCGGTACCCA	AAYCTGGGTA	TCCTATACTG	GYCCCTAAAK	GCAAWYCKGG	420
GCTGYCMMTK	TTGCKGGSGT	CCNAATTTAS	CACCASCGGT	TCCTTCCATA	CCNAAACNCG	480
CKTGGGCWCC	AGMCCGRAAA	AAAKAATAAT	RAKAAKGGTG	CATNYCCAAA	ACCNCCGCCN	540
CCCNANTNCN	ATCCGNTNCC	MSCNCCCCCA	GCGGTNAAGK	TKSGGAAYTT	CTMMAACCCC	600
CAAANCCCCA	TAACNTNCGR	GAASAAACCC	CTYCNCGGGG	GYCNWNCAAA	ACASCNTTAT	660
TIGCTKSTIT	CGGGMWCCGT	GCCGCCNAAA	YCCCAAASTA	CTTTYTGGGT	CCNAGAKAAA	720
ACCNCGGGCN	CCMCCCSNAA	NWTATYTCTT	KGGCAANCCC	CSAAACCTTR	TCMNACCNCK	780
ATRMTCCCTT	CCCCVSCAAT	TGGYCGGRAT	NCGSNCCYTY	TCAAAKKKSC	CAKWWNNGNG	840
GRRNNACCMA	ACCCCAAGTY	CCMNAAAATN	GKCCCCGCTC	CNAACACGNK	TYYTCCSAAA	900
ASCCCWCCCC	CCCCCCRAA	AACCCCCCNA	RKANTNCCCA	AAAACNYNGK	GGCCCCCCC	960
CAAACMAAAA	AMCCCCCSGM	RMACSGGGGN	NMCCCCGKKK	KKTTTTCTTT	TKCCMRSCCC	1020
AAMGCAMWSY	KSKTNMAAAA	GGAAGRANCY	TYCCSANANM	TCCCNYWRSW	CCGSWGMGNA	1080
GAASMCCCCC	CS					1092

- (2) INFORMATION FOR SEQ ID NO:324:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1251 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:324:

GGGGGGNNN	NATACATCWT	CYGTGYACCG	GGGMTCTAKT	GGCGGGCCGC	AATCTNGTCA	60
ASAGATCTCT	NAMTTCGGGC	ACAAAAACTW	GACAAASYMT	CGNGCNMTCC	GTGTCCTNKA	120
TCGCAAAACG	NGTRACASAC	ASACACRTAT	GTGTGCCCAC	CASCAAYTCK	TTGGGACCTC	180
GCTRACCGGY	TGCCCRNACG	CCACGYTGCS	CWTCTATCCC	RACGCCGGCC	ACGGGYGGGG	240

WO 99/42076 PCT/US99/03268

257

```
ATATTCCAGG CACCACGCCC AGTTTGGTGG ACAATGCCCT GGCAKTTTCC TCRAANTTCG
                                                                    300
TGAAACCGAA TTCNSMTTGA ACCNCCAARG CCCCSNCCNR AACARTTGGG WTCCGCGGTT
                                                                    360
CTCCCCACCG KTTTCCGGGG GTNTCGGCAN AANCGCACCC WTGGWTTCTM TCNCCGCACC
                                                                    420
GGGCGGACAA NTCGGGTTGC AATTITGCRA AYCGGGGCCG GGATTCCSCA AACGGGTGCC
                                                                    480
GAAACTGTTY YCRAAMACCG GGAKCCGCAA TTTCCGGGGCR ANAAATTTCN YCNCACCACT
                                                                    540
GCTTRTACTT CCCCGACCGT AACMANTTTC ATCGTCNTNN CCTCTGCCCT TGGGGCAGGG
                                                                    600
CKAAAYACCG CMTTKGGTTT CGCAACCTGC GGCCCAANTC CCNAMCCRCA CTTTCNATTT
                                                                   660
GGNTCGAATT SCCCCCCGGT RANAACCSCC NTGGCCNNYT CGGASSAAAA NGGGCCCTNT
KGGCNSCCCC AGTAANACCC TACCNNAYTS CAWTCTTTGC CAAASTTKGG ACGAANSKTG
                                                                   780
GGNTTCCGGK ATTTYYTTGS GGNCNCCCTN TATNGGSNTN GGGCCKCYNC NCSTKTGKCA
                                                                    840
NASSKAYCCS NGNKGGGGGT ACCCCCCTMG GGGGGTTTTT NSSGCCCCCC AWAYGNKSTG
                                                                    900
GCCCCCNNGG GGAAKAATWT MWWTMCNSGG GGGAAWTTTT NTSTGGAMCS SGGACYCCCR
                                                                   960
GGGGGKTTTT TCCCCCNCSA NNAWANGGGG GGGGGANAYT NTGNSGNGGG KWNTTTATTT
                                                                  1020
YTYYCYCCIM TKACMSGGGG GTTTKKAKNG GGGGGAGAAA ANAAAAAAA RAKGGYKNTT 1080
TSKNCACNCT GKWNWNWANR NAGAGKTCCT CKCKCCNCSG SNTTTCTTTT MGNSGSYGGG
                                                                  1140
GNNGNNNAAA ACNKSRMMAC KCSYTYCCCG CGYCTCCTCC NCNGGGGYGS NGSCGNSTYN
                                                                  1200
GNNKGRKWTA TNTMGNCGTN SCCTCCNCCC GCKNKNTGTC TMTCNMYGSG C
                                                                   1251
```

#### (2) INFORMATION FOR SEQ ID NO:325:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1099 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:325:

AAYTCGGCAC	MGAGTATCAC	CAAKCTGYGT	GGCCCAGCAA	AGTGGAGCTA	TTACTACCTG	60
TATGTGATCC	TCRACATCTY	CTCCCGCTAC	KTGGTCGGGT	GGATGGTGGC	CTCGCKTGAK	120
TCRAAGGTCT	TGGCCRAACG	GCTGATCGCG	CAAACCCTTG	CGCCCAGCAC	ATCAKCGCCG	180
AACAGCTGAC	CTGCMCGCCG	ACCGGGGGYC	GNCAATAACT	CCAAACCGGT	GGCMCTGCTG	240
CTGGCCNACY	CCGTGTCCCA	ANTCGAACTC	ASCCSGCNMA	CCAKMAACKA	NAACCGTTGT	300
CTGAAGCCCA	GTTCAAAAAC	CTCAAGTWCC	GGCCCRACTT	CCCGAAACGG	TNCGAGTCKA	360
TCRSAGGSGG	CCGGGTGCMC	TGCAACCGGT	TCTTCGGNTG	GTRCAMCCCN	AAAMCAAGCA	420
TTCCGGGMTC	CGMMTGCCCA	CGCCGCCAAS	TTTMCTACGG	GCSGSCCNAT	CAAATTCGCC	480
GGGAACSGSN	CCMCCKTCNK	GGAMACGCCC	TWCCAAAACC	CYCGAACGGK	ATCCTTCKGY	540
NAACNCCCGA	RCNCCCKSKT	TCCGGGCTTC	NMSGCGAATA	CCCKNSCMNT	CCGAATCCAA	600
TTCCCMKYGG	CTTTTYYYCC	CCCCGGCCCC	AAAYNGGGYC	CCTASSNMKC	KNCCAMNANT	660
CCNWATCTGG	NGGTCCCNAN	KYYGGCGTTC	NMAATSAMNA	NMNRGGGTYT	TSCYACCMMN	720
AACCGKNNKG	KCCCCMKCTK	MANAAAKATT	RATCAMKWNG	GGNKCKCNCN	NAAMACCSCN	780
CNCYNCWYTC	TMYCSSKWGC	GCSMYNANCA	SNGGGGAGGW	GGSGRMKMCT	CIMICICNCI	840
MGCGCCKNTN	TYCKSGAKAT	ACASMNKTCC	GCGCNGCGCN	MAAMANRAKA	CTAKCCGYGN	900
CCSNSTMTYN	CTSNNMKMNN	TCCWMWNATC	NTYYGKKCNN	KCTMKATNWC	CSCTSKCNCK	960
MRAMTCKTYG	SNMTCCTCCA	TCNCTCKKSC	SNMSKNTCKC	KSCNCCNCWN	CNKCNMKCWN	1020
GGNSTCRCCY	TCTMNNNTCS	AGCKCGSKNC	WACNCACACK	NGWCTYTTCC	WKNNMKCNKM	1080
TCKCKCACRG	MTMTCWCCS					1099

#### (2) INFORMATION FOR SEO ID NO: 326:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 296 base pairs

(B) TYPE: nucleic acid

WO 99/42076

258

- (C) STRANDEDNESS: single (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:326:

GNGNTATACA	TCWCTGTGYA	CCSAGGATCW	ANTGCGGCCG	MAAKCTWSTM	CASAGATCTC	60
AAAYTCTGCA	MGAGCGGCAC	AKAKYSTCGT	CCMRACCCGG	CAYACWCCWG	CNCGCCCCWT	120
CTTRGACCGG	GGCKATASMC	ACCGTTGGCC	CCGGCNCGCA	CCTACACCAC	CCACGCCGCC	180
AGCGCCCCCW	TRAMCAAACC	ACCCCGCKTT	TACCGCCCGC	GCCGCCGGG	CCACCACCAG	240
CCCCACCGGC	ACCACCGGCG	CCGCCGTTGC	CAAAACAGGC	CCGCKTTTGC	CACCRA	296

- (2) INFORMATION FOR SEQ ID NO:327:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1073 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:327:

NGNGSGNKMY	ATCATCWTTC	TGCACCSNGG	MTCWATTGCG	GCCGCAATCT	TSTMNASAGA	60
TCTCGAAYTC	${\tt GGCAMGARCA}$	TCTGCGCGGN	GAATGTCCAA	AWGTCWKTAA	CGGCMATCGG	120
TTTGCCGYCA	ACCACKCTRT	SCAKATGCGG	GCCAMWTYCA	AACCRATTAT	TIGGGYCGAG	180
AAAATTTMCG	CKTGTRASCA	ACCTGCAGCG	GGTCAASCAA	CAGCCTCTRA	ACCGTAAATY	240
CKTAGGTNKT	YCCGGCAACA	ASCYCRATAA	TSCGGCCCGC	AMCCACAAAA	CCTGANTNGT	300
TNTTCNCRAA	NCCGGTYCCC	GRAGGGGTSA	ACTGCSGTAR	GCTTNTCWYC	NCCTTRACAT	360
TAAACCCCCC	CGGNTCWTCG	CCGCGCCCAA	ATYCYTGCCC	WTKGCNACCA	YCCCANCCTG	420
CSGTATGGTS	RAANCASTSG	GCRAACGGTM	MCCSTACCKC	TGGCTGATYC	KTCGGNTCCS	480
SNAATTCGGG	GATTTACGGS	CAMGGTTAAY	CCAGGYCCCC	TNTGCYTCKY	CNACAACCSG	540
ATCMWCNCCG	TACCTKTTAA	AATTCTTTGT	GGTGGAACCC	AWYCKAAAAA	NMINTYCCCN	600
TCCAMMGGGG	CYCGGAAKKT	CNACNTGGKT	NACCCCTNCC	YTTGAASTTT	TCYTGNCCCC	660
GGCCCKAAAS	ANACCSGAKC	CCCGGAAYCS	WTAGGCYTCN	TGCCCCSTTA	AATTKGNCYC	720
AATCCKCCAA	CGCTCCCCGG	GGTCSSCCMT	TAAAMTTCCC	CCCKSCASNG	GAATYCYKSG	780
GCWGTMATTW	CONCCONTIT	CYYGKNAAAC	SCCCCCWKGN	GSCTYCCCCN	SNTTSSGCCS	840
GGTTSGAMYC	AAAAWTNGGG	MMCNRAGNCG	SGNAMCCSCN	GKKGGGSATW	TKAAYYCYGG	900
GGGGGTCNYC	CCCCRCSNAA	AAGYGTKGGC	KCCSSSCCYC	CCMARTTTYT	CNGGMRCMAM	960
ACCANGGGNG	CTCCCGTNCW	WGGCTCCCSN	SNSMAMAAAN	NKCKCCKGGS	CKGARRNMNA	1020
MCTCSNGNGG	WTCCCKNKTC	NSCNSGNCGS	YGGNSASWCC	YNYCNCCACA	ANC	1073

- (2) INFORMATION FOR SEQ ID NO:328:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1166 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:328:

WO 99/42076

259

CGCCCCGTTC TIMMMTTCAY TCATTCACCG GGMTCTAGTG CGGCCGCAAK CTTGTCKACA GATCTCGAAY TCGGCAMGAS ACAATSTCGG GTKGGGCAAT GTCNGGTGGG GCAACTTTGG 120 GCTCGGRAAT YCGGGGTTAA CGCCGGGTCT RATGGGTSTG GGTAATATCG GGTTTGGTAA 180 240 TGCCGGCAGC TACAATTTCG GTTTGGCAAA ATATGGGTGT GGGCAATATN GGGTYCGCTA ACACCGSCAS TGGRAATTYC GGTATTSGGT NACCGGTRAY AAYCTGACCG GGTNCGGTGG 300 TTYCAATACC GGTAACGGGA ATGTSGGTTS YYYACYCCGS GSAACGGNWW YTTNGKTCCT 360 TMMCNCTSSM CCKSAAMTSM KMGGTSTYCT MTYCNNGGAS TAMTYNMCCC CCGWAYCKSC 420 WAYCCCTCGT CATYCCMCMC SGSGYCCTCA MNCCACCYTG NGYYCCCTCC MKMTCYCAYT 480 CMNTCCGGTW CCTNTMMNCC CSCNCRYCTC AMCNCTKSGK CACCNATMYC CSACKCHTCT MCYMCSCAKN MITCCCCTCN CCTYTNNCCA MCMCSCTCTM TCMAACTCKC CCGGYCKCNC 600 MYCTCTCKCC AYNMAACCKK TYCYWCNWYC YMYCKCKCAG WYKNMCTCCW ACTCTMYNTT TCTCTCNKCC CMKACCKNTT CTCWCSCCCC CCACAKAYMC YAWCMTMTCC MCTCKACSCC 720 CYYCNNYCCM NMCWCMTCWC TWNAKCANCN TTCTTCTCTC MMYMTMACKC WCNNTCNCCK 780 840 SGACCYTCTC ACTKMKCCKM TCTCCTTMCK CCYMWCNTCC MKYNCCCTCC NMTCMTCKYT 900 CCTCNCNMRY CYYYAKCAKC NMCTCCCCAN KMCAKCTKCT CCCCCAKMKS ACNCKCCCWC CCTCCTATCC WCTCTCWCTY ATCTCKCTCW CNYCMYMKMC ACNCKCYAYT CNACTMNMWN 960 CCANCINCTCT CTNYCTCWCK ACGTYCKCCK CTMCKCNYMC NRWCTYRCCT CKKCCNCCRN 1020 CKNMCMKCTM CTCTCCWMKM TCCCWCCCAT CTMMKSTCTC WCNCMTCCCT CNKCCYNYNT 1080 KCYTYCCMYG CTTCKNTCMT MCCWCCYATC TCTMKCCTCT CWCACYMCAC WMTTACWNCC 1140 ACTCTCTRCW CKCCKCMCCR MTCTCB 1166

#### (2) INFORMATION FOR SEQ ID NO:329:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1230 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:329:

NGNGGNNNNT CWTACATCWN TCTNCACCSG NGMTCWATTG CGCGCCGCAW NCTTGTMNAS 60 AGAATCTCNN AAYTCGGCAC ANATGTCTTT TSTMTAKTGT GGCGGGGNGC CACGCCKTAT 120 GTGYGCCTGG GYTRACCCAA CCCCGCGGCS CGGGCCRACC AGGCGGGRA TSCAGGCCGC 180 240 GGCGGCCGCG GCGGYTATAT RAAGCGCCGY TTTTKTRATA ACGGTSCCGC CGCCGGGTRA TTACGGGCAA AAYCGGKKTT TTGGGTRTAT AACGCTAATT GCAACCAWTT TTTYCGGGTC 300 360 AAAAACYCGG CGWGCANATC NCGGGYCNCT RAGGCGCATT YMCGCCAAAA WTNTGGGCGC AAAACCCCKT TSYTATTTTN TGGGCTATSC GGYTGCTTCG GCAAACGCTY CCCGGGTTAA 420 TCCCKTCCGC GGCGCCGCCN AAAAACCACC AATYCCGYTG GGGGTGKYCC CMCAGGCSGT TGCTYCGNGY CACCTGGCCA AAYYCCCAWT AKATTGGGTG SCYCKTSCGG TTSYTGGGCY 540 CAATTACCCC CNCGGGNAAA GRRAAANAA ATCNTCCNTT TGCTCGGYCA YCTTTMTTGG 600 SAAAAGGGGC ATGGCSCGGT TYYTTTACCT CAAYCCCCNA NCANTWACCT YTCCSCCCGG 660 GGGGNCANAA CGSTTNGCTC CGSGGNAKCC TKGTMCCCGN ATCNAAAGGC CNGAATTTGG 720 TYYSSTYCNA ATTWTWKKKY CCCCWCNTTG YAAAAAKCCA AAASAKCCCK YCNCAMMYKT 780 NGGGGTYSSG GCCKNYCTTK SNMTTAAACC CYCCCCAAAA YYNSGGGKKT TCCGCYNSAT 900 KCCACCNCCK GNGGGGGGNA SAAAAAAAY TTTYCCSAAA ATCCCACCYY TCYKTKSTRY AMACCCCCTT TYYMKKAYTC CKYSCNATTC SGMTTCWAAA TYCCGYGGCT TNTTCCCCCK 960 1020 CSGGNGCCCC AAWTTTGKTT YNCNANTTYC CCCNAAMNCM AWTMGGGGKS KCCATTCTGG SCYTMAANTA AAANAANGGG NKTTTYYCTY MANAAACACN GTGKCNCNCN CNAAMAAASN 1080 AKMAAAKAGN KKKMTKNNSA AANCCNCCCC CTSTYTNYTT NKTNMNCKCC CYGGKKNKGM 1140 1200 SWSWYNTTCT NCCCRCCCC YNYNKTGANA AAMMNCYCCS GGSTMCRNAN ASNMNTTTCK STSTNGMGCC KMBASNANAN MCAMWKWYCC 1230

260

#### (2) INFORMATION FOR SEQ ID NO:330:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1022 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:330:

NGNGGGKNNA	TMAYCWTCTC	ACSSGGTCTA	TGCGGCGCAW	CTMGTMAASA	GATCTCNAAY	60
TCGGCAMNAN	GCATMTCMMC	CATATATAAC	CATTGCGTCS	GYWTGCAWCT	CRAAWCTGTC	120
CTTCSKGCCG	TTKTACRAAG	GTGGMWTGYT	CWTYCCTRAA	SCCCTCRATC	TCKTKTATYC	180
CTKGGGCTYC	ACTTTAACSG	RATKSCTGCC	TTKTAYCATT	RATGCAAWTA	WTGGYCRAWT	240
KTTGCAGGCC	RACGGCWYCT	TTTYCCGCRA	GRACAATNGA	TTGGAWYCGC	TYCGCRAGGC	300
CCGGCACCAR	ACCGGGCNCC	AAAGGYCCGC	GCAAWTSCCT	GGKTCAAAAA	TGGTGCAAAC	360
AAAMCNATCC	CCGGYTTRAC	CGCAGYTAMC	ACAAKAAAAT	TCCCWTGGCC	GCACCAWNNT	420
TTYCRATCWY	CWYCCCCACC	TTRAACTTGK	YTGCSGTATT	GCCTKCCTGC	CTCRACAGCM	480
YCNCCCKTCA	AACCTGCGGT	GACTCCAACT	GGTCTGGYCG	AASGGGGGYT	CAMCGGACAA	540
AACCCCRANN	TCGCCAAATT	TTCNCCCCCC	CYCGGGAAAN	GKTGATMTTC	TCSNAACCSA	600
CMGGGNNYTW	NAACCCTGAA	CSSSGSNKGA	MYNSCCSGGA	ANTTTTCCCT	TYNGGGCGRN	660
AAANCCTTTT	AAGGTACCCC	KGGNGGGGKG	CCCYYTTGGG	AAAACAACCC	CKATTGGKTT	720
TGGAAATNTT	TKCNCCCCCA	TTCNSGGGGG	GGGCCCCAMC	CCMMCTTTTN	TCMSCNMTYY	780
YCYYGGGAAT	TNYTCGCCSG	GAAYYCGGSM	CCKGYCCTAA	NCCCCMNWGG	GKYSTGSNAR	840
GGRATMAWWT	TYSTTTYYMC	CCGGCNNCCC	CCCKAKMCNT	KGNTGAACMA	AAAKCSGGGG	900
GSCNMYMWYY	YCNNNGNRTT	TNRGGSSNMT	TYMAAAMMAN	GGGGKYWTYY	CKCCNGSCNN	960
GKTYSGGGST	TTTCCNTTTS	GGGSSATYKG	MACCCCKTMT	AYCCGGGGGT	NTKTKYCCCC	1020
SC						1022

#### (2) INFORMATION FOR SEQ ID NO:331:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1083 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:331:

NNCGNNKNTA	TAMAYCWYCT	NCACCSGGGA	TCWATTGCGG	CCGCAATCTT	STMAASAGAT	60
CTCKAAYTCG	GCAMGANCCG	CAWCTATTTG	KGTGRASCGC	ACCAGCGRGA	CCTCGCSGKT	120
CKTTYCTTGC	AGRGAGGCCK	TGGGTGGCRC	CGGTGGCAAT	GCCAACCGCC	CCCCAAAACN	180
CCGCAAATMY	CRAAAAAACAA	CCCSGGGGTA	GKTCCSGGCC	GCCAAATMAA	TAACCGTKTT	240
AACKCAGGCN	ACGGCCAACC	GGYCCCGCCC	AACCAAGCNA	CCTCCCCSCC	NATAGGYCCG	300
GTGGGGGCTG	CCKTATYKCC	AASTCGTCAY	CTCNACGGGM	CGGYCCMCWT	TCCGCCTCAT	360
CCGTCTCTCC	TIMMATTITC	CRTCCACYKG	GCGGGGAACY	TITTINYCNC	CCTTGSCMAN	420
CACCNAAGGY	CNAAAATTNC	CCMTGCCKYG	SNNCAAAYGR	GATTGGGGTY	CGKKTTTTNT	480
TCNMCCMAAC	CCCCNTTTNA	CGCCCCMATC	CCYTWATACC	CCCWWMCMNS	ANGKTTGNSA	540
AAKTNNCCCC	AAATRCCAAA	MTTCTTCGCC	NTTTMTWMCY	YYCCTTTCCC	CMCCCWNAAA	600
GGSCCRCCYY	TCGGGAANTY	TCCCCNCAAA	AWTCAMWCCM	TTTCCCNCCA	AGAAWTTCSG	660

SACTCCTTTN	TTCNGGGNAM	ATANATYYTT	YCKTNGGGSK	TTCCGMTCNC	AMMAATNTCC	720.
RGGGKAAMCC	AGKNTNNTCC	YYYYCCCCAA	NNTYCCYKGG	RMCYNNYYCY	TTAAANRASR	780
SAACCCKSGG	GKCYNCNCSS	TARCCCCCAM	KAAAATTTCC	CCCSSKTTTC	TYYNNKKMRW	840
GCCCCCSAAM	ACTMTWAYTT	TCCCKCGNNN	TTTSYCCKCS	KCAMWMWMTG	KKNCTTTTT	900
YCSCMATAMA	CTTNGGKCCT	NTCNYGSGCG	CMAAANAAGG	CGCGSTTCTN	TTCWMAMACA	960
YNTSGNMMA	SAAKAKWATA	AWNNTRKKYK	TKNNCCCNCC	CKCKCTTSNN	TNKCCMCSKS	1020
GGGKNWNKKR	GWCTCCWCNC	CKCCCNCXNK	CCKWATMCCC	CCCCSKCCGM	NCMMNTTTKT	1080
CCC						1083

#### (2) INFORMATION FOR SEQ ID NO:332:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1069 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:332:

GGGGNNKYAT	MCAYCWTCTS	YACSGGGMNC	TATTGCGGCC	GCAWYTNGTM	GASAGATCTC	60
GAAYTCGGCA	MGAAAAAAGW	GATGTGCTGG	ACCTTMCCGC	GCGGGACGCR	ACCRACAAAG	120
RAASCGCGCC	ANAATATTGG	CCACAKTTGG	TCACATATTT	ACCCAATIMT	AYCAGGGAYT	180
MCCATTCCKG	GGACCRACCG	CACAATCCCR	ATSKTGGTTT	GCRAACCCTR	ACCGTCCCCA	240
MYTYCGCCRA	STTGAACCAG	GGCRAAAAA	CGGCCRAAWY	CTCGCCCTGA	NTCCCGCTCS	300
GCGCNAATAA	CTAGGCCCAT	TKAACGGAAC	CGGNGGCCSC	NANTTGGCCA	ACAGGTCCTR	360
ACAAAGGGGC	CCCASYYCGG	CCGGWTCCCW	TTYCACNCCC	TNKTCTCKTG	CCGAATYCGG	420
WTCCRATNYC	CCWTGGGCCT	TKTCKYCKYC	KYCGGTNCCA	AWTCTNGGTA	TNCTATRGKG	480
TCCCCTAAAT	SCANATCTGG	GCKYCCATTT	NCTGGSNTTC	NATTTAMMAN	SRRCGGTTCT	540
TTCWTTCCRA	AACCGSNTGG	GCCCNNMCCA	AAAAATGATN	ATAATAATGK	YGSCTTTCAA	600
ACCCCGCCCC	CCCATTCRWT	CSGTTCCANC	CCCCNGNGGT	TAAGKTGGGA	ATTTYTNAMC	660
YCNARGCCCT	NATTTSGGNA	AAAACCYCYC	GGGYCTCAAA	CMNYTTTTTT	GSKSSNTCGG	720
GCTCRTTCSC	CAAAACCCAA	ATTNTYNYGG	GGYCCKTNAA	ACMCGGYCRC	RCCGGAAATT	780
TTTYTGGTTC	AACCCCAACC	TTTTCAASCC	NTTTTYTYYT	TRCCSSCSMN	TNGSSGGGNT	840
KSSCCNTTCY	RARKKCOMMN	GGGGGWYCYN	CCCCRMNTTT	CTTTTTTTT	CCGTNNMAAM	900
NGKTTCTTCA	AASMCCCCCC	SCCCCCNSAA	ACCCCCTNAR	GTTTTYCMMA	AANNWYNNGN	960
KNCCCCCCCC	MMNAAAAAAY	YCSCCCGNRN	ACSMSNGGGA	MCCCCCGGSN	NTTRKTTTTT	1020
TNCMSGYCCC	CSRMASYYTT	TKAMAMANRR	GAMNSMTTTY	TNNRGNWNK		1069

#### (2) INFORMATION FOR SEQ ID NO:333:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1210 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:333:

NGNGGGGKWK	MATACATCWT	TCTTCACGSG	GGATCWATTG	CGGGCCGCAW	TCTNGTMCAA	60
SAGATCTCGA	TYTCGGGCAM	NACCCACCWC	TCCRAAAAA	ACCCRAAWCT	CGGGSKCTYC	120
GARAAGTGTT	GCCCGCKTTR	AATTTAACAA	ATTCAGTGTC	ANAGTGTCAC	GGCKTTACWT	180

PCT/US99/03268 WO 99/42076

262

```
YCCCGGCAAA GGGGCCACAA CCTGCAGRGA SCACYCRATG GKTGYTGKTS CNCGGGCGGG
                                                                    240.
CCGGKTNAAG GGACCTGCCT GGGTKTGCSC TMCAAANATC WYCCGCGGGT YCGCTGGRAT
MCNCAGGGGT GTCAAAAAAC CGCAAACAGG CACSCCANCC NTTTACGGGS CTTAAAANGA
                                                                    360
AAAAGGGCTG ATGCCCCCAA GGGGGCCCGC NCCCAACCTT CCGTTGGTCA ACAACCCGGT
CTCTCKTGCC RAATCCGRWT CCRATNYCNC CWTGGCCTTK TCKYCTYCTY CGGTACCCAA
ATCTGGGTAT CCTATASTGT CCCCTAAWTT CCAAATCTGG GCTGTCCATT TSCTTGGCNT
TCCAAATTTA CCANCAACGG TTTCTTNCAT NCCAAAAACC GNTKGGCKCC NRACCCRAAA
                                                                    600
AAATGAATAA TAATAANNGG KCNNTTYCNA ACCNCCCCC CCCNATTCCA TYSNGTTCCA
                                                                    660
NMNCCCCCAG NGGKTAGGTK GGGAAANYYC TCMACCYYCA ANCCCTWARS TTTTNGRAAT
                                                                    720
KAAACCCTYC YCNGGGTCWW TYMAAAAAMA NTTATTTGGN NGNTTTCGGG MWNCKRKNST
                                                                    780
SCCAAAATCC MAAATANTTT YYTGGTYCNA TWAAAAAMCG YGNCCMNCCC GGAAAAWTTT
                                                                    840
TTNTGKTTSA ACCCCAAAAC YTTTTCMNAA NCSSKTTTTY CYTTCCCCCC AMNWTGGGYS
                                                                    900
GGGNATKGYG SCYTNTCTTA TKTKYTYMTW CMGGGGGGGNN MKMTCMMCCC CCMTTTYYCY
                                                                    960
NYWRITITIN KCCCCKINMR MNRAANNGGN YTCSYNANAA AAGCNCCCCC SCCKNCCCNA 1020
AAAAWCCCCN NMNARAKTNT TIMKANNRMN SCKCNKNGKY YCCCCCCCWC YNMNNAAAAA 1080
AATMYCCNCC RASANMCASM NMGGRGNRSC CCCCCCCSTT NNNNTMTTNT TTTTTTCSRA 1140
GAGCKCCSCG MNNANMKNCK CTTTTTKCNC NNGNNGNGNN GGNGMNCKCC CCNAGAAMWK 1200
CTKSTCCCKS
                                                                   1210
```

#### (2) INFORMATION FOR SEQ ID NO:334:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1105 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

#### (ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:334:

```
NGSSSNGNNA TMCATCWYCT GYACSGGGMT CWATTGCGGC CGCAACTNGT MAASAGATCT
                                                                     60
CGAAYTCGGC AAKANACACC ACCGCCGTGT MTATACACCG CAAATGTTCT GTKTGCCAAA
                                                                    120
ACCGAGACGC GCCGGCCGCG GGGYTCCAAC GCKTTACYTR ACCCGCCAGY TCAGTGTTRA
                                                                    180
AACCGGTGYT RAGGGCCGCA CCCAACWTAA ACGCTTTAKC CAAGRAWYTG GKTGGCCCGC
                                                                    240
AGCCACCTGY TGTGGYTGCC CTCWYCGGTG GTAGCGCCGG TTANCGCCGG TTGCGCGYTC
AMCASCSCGC CGGTRATCCC AKCNWTCCCC CGGCCMRACC CACCGGGCAC TTTGRACGGT
                                                                    360
GCCGCCAATT CAAAYCKYCT GRWTCCTTCM AAACACCACR AAGGCCACCM CCMSCACCNA
                                                                    420
ATMGGGRACT TTAAGGCCCA GGCAAAACCT NTRAKCNCCT CCCGGGCRAA GGTCCSGCAA
                                                                    480
SCRATCCMAA AAAAKCKNAT TTCCCCCAGC AKCAACCCAA MMCGSTTTGC TGCTTCCGGA
                                                                    540
TTCGAAMCCA ATTMCWGGKT NCNWGGGAAA AACASCNNCC NWTAKCCMGG CCCMCGGGCA
                                                                     600
ATTTCSGRAA SAACCCCTNY CCCGGGTTTT YCCTGCTCMG GCCCAANACC CCCGGGAATC
                                                                     660
AAAAASGGTC GGNCAAANGG GCMAAACCCS SACCCMACTT WTTCCRCTTN GGGGGGSCWN
                                                                     720
CCKNGTTTAA AWKSCCTCYY CTSCCCAAAY TCGGKCMAAA NNGRKTTGGK TTNGGCNACC
                                                                     780
NTTTCCGGKC CCGGGKGKGK WGKYCTMNMA CSTTTNTTTT SCCCCYKAAA NYSCCCCCC
                                                                     840
CGGSSCCCCG CCCGGGGGGA NNTTTTTAMA GKKTYCCCCT CCCCAMAAAA ANACCCCNYC
                                                                     900
CCSGGSCCCT TTKRWAAAMN KCTSCCCCNG GNNGGGGKCM GGKTTATTMT NNNCCSCCCC
                                                                     960
TCCGCGSAAA AAATAKMTTT SYCCCCCCNC CTCCKNCKNR GKAMSMSCGC TCCCYCTCNC
                                                                    1020
GCNKNTWAAN ARSNCCKKNN CCNCYKCCGS NSNGKCNWCD NCCSTSSNCT NKGCNCKNCN
                                                                    1080
KAAANAAYNC NGSMSTSSMN CNKCC
                                                                    1105
```

#### (2) INFORMATION FOR SEQ ID NO:335:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 936 base pairs

- (B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:335:

NGSNSNKNNN	TAMAYCWYYC	TSCACSNGGA	ACWANTGCGG	CCRMAWCTNS	TMKASAGATC	60
TMGAAYTCGG	CAAGAGCGGC	AAGAGTGTGT	GCATCTGGTC	ANAGTSTMMA	CRCGGTGCCG	120
CSGGTGKGTR	GASCACMCAT	NTGCGRACAC	CAAACCCKTC	GCGGGYCACC	GGCKTCGCCT	180
GCAAAWYCCT	CCAGGCCACC	TCRAACAAYW	YCTYCTGCAA	CGCARGCCGT	TYCGCGGCCG	240
RATCCTGGKT	CASYYCGCCK	TGCGGTGCCC	AAGKTACTGG	CSCAYCAAAA	CCGCTCCGGG	300
RAACRAACKT	AAWIYTGCCG	AATTTCNTTC	CCCTGCGCCT	TGATAAATTT	NTNAAGCCAC	360
CGCAAMCCTY	CGGGCKTCTC	CTCKTGCCRA	ATYCGRWTCC	RATAYCGCCA	TGGCCTNKTC	420
KYCTYCKYCS	GTACCCAAAT	CTTGGGTATC	CTATANTKYC	CCWAAANRCA	AWTCTGGGCK	480
KTCCATKTSC	TGGSKTCCRA	ATTTAMMACA	NCGGTTTCTT	TCWTACCAAA	AACCSNTGGG	540
CCCCRACCRA	AAAAKGATAA	TAATAAKGTG	CWWWCAAAAC	CCCGCCCCCC	RRTTCAAYCG	600
GTCCARCACC	CCANGNGGTN	AGGTNGGAAT	TYTMAACCCC	CAGCCCATAA	SNTTNSGNAA	660
AAACCCCCCN	GGGYMYCAAA	AMMCTTTTTG	GGGMTTCSGS	CCATKGYKCC	AAAACCAAAA	720
TMTTTCYGGT	CRWAAAAAACC	GGCCCNCCCG	NAAATTTTTT	GKCAACCCCA	AACCTTTMAM	780
CCNNNTTCYY	YCCCNSACAA	TNGGSGGNKN	NGSSCNTTYT	TWITTYYNNA	GGGGGGRRWC	840
SNCCCCNAAN	YYCCNAANKG	NKCCCGSNMA	AAAGAGANTT	YCMKAAAAAC	CCCCNCNCCC	900
NAAAYACCCC	MAAAKWTTCM	AAASMSCNNG	YCCCCC			936

- (2) INFORMATION FOR SEQ ID NO:336:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1042 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:336:

NNNGNKNNNY	ATMMAYTCWY	YCTSCACCSG	GGNNWCWATT	GCGGCCRMAW	KCTTGTMAAS	60
AGATCTMNAA	YTCGGCACAG	ASSSGCACAG	ASCCGCGGCG	CTATYCMYCC	GYTGCTCATG	120
CTCAACACGC	TCKTCGGCGW	GRATAATGGC	NCGCCGCCGG	CGCCAACACG	YTCAAYIGCT	180
TCGCCAACGC	CATATNTCAA	CAAGGTRATA	AAASCAAAAC	CGCSCGCCGY	GCCCTTGGGC	240
SCGGRAASCG	GTGCCAACCC	RAAACNCKTT	GGGCACYCGG	KTSRACTTTA	AASGGTAATC	300
TCKTCCTCCT	GGGCTATGGT	GCGCCACAAA	CCTSYTGGCG	WGGGTCTGGC	CCTGGGYCAC	360
CGYCRCNTTT	TATNTNTCCK	YCTACACNCT	TKGGTYCAAC	CAACCCACTT	CACMAAATTG	420
TTTTGGGKTG	GGGSSGCCGG	YTGTNNCCGK	TAATAATCSG	NTGKTCSGCC	MYCACCGGWA	480
CCATANCCTG	GCCGGCSCTG	GCAAATTTCC	SAAATCATYT	CCTTCTGRAC	CCCCACAMRC	540
CTNSAAATCC	GRATCAATNC	CCCNKGGCTT	NTCYCTCTCN	GTRCCCAATY	TGGTTTCTAT	600
RKTNCCCYAA	TSCAATTGGS	TTYCCRTTSC	YGSTTCCAAN	TTNACAAMAS	GGTTTYTCMT	660
ACCAAAACCC	NTGGSCCNNA	CMNAAAAKNA	RAAAANAKGG	KCTTTYAAAC	CCCCCCTAT	720
TCAWYCGGTN	CMRINWCCCCG	NGKAAGGKGN	GAAAYTTHRA	CCCAANCCMT	ARSTTSGNAK	780
AAACCCYYCG	GGGTSMCAAA	MKNTWTTSSC	CTTCGGMCTT	YCCAAATMSA	AAATYYTCKK	840
KRMNAAAAMC	YGNCCCCSAA	ANATTTTTGT	NAAMCCCKMA	YYTRTTWMCC	WTTTTCCYCC	900
CCMCNNSNSG	GNTNCCCTTY	TYATTTCYMM	MCRNNSGACN	CCCCMNTYTT	TWTTCKCWCN	960
MMARGSNNYT	RGRMMNMNCC	CCNCCCCNAK	MTCCNCAAAK	NTITNAACNN	NNKYCKCCCC	1020
CCCMWMNKNC	CCCCMNCMTT	TM				1042

WO 99/42076

264

(2) INFORMATION FOR SEQ ID NO:337:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1073 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:337:

NNSGSGMKKK	ATAMATCWCT	CTSYACCSNG	GMTCWATTGC	GGCCGMAWTC	TNGTMAASAG	60
ATCTCGAAYT	CGGCAAANAK	ACGCMAYGTC	AAGTGTRAYY	CGGTCACATA	TCMTCGCGNG	120
TCAACMCCAA	AGCCGNGTCA	CCGYCTCCCT	GGGGCGCCAC	CCCCATCGGT	RATGCAACYT	180
CGCGCGCCAC	CGYCAAAAGG	KTCWTTRAGG	CGCTAAAGGT	CAMCAATTCC	TRAGGTYMCN	240
CACCGTINIT	TGGCCCGCCC	RAWTYCTRAC	CCGCAATWTC	GGTAATCGGR	AATTTGGGCW	300
YCGGCTTGGG	CAATAAGKTN	TTGGGCAACG	GCGGRWTCYC	NCTGGCCGRA	ATTCCCNCAT	360
TCCKTTAACG	GKTGRACCGT	TTYCCCGGYT	GCCGTAAYTG	YTYCNTGGGC	GCCYTCGGCC	420
CRNAGCASYY	CRCTAACGGY	CMCCAGGCAA	TACCKTTGGC	TTTRAACCAC	CGGRATNAAY	480
TGKTACCCAC	YTCAASSGTS	CTGRANTTRK	TNTCNTGRAA	AANMCCACCN	AACCCGGNTT	540
RATCTGCTTC	MTCANCWITT	SCCGGGTTCT	GCCGTTTTGR	AAYCTTNATC	CMTYCAAAAG	600
GTTTAMTTTC	CCAANRAATT	CGGYTTGCCA	CCTTGGCCGS	GGCTGGTTTM	CGMWCCTTRR	660
AMATCCNCCS	GCGGGSAAAN	AMTTSGGNTT	SGSCCGGTCC	CCCGNAATAT	YCNTGGNCCT	720
GNAAATTGSS	GGGATCCCCN	GSGNAYCCGG	CCWTKGGGGK	TNCCCAGTTG	GWACAATTYC	780
WKCCGTTCCA	AACCCGGGNC	CGGGGGGTGG	GSCCCNTTTT	CCTMYNNAAA	AAGKGTTTGN	840
NYYTTTTCCG	CNRAANTTCA	CCSKCNKTNT	GGNCCNAACY	YYYCAANTTC	CANACCTTTA	900
AASAAANCYK	YGKTYYCCCC	TTTTMCCSGS	SANCCCCCCM	NMSSKNCGGG	AAAAAAAGNK	960
TYNGCCTTAN	CNSNKTKTTT	TNKTYCCCCC	NMWNNSNMCY	NCBKKCNKRY	NGNSNMNCCT	1020
MKYSKCNNNN	SNNNNNKCGN	GSNCSGMKYM	CMNNCNGMYK	NGNKSNNCCC	MSC	1073

- (2) INFORMATION FOR SEQ ID NO:338:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1061 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: Genomic DNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:338:

GNSNGNKNTN	IMCAYCWYCT	SCACSGGGTC	TATTGCGGCC	GCAATYTNGT	CKASAGATCT	60
CGATYTCGGC	AMNANAARTG	TCGTCGTCAA	TTTCAGKKTG	GTCKTCAAAY	GGGCCAGGCC	120
GNGACCRACA	CCCTGNGTCA	CCCAAAANAC	CAACAGCWTC	AAATWTCAAG	GCCRAGGCSC	180
				CRAACCAGGC		240
				TYCTGACCCT		300
				GGCRAATTCC		360
				GCCGYTGGCN		420
				CTCGGCAACC		480
				NTGCYCCCGC	GNRANTNGGC	540
	GGCNCCANCT					600
GGTTTTGGGC	AACCCCNCYS	CTTMTTTAAA	CATTCCGSCC	CAAATGGGNC	STTGGSAAAT	660

TCTNTYCGGT	GGGGCSGGCR	ANMYTTCTCT	YCCCNAASAN	CTTAMYCCAN	TTCGSSNTCC	720
CGGKCAAAWS	NGGGGGGNA	AAGGCCCCC	CGGNTSCKCC	GGGGKKGCCC	CYGGKTTCAA	780
AANTTTCSGG	GKTSTMSCGG	NVTCSCCCCC	CSGCCAAGRA	CCGNGGTTTT	TTTTTGAACC	840
KCMANTCSSA	AMCCGCCSSC	CCCMAAAGGS	GCCTNAAWGR	RAYTTNKSCC	CNNAAACSGG	900
CCCCCAKYTY	SGGKTTCNNC	CNCCSGRRGT	COMISTITMM	MRCCCTTTGN	GNKTTTTTAN	960
MGSCCTTNNC	CACCCCCYCK	GGGKCSMNNA	GAAKTMYWKC	CNGGGGNNAN	RSCCCCCCNN	1020
GSGKGGGGKG	MGAGYSCCKT	CTKGCGNCNN	YKNTTTCCCC	C		1061

#### (2) INFORMATION FOR SEQ ID NO:339:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 986 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:339:

GNNGNNNKWN	ATMCAYCWYY	CTSCACCSGG	GMTCWATTGC	GGCCGCAWKY	TNGTMAASAG	60
ATCTMGAAYT	CGGCACANAG	CGGCACAGAG	TGTGTGCATC	TGTGTCANAG	CTGTCAACGC	120
GGTGCCGCSG	GTGGTRASCA	CMCATTGCGR	AACACCAAAC	CCGTCCGCGG	GYCACCGGCX	180
TCGCCTGCAA	AAYCCTCCAG	GCCACCYCRA	AACAAYWYCT	CCTGCAACSC	ARSCCGTTYC	240
GCGGCCGRAT	CCTGGKYCAS	YTCGCCKTGC	GGTGCGCCAA	GGTACTGGCS	CWYCRANACC	300
GCTYCGGGRA	ACCNAACGTA	AATCTTGCCN	AATTTGCNTT	CCCCTSCCC	TTRATNAATT	360
TGTTAAACCA	CGCAAACCTY	CGGGCKTCTC	CTCKTGCCRA	WTCCGRWTCC	RATNYCGCCA	420
TGGCCTNKTC	KYCTYCKYCS	GTMCCCAAAT	CTTGGTATCC	TATATTGTCC	CTAAATGCAA	480
ATCTKGGCTG	TCCATNTGCT	GGCGTTCAAA	TTWAMANCAG	NGGTTTCTTY	CTTCCNAAAC	540
CCSTTGGCCC	CAAACCNAAA	AATGATNATA	ATAATGGTGC	TNTCAAACCC	CGCNCCCATY	600
CNATCSGKCC	AMMCCCCRGN	GGKTANKKGG	GNAATTCTMM	AACCCCAAGC	CATAASNTTG	660
SGANAAACCY	NCNCMGGYCA	CCAAAACANY	NTINTIGGNY	SSNTTCGGMN	YCATGGCTNN	720
CMAAAACCCA	AATACTNYYG	GGYCCAATAA	AAMMMSGGYC	SAMCCGGAAA	WTTTTYTTGN	780
KYNAAACCNA	AAKCCTTTTT	CNAACCCDAN	WNTYCCTNCC	RCRCMANTGG	CNSGGARTKT	840
SSSCTTNCCA	ATGKYCCMAA	AGNGGGRANA	CCARCCCCAA	TTCCTNNNTN	KNKNCCCNST	900
TRNAAAAGGG	GKNTYNCMAA	AASCNCCNCC	NCNCTCCCAA	AAKAMCCCCN	AAAGAKNTCN	960
NAANASKYSN	NNNSCCCCCC	CCMMMN				986

#### (2) INFORMATION FOR SEQ ID NO:340:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1074 base pairs

(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:340:

NGNGGGNKRN	ATMMAYCWCT	SATYYACCSN	GGMNMWATTG	CGGCCRMAWT	CTNGTMKASA	60
GATCTMGAAA	YTCGGCAAAG	AGYATKCTCG	GGGGCCAGAT	TTNTGGCCCG	CAACCGCCGC	120
ACTITICAYW	TCAACAKTCC	SGGTGCCCCA	AAAAAWTCWT	ACCCCCATMC	TYCKTGCASM	180
ASYTGCGCCC	RATTRAACAC	CCGGCCGGCW	TGCTGCGCCA	GGTATTYCAS	CAGYTCAAAY	240
YCTTTXTAGK	TAAAATCCAG	CSGGCGGCCA	CNCAGCCGGG	CGGTKTAGGT	GCCTYCRTCA	300

ATMACCAGCY	CGCCCAGGGY	CACCTTGCCC	AAAAYCTCCT	GGGTCAGCCA	AATTYCCGCS	360
CCGGCCAACM	ACCANCCGCA	TYCTGGCNTC	<b>AATCYCACCG</b>	GGCCCGGTGY	TAAAMMANMA	420
GRATCTCKTC	MANCCCCCAN	TCAGCSYTNA	CNGCMACAGC	CCGCCTTCTT	CAMACCGCCA	480
RTACCGGGWT	CAACCGGCCS	GTCAAACTCA	ACAGGCGGNC	AGGCCTCCCC	CGGANSAAAG	540
GTCTTACSCC	NNYAANAAAA	MAAGNTCTGT	TTTCCCCCTC	CASAASNAAA	AANCCCCSGC	600
CGGGCCTTCN	NMMGGGTTTG	GGGMANANAA	AARCNCCGGN	GGAACGNATC	CGAAAMCTCC	660
CAAGTCNCMT	TWAWAACYCN	NNAACCCCCC	ANTITTGGGA	AAGGNTCCCC	NTTMYCCCCC	720
TTTTASGKTS	GGGMMYYCTY	TAAAAAAATT	CCCCAAAAAG	CCCCGGGAAG	GGTCMAMCTG	780
GGNAAATTTC	CAAMCCNWGK	TTNTTYNGGT	TMCGGGGGRA	AATTYCNCTC	CCYYNNNGGG	840
CSSGSNNNAT	TAYGGMSNMT	TTTNNAAWTM	NSGKKTSAMM	YNNKCCMNNN	SNNMSMANNK	900
TNAMCKCCCN	CCTCNGNGKY	CSCYNCCCSG	GNAGNGGRAS	MKCCNANMAA	AYASGNITNK	960
CGGAAMMCNN	AATKGNNNSC	CCGGASMCMN	TMTAAAMMM	CNCNKCNSNN	AANRGMRACN	1020
CCCNSNSGMN	RRGAARMINY	YCCCCCGSKM	GKGNKAAAAW	GKYCCCCCCM	AAAG	1074

#### (2) INFORMATION FOR SEQ ID NO:341:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1195 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:341:

NGNGNCNKNT	MTACATCWTT	CTGCACCSGG	GNTCWANTGC	GGCCGCAWKY	TTGTCGASAG	60
ATCTCGAAYT	CGGCAMGAGG	ACWCTCGCRA	CGCCCCACA	NACTCTGGCG	TGTGTACCCC	120
ATTGNGCGCK	TCACGCGCCC	AYTGANCCAK	TNCACTGGGG	TGCCGTYCGC	CKTGCGCGGC	180
GGCCTCACGG	CKCTSCWTCT	RAAGGCWTGG	CGCACCGCAT	TCGGTTTTCT	RAACGCTGGG	240
AAAWTGGCCA	GCCGTCTGGC	TCATGGGNTC	TACGCAACGC	CNGCCCCAA	CRCTTTCTTA	300
AATCCGGYCC	NTCCTGANCS	CTTTGAAYCC	CGGGGSAAGA	ACTGGTTGCS	CNCGAYCTGC	360
TCGAACTTRK	TCNAAATCCC	GCANAKTGTT	TCNTAMGYCC	CNCCGGAAGG	NGAACCTACT	420
TTCNGGWANG	TCGGCNKCCG	GCGCTTATCA	STCCTGATCA	ACGGGGAACT	GGYKNNSTTG	480
KGGGAAAAAG	RRCCTCAATG	MTYGGTCCKC	GCTGCGKANC	CGCSCCCTGK	GYCGCNAATG	540
GAAGGCSMAG	GGTTAANGCC	MTTYCNYCCR	RSCCGTSTGA	SGKWTTYCGG	MGGANKAMNN	600
NNKMAMWTTK	TCRGNGGCCW	ATSTSCCGGG	CKSTTAKAGA	ANACTYCCKW	WCCGTNTYSC	660
SAAAGNTKCS	GCGMGTTTTS	SCCKMGANGN	YCTGATTTSA	GGGGGKYKCC	CCCGGGGTYC	720
CGAAWKWRKY	CCYAGGGGGM	GNYCSAGCSC	CGMNNATNAG	AGNAAGGKTT	RYGSTSKNCC	780
TYTNKGGACC	WSCNNCWSAK	ANAACNNKKT	TGCSCCNTMS	AGNKTNKGRT	YCCNKTSTTC	840
TAAGAGGAGC	TATRMKCGCC	CKTGGANGMM	GAGWGMGCGC	KYCCCSNKRT	TCNTNGWAAA	900
TATKSAGMGG	TKCCGMAGMK	CCSCGTTTKT	TKTGANAAMN	MSMRKNKKTG	CGMGYTCTSC	960
GGGNTTTGTA	GAGTAKTCGS	CSCSSMWGAC	WCSGMCMGNG	AGKNKTNNTS	YANTGARCGY	1020
MNNSKTMIMT	MSCSCGCGNA	GGAGNGCCCC	CSANGMSTGY	NKGGNMSSNG	ARAKGATGGS	1080
GGCCNCGMNN	MGMGGANMGA	SANNGMGGMR	GGGGGKTGKC	TCKCSCCGNS	CSANGRAGAA	1140
GKTCNGSCGC	CGMGGKYGKT	KTKTKNKTGG	YSTCMSSMMM	NAGAAAAGAG	AGGGC	1195

#### (2) INFORMATION FOR SEQ ID NO:342:

#### (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 3572 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

267

#### (ii) MOLECULE TYPE: Genomic DNA

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:342:

CCATCTGATC GTTGGCAACC AGCATCGCAG TGGGAACGAT GCCCTCATTC AGCATTTGCA 60 TGGTTTGTTG AAAACCGGAC ATGGCACTCC AGTCGCCTTC CCGTTCCGCT ATCGGCTGAA TTTGATTGCG AGTGAGATAT TTATGCCAGC CAGCCAGACG CAGACGCGCC GAGACAGAAC TTAATGGGCC CGCTAACAGC GCGATTTGCT GGTGACCCAA TGCGACCAGA TGCTCCACGC 240 CCAGTCGCGT ACCGTCTTCA TGGGAGAAAA TAATACTGTT GATGGGTGTC TGGTCAGAGA CATCAAGAAA TAACGCCGGA ACATTAGTGC AGGCAGCTTC CACAGCAATG GCATCCTGGT CATCCAGCGG ATAGTTAATG ATCAGCCCAC TGACGCGTTG CGCGAGAAGA TTGTGCACCG 420 CCGCTTTACA GGCTTCGACG CCGCTTCGTT CTACCATCGA CACCACCACG CTGGCACCCA GTTGATCGGC GCGAGATTTA ATCGCCGCGA CAATTTGCGA CGGCGCGTGC AGGGCCAGAC 540 TGGAGGTGGC AACGCCAATC AGCAACGACT GTTTGCCCGC CAGTTGTTGT GCCACGCGGT 600 TGGGAATGTA ATTCAGCTCC GCCATCGCCG CTTCCACTTT TTCCCGCGTT TTCGCAGAAA CGTGGCTGGC CTGGTTCACC ACGCGGGAAA CGGTCTGATA AGAGACACCG GCATACTCTG 720 CGACATCGTA TAACGTTACT GGTTTCACAT TCACCACCCT GAATTGACTC TCTTCCGGGC 780 GCTATCATGC CATACCGCGA AAGGTTTTGC GCCATTCGAT GGTGTCCGGG ATCTCGACGC 840 TCTCCCTTAT GCGACTCCTG CATTAGGAAG CAGCCCAGTA GTAGGTTGAG GCCGTTGAGC 900 ACCGCCGCCG CAAGGAATGG TGCATGCAAG GAGATGGCGC CCCAACAGTCC CCCGGCCACG 960 GGGCCTGCCA CCATACCCAC GCCGAAACAA GCGCTCATGA GCCCGAAGTG GCGAGCCCGA 1020 TCTTCCCCAT CGGTGATGTC GGCGATATAG GCGCCAGCAA CCGCACCTGT GGCGCCGGTG 1080 ATGCCGGCCA CGATGCGTCC GGCGTAGAGG ATCGAGATCT CGATCCCGCG AAATTAATAC 1140 GACTCACTAT AGGGGAATTG TGAGCGGATA ACAATTCCCC TCTAGAAATA ATTTTGTTTA 1200 ACTITAAGAA GGAGATATAC ATATGGGCCA TCATCATCAT CATCACGTGA TCGACATCAT 1260 CGGGACCAGC CCCACATCCT GGGAACAGGC GGCGGCGGAG GCGGTCCAGC GGGCGCGGGA 1320 TAGCGTCGAT GACATCCGCG TCGCTCGGGT CATTGAGCAG GACATGGCCG TGGACAGCGC 1380 CGGCAAGATC ACCTACCGCA TCAAGCTCGA AGTGTCGTTC AAGATGAGGC CGGCGCAACC 1440 GAGGGGCTCG AAACCACCGA GCGGTTCGCC TGAAACGGGC GCCGGCGCCG GTACTGTCGC 1500 GACTACCCCC GCGTCGTCGC CGGTGACGTT GGCGGAGACC GGTAGCACGC TGCTCTACCC 1560 GCTGTTCAAC CTGTGGGGTC CGGCCTTTCA CGAGAGGTAT CCGAACGTCA CGATCACCGC 1620 TCAGGGCACC GGTTCTGGTG CCGGGATCGC GCAGGCCGCC GCCGGGACGG TCAACATTGG 1680 GGCCTCCGAC GCCTATCTGT CGGAAGGTGA TATGGCCGCG CACAAGGGGC TGATGAACAT CGCGCTAGCC ATCTCCGCTC AGCAGGTCAA CTACAACCTG CCCGGAGTGA GCGAGCACCT 1800 CAAGCTGAAC GGAAAAGTCC TGGCGGCCAT GTACCAGGGC ACCATCAAAA CCTGGGACGA 1860 CCCGCAGATC GCTGCGCTCA ACCCCGGCGT GAACCTGCCC GGCACCGCGG TAGTTCCGCT 1920 GCACCGCTCC GACGGGTCCG GTGACACCTT CTTGTTCACC CAGTACCTGT CCAAGCAAGA 1980 TCCCGAGGGC TGGGGCAAGT CGCCCGGCTT CGGCACCACC GTCGACTTCC CGGCGGTGCC 2040 GGGTGCGCTG GGTGAGAACG GCAACGGCGG CATGGTGACC GGTTGCGCCG AGACACCGGG 2100 CTGCGTGGCC TATATCGGCA TCAGCTTCCT CGACCAGGCC AGTCAACGGG GACTCGGCGA 2160 GGCCCAACTA GGCAATAGCT CTGGCAATTT CTTGTTGCCC GACGCGCAAA GCATTCAGGC 2220 CGCGGCGGCT GGCTTCGCAT CGAAAACCCC GGCGAACCAG GCGATTTCGA TGATCGACGG 2280 GCCCGCCCCG GACGGCTACC CGATCATCAA CTACGAGTAC GCCATCGTCA ACAACCGGCA 2340 AAAGGACGCC GCCACCGCGC AGACCTTGCA GGCATTTCTG CACTGGGCGA TCACCGACGG 2400 CAACAAGGCC TCGTTCCTCG ACCAGGTTCA TTTCCAGCCG CTGCCGCCCG CGGTGGTGAA 2460 GTTGTCTGAC GCGTTGATCG CGACGATTTC CAGCGCTGAG ATGAAGACCG ATGCCGCTAC 2520 CCTCGCGCAG GAGGCAGGTA ATTTCGAGCG GATCTCCGGC GACCTGAAAA CCCAGATCGA 2580 CGCCCAGGCC GCGGTGGTGC GCTTCCAAGA AGCAGCCAAT AAGCAGAAGC AGGAACTCGA 2700 CGAGATCTCG ACGAATATTC GTCAGGCCGG CGTCCAATAC TCGAGGGCCG ACGAGGAGCA 2760 GCAGCAGGCG CTGTCCTCGC AAATGGGCTT TGGATTCAGC TTCGCGCTGC CTGCTGGCTG 2820 GGTGGAGTCT GACGCCGCCC ACTTCGACTA CGGTTCAGCA CTCCTCAGCA AAACCACCGG 2880 GGACCCGCCA TTTCCCGGAC AGCCGCCGCC GGTGGCCAAT GACACCCGTA TCGTGCTCGG 2940 CCGGCTAGAC CAAAAGCTTT ACGCCAGCGC CGAAGCCACC GACTCCAAGG CCGCGGCCCG 3000 GTTGGGCTCG GACATGGGTG AGTTCTATAT GCCCTACCCG GGCACCCGGA TCAACCAGGA 3060

PCT/US99/03268 WO 99/42076

AACCGTCTCG	CTYGACGCCA	ACGGGGTGTC	TGGAAGCGCG	TCGTATTACG	AAGTCAAGTT	3120
CAGCGATCCG	AGTAAGCCGA	ACGGCCAGAT	CTGGACGGGC	GTAATCGGCT	CGCCCGCGC	3180
GAACGCACCG	GACGCCGGGC	CCCCTCAGCG	CTGGTTTGTG	GTATGGCTCG	GGACCGCCAA	3240
CAACCCGGTG	GACAAGGGCG	CGGCCAAGGC	GCTGGCCGAA	TCGATCCGGC	CTTTGGTCGC	3300
CCCGCCGCCG	GCGCCGGCCG	GGGAAGTCGC	TCCTACCCCG	ACGACACCGA	CACCGCAGCG	3360
GACCTTACCG	GCCTGAGAAT	TCTGCAGATA	TCCATCACAC	TGGCGGCCGC	TCGAGCACCA	3420
CCACCACCAC	CACTGAGATC	CGGCTGCTAA	CAAAGCCCGA	AAGGAAGCTG	AGTTGGCTGC	3480
TGCCACCGCT	GAGCAATAAC	TAGCATAACC	CCTTGGGGCC	TCTAAACGGG	TCTTGAGGGG	3540
TTTTTTGCTG	AAAGGAGGAA	CTATATCCGG	AT			3572

268

- (2) INFORMATION FOR SEQ ID NO:343:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 20 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:343:

Val Gln Phe Gln Ser Gly Gly Asp Asn Ser Pro Ala Val Tyr Xaa Xaa Asp Gly Xaa Arg 20

- (2) INFORMATION FOR SEQ ID NO:344:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 10 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:344:

Thr Thr Val Pro Xaa Val Thr Glu Ala Arg 1 5

- (2) INFORMATION FOR SEQ ID NO:345:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 10 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:345:

Thr Thr Pro Ser Xaa Val Ala Phe Ala Arg

269

1 5 10 (2) INFORMATION FOR SEQ ID NO:346: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 12 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (xi) SEQUENCE DESCRIPTION: SEQ ID NO:346: Asp Ala Gly Lys Xaa Ala Gly Xaa Asp Val Xaa Arg 1 10 . (2) INFORMATION FOR SEQ ID NO:347: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: peptide (xi) SEQUENCE DESCRIPTION: SEQ ID NO:347: Thr Xaa Glu Glu Xaa Gln Glu Ser Phe Asn Ser Ala Ala Pro Gly Asn 10 Xaa Lys (2) INFORMATION FOR SEQ ID NO:348: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: Other (xi) SEQUENCE DESCRIPTION: SEQ ID NO:348: 27 CTAGTTAGTA CTCAGTCGCA GACCGTG (2) INFORMATION FOR SEQ ID NO:349:

(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 25 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

270

(ii) MOLECULE TYPE: Other

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:349:

#### GCAGTGACGA ATTCACTTCG ACTCC

25

(2) INFORMATION FOR SEQ ID NO:350:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2412 base pairs

(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:350:

```
CATATGGGCC ATCATCATCA TCATCACGTG ATCGACATCA TCGGGACCAG CCCCACATCC
TGGGAACAGG CGGCGGCGGA GGCGGTCCAG CGGGCGCGGG ATAGCGTCGA TGACATCCGC
                                                                   120
GTCGCTCGGG TCATTGAGCA GGACATGGCC GTGGACAGCG CCGGCAAGAT CACCTACCGC
                                                                   180
ATCAAGCTCG AAGTGTCGTT CAAGATGAGG CCGGCGCAAC CGAGGGGCTC GAAACCACCG
                                                                   240
AGCGGTTCGC CTGAAACGGG CGCCGGCGCC GGTACTGTCG CGACTACCCC CGCGTCGTCG
                                                                   300
CCGGTGACGT TGGCGGAGAC CGGTAGCACG CTGCTCTACC CGCTGTTCAA CCTGTGGGGT
                                                                   360
CCGGCCTTTC ACGAGAGGTA TCCGAACGTC ACGATCACCG CTCAGGGCAC CGGTTCTGGT 420
GCCGGGATCG CGCAGGCCGC CGCCGGGACG GTCAACATTG GGGCCTCCGA CGCCTATCTG
                                                                   480
TCGGAAGGTG ATATGGCCGC GCACAAGGGG CTGATGAACA TCGCGCTAGC CATCTCCGCT
                                                                   540
CAGCAGGTCA ACTACAACCT GCCCGGAGTG AGCGAGCACC TCAAGCTGAA CGGAAAAGTC
                                                                    600
CTGGCGGCCA TGTACCAGGG CACCATCAAA ACCTGGGACG ACCCGCAGAT CGCTGCGCTC
AACCCCGGCG TGAACCTGCC CGGCACCGCG GTAGTTCCGC TGCACCGCTC CGACGGGTCC
                                                                   720
GGTGACACT TCTTGTTCAC CCAGTACCTG TCCAAGCAAG ATCCCGAGGG CTGGGGCAAG 780
TCGCCCGGCT TCGGCACCAC CGTCGACTTC CCGGCGGTGC CGGGTGCGCT GGGTGAGAAC
GGCAACGGCG GCATGGTGAC CGGTTGCGCC GAGACACCGG GCTGCGTGGC CTATATCGGC
                                                                   900
ATCAGCTTCC TCGACCAGGC CAGTCAACGG GGACTCGGCG AGGCCCAACT AGGCAATAGC
                                                                   960
TCTGGCAATT TCTTGTTGCC CGACGCGCAA AGCATTCAGG CCGCGGCGGC TGGCTTCGCA 1020
TCGAAAACCC CGGCGAACCA GGCGATTTCG ATGATCGACG GGCCCGCCCC GGACGGCTAC 1080
CCGATCATCA ACTACGAGTA CGCCATCGTC AACAACCGGC AAAAGGACGC CGCCACCGCG 1140
CAGACCTTGC AGGCATTTCT GCACTGGGCG ATCACCGACG GCAACAAGGC CTCGTTCCTC 1200
GACCAGGTTC ATTTCCAGCC GCTGCCGCCC GCGGTGGTGA AGTTGTCTGA CGCGTTGATC
                                                                   1260
GCGACGATTT CCAGCGCTGA GATGAAGACC GATGCCGCTA CCCTCGCGCA GGAGGCAGGT
AATTTCGAGC GGATCTCCGG CGACCTGAAA ACCCAGATCG ACCAGGTGGA GTCGACGGCA
                                                                   1380
GGTTCGTTGC AGGGCCAGTG GCGCGGCGCG GCGGGGACGG CCGCCCAGGC CGCGGTGGTG
                                                                  1440
CGCTTCCAAG AAGCAGCCAA TAAGCAGAAG CAGGAACTCG ACGAGATCTC GACGAATATT
CGTCAGGCCG GCGTCCAATA CTCGAGGGCC GACGAGGAGC AGCAGCAGGC GCTGTCCTCG
                                                                   1560
CAAATGGGCT TTGTGCCCAC AACGGCCGCC TCGCCGCCGT CGACCGCTGC AGCGCCACCC
                                                                   1620
GCACCGGCGA CACCTGTTGC CCCCCCACCA CCGGCCGCCG CCAACACGCC GAATGCCCAG
                                                                   1740
CCGGGCGATC CCAACGCAGC ACCTCCGCCG GCCGACCCGA ACGCACCGCC GCCACCTGTC
ATTGCCCCAA ACGCACCCCA ACCTGTCCGG ATCGACAACC CGGTTGGAGG ATTCAGCTTC
                                                                   1800
GCGCTGCCTG CTGGCTGGGT GGAGTCTGAC GCCGCCCACT TCGACTACGG TTCAGCACTC
                                                                   1860
 CTCAGCAAAA CCACCGGGGA CCCGCCATTT CCCGGACAGC CGCCGCCGGT GGCCAATGAC
                                                                   1920
ACCCGTATCG TGCTCGGCCG GCTAGACCAA AAGCTTTACG CCAGCGCCGA AGCCACCGAC
                                                                   1980
 TCCAAGGCCG CGGCCCGGTT GGGCTCGGAC ATGGGTGAGT TCTATATGCC CTACCCGGGC
                                                                   2040
 ACCCGGATCA ACCAGGAAAC CGTCTCGCTC GACGCCAACG GGGTGTCTGG AAGCGCGTCG 2100
 TATTACGAAG TCAAGTTCAG CGATCCGAGT AAGCCGAACG GCCAGATCTG GACGGGCGTA
```

ATCGGCTCGC	CCGCGGCGAA	CGCACCGGAC	GCCGGGCCCC	CTCAGCGCTG	GTTTGTGGTA	2220
TGGCTCGGGA	CCGCCAACAA	CCCGGTGGAC	AAGGGCGCGG	CCAAGGCGCT	GGCCGAATCG	2280
ATCCGGCCTT	TGGTCGCCCC	GCCGCCGGCG	CCGGCACCGG	CTCCTGCAGA	GCCCGCTCCG	2340
GCGCCGGCGC	CGGCCGGGGA	AGTCGCTCCT	ACCCCGACGA	CACCGACACC	GCAGCGGACC	2400
TTACCGGCCT	GA					2412

#### (2) INFORMATION FOR SEQ ID NO:351:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 802 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

#### (ii) MOLECULE TYPE: protein

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:351:

Met 1	Gly	His	His	His 5	His	His	His	Val	Ile 10	Asp	Ile	Ile	Gly	Thr 15	Ser
			20					25					30	Ala	
-		35	_	_			40		_			45		Asp	
Ala	Val 50	Asp	Ser	Ala	Gly	Lys 55	Ile	Thr	Tyr	Arg	Ile 60	Lys	Leu	Glu	Val
65		_		_	70					75		-		Pro	80
Gly	Ser	Pro	Glu	Thr 85	Gly	Ala	Gly	Ala	Gly 90	Thr	Val	Ala	Thr	Thr 95	Pro
Ala	Ser	Ser	Pro 100	Val	Thr	Leu	Ala	Glu 105	Thr	Gly	Ser	Thr	Leu 110	Leu	Tyr
Pro	Leu	Phe 115	Asn	Leu	מבב	Gly	Pro 120	Ala	Phe	His	Glu	Arg 125	Tyr	Pro	Asn
Val	Thr 130	Ile	Thr	Ala	Gln	Gly 135	Thr	Gly	Ser	Gly	Ala 140	Gly	Ile	Ala	Gln
Ala 145	Ala	Ala	Gly	Thr	Val 150	Asn	Ile	Gly	Ala	Ser 155	Asp	Ala	Tyr	Leu	Ser 160
	Gly	Asp	Met	Ala 165		His	Lys	Gly	Leu 170	Mec	Asn	Ile	Ala	Leu 175	
Ile	Ser	Ala	Gln 180	Gln	Val	Asn	Tyr	Asn 185	Leu	Pro	Gly	Val	Ser 190	Glu	His
Leu	Ļys	Leu 195		Gly	ŗ'ns	Val	Leu 200		Ala	Met	Tyr	Gln 205	-	Thr	Ile
Lys	Thr 210	_	Asp	Asp	Pro	Gln 215		Ala	Ala	Leu	Asn 220		Gly	Val	Asn
Leu 225		Gly	Thr	Ala	Val 230		Pro	Leu	His	Arg 235		qaA	Gly	Ser	Gly 240
Asp	Thr	Phe	Leu	Phe 245		Gln	Tyr	Leu	Ser 250	_	Gln	Asp	Pro	Glu 255	Gly
Trp	Gly	Lys	Ser 260		Gly	Phe	Gly	Thr 265		Val	Asp	Phe	270		Val
Pro	Gly	Ala 275		Gly	Glu	. Asr	Gly 280		Gly	Gly	Met	Val 285		Gly	Cys
Ala	Glu	Thr	Pro	Gly	. Gās	: Val	. Ala	Тух	: Ile	Gly	· Ile	Ser	Phe	Leu	Asp

WO 99/42076 PCT/US99/03268

		290					295					300				
,	Gln	-	Ser	Gln	Ara	Gĺv		Glv	Glu	Δla	Gln		Glv	Asn	Ser	Ser
	305					310		,			315	200	1		-	320
		Asn	Phe	Leu	Leu		Asp	Ala	Gln	Ser		Gln	Ala	Ala	Ala	
	•				325		•			330					335	
	Gly	Phe	Ala	Ser	Lys	Thr	Pro	Ala	Asn	Gln	Ala	Ile	Ser	Met	Ile	Asp
	•			340	•				345					350		•
	Gly	Pro	Ala	Pro	Asp	Gly	Tyr	Pro	Ile	Ile	Asn	Tyr	Glu	Tyr	Ala	Ile
			355					360					365			
	Val	Asn	Asn	Arg	Gln	Lys	Asp	Ala	Ala	Thr	Ala	Gln	Thr	Leu	Gln	Ala
		370					375					380				
		Leu	His	Trp	Ala		Thr	Asp	Gly	Asn		Ala	Ser	Phe	Leu	
	385		•••			390	_	_	_		395		_	_	_	400
	GIN	vai	HIS	Phe		Pro	Leu	Pro	Pro		Val	Val	Lys	Leu		Asp
	77-	T 011	Tla	77.	405	710	Co=	Com	R 1 -	410	Man	T	m	»	415	<b>81</b> a
	Ald	ren	TTG	Ala 420	Int	116	ser	ser	425	GIU	Met	гÀг	Thr	430	ALA	ALA
	Thr	Len	Δla	Gln	Glu	Δla	Glv	λġn		G1 11	Arc	T1_	Sar		λen	T-011
		204	435				G. J	440	2 110	<b>31</b> u	AL 9		445	GLY	رو م	DC G
	Lvs	Thr		Ile	Asp	Gln	Val		Ser	Thr	Ala	Glv		Leu	Gln	Glv
		450					455					460				,
	Gln	Trp	Arg	Gly	Ala	Ala	Gly	Thr	Ala	Ala	Gln	Ala	Ala	Val	Val	Arg
	465					470					475					480
	Phe	Gln	Glu	Ala	Ala	Asn	Lys	Gln	Lys		Glu	Leu	Asp	Glu		Ser
					485					490					495	
	Thr	Asn	Ile	Arg	Gln	Ala	Gly	Val		Tyr	Ser	Arg	Ala		Glu	Glu
				500	_	_	_		505				_	510		_ •
	GIn	GIn		Ala	Leu	Ser	Ser		Met	Gly	Phe	Val		Thr	Thr	Ala
	<b>71</b> -	Ca=	515	2~0	S	The	71-	520	21-	D	D	<b>81</b> -	525	21-	The sec	2
	мта	530	FIG	Pro	261	TITE	535	ATG	ALA	PIO	PIO	540	PIO	ALA	TILL	PIO
	Va I		Pro	Pro	Pro	220		בוב	Δla	) en	Thr		3en	11a	Gln	Pro
	545					550					555					560
	Gly	Asp	Pro	Asn	Ala	Ala	Pro	2ro	Pro	Ala		Pro	Asn	Ala	Pro	Pro
	_	-			565					570	_				575	
	Pro	Pro	Val	Ile	Ala	Pro	Asn	Ala	Pro	Gln	Pro	Val	Arg	Ile	Asp	Asn
				580					585					590		
	Pro	Val	Gly	Gly	Phe	Ser	Phe	Ala	Leu	Pro	Ala	Gly	Trp	Val	Glu	Ser
		_											605			
	Asp		Ala	His	Phe	qaƙ		-	Ser	Ala	Leu			Lys	Thr	Thr
	<b>01</b>	610		<b>D</b>	<b>5</b> 1	D	615					620				
		Asp	PIO	Pro	Pne		GTĀ	GIN	Pro	Pro			Ата	Asn	Asp	_
	625	Tla	17=1	Leu	Glar	630	Lau	λαη	G1 n	Tare	635		. אז ה	Car	212	640
	Arg	116	Val	Dea	645	_	Deu	, wah	GIII	650		TYL	ALG	361	655	
	Ala	Thr	Asp	Ser			Ala	Ala	Ara			Ser	Asp	Met		
				660	-1-				665		,			670	_	
	Phe	Tyr	Met	Pro	Tyr	Pro	Gly	Thr	Arg	Ile	Asn	Gln	Glu			Ser
		-	675		-		-	680	_				685			
	Leu	Asp	Ala	Asn	Gly	Val	Ser	Gly	Ser	Ala	Ser	Туг	Tyr	Glu	Val	Lys
		690					695					700				
			qaA	Pro	Ser			Ası	Gly	Gln			Thr	Gly	Val	
	705		_			710		_	_		715		_		-	720
	Gly	Ser	Pro	Ala			Ala	Pro	Asp		_	Pro	Pro	Gln	_	_
					725					730	)				735	

PCT/US99/03268 WO 99/42076

273

Phe	Val	Val	Trp 740	Leu	Gly	Thr	Ala	Asn 745	Asn	Pro	Val	Ąsp	Lys 750	Gly	Ala	
Ala	Lys	Ala 755	Leu	Ala	Glu	Ser	Ile 760	Arg	Pr	Leu	Val	Ala 765	Pro	Pr	Pro	
Ala	Pro 770	Ala	Pro	Ala	Pro	Ala 775	Glu	Pro	Ala	Pro	Ala 780	Pro	Ala	Pro	Ala	
785		Val	Ala	Pro	Thr 790	Pro	Thr	Thr	Pro	Thr 795	Pro	Gln	Arg	Thr	Leu 800	
		(2	) IN	<b>F</b> ∩DM	<b>አ</b> ሞፐ∩ነ	אז וצרו	0 00	חד ה	NO.	257.						
	,	i) S							NO.							
	``	(A)	LEN	GTH:	34	base	pai:									
			TYP:					e								
			TOP				_	_								
	(	ii)	MOLE	CULE	TYP	E: 0	ther									
•	(	xi)	SEQU	ENCE	DES	CRIP	TION	: SE	Q ID	NO:	352:					
GGA	TCCA	AAC	CACC	GAGC	GG T	TCGC	CTGA	A AC	GG							34
		(2	) IN	FORM	ATIO	n fo	R SE	Q ID	NO:	353:						
	(	i) S														
			LEN TYP					rs								
		(C)	STR	ANDE	DNES	S: s	ingl	e								
		(D)	TOP	OLOG	Y: 1	inea	r									
	(	ii)	MOLE	CULE	TYP	E: 0	ther	•								
	(	xi)	SEQU	ENCE	DES	CRIP	TION	: SE	Q II	NO:	353 :					
CGC	TGCG	AAT	TCAC	CTCC	GG A	GGAA	ATC	T CG	CGAT	C.						37
		(2	) IN	IFORM	ATIC	N FC	R SE	Q II	NO:	354 :	:					
	(	(B)	LEN TYP STR	IGTH: PE: 1 PANDI	196 Nucle	i2 ba sic a SS: s	se p cid ingl	airs								
		(ii)	MOLE	CULI	E TYI	?E: 0	:DNA									
		(xi)	SEQ	JENC:	E DES	CRI	PTIO	N: S1	EQ II	ОИС	: 354	:				
															TGAAACG	60
															GGCGGAG CGAGAGG	120 180
															GCAGGCC	

GCCGCCGGGA	CGGTCAACAT	TGGGGCCTCC	GACGCCTATC	TGTCGGAAGG	TGATATGGCC	300
GCGCACAAGG	GGCTGATGAA	CATCGCGCTA	GCCATCTCCG	CTCAGCAGGT	CAACTACAAC	360
CTGCCCGGAG	TGAGCGAGCA	CCTCAAGCTG	AACGGAAAAG	TCCTGGCGGC	CATGTACCAG	420
GGCACCATCA	AAACCTGGGA	CGACCCGCAG	ATCGCTGCGC	TCAACCCCGG	CGTGAACCTG	480
CCCGGCACCG	CGGTAGTTCC	GCTGCACCGC	TCCGACGGGT	CCGGTGACAC	CTTCTTGTTC	540
ACCCAGTACC	TGTCCAAGCA	AGATCCCGAG	GGCTGGGGCA	AGTCGCCCGG	CTTCGGCACC	600
ACCGTCGACT	TCCCGGCGGT	GCCGGGTGCG	CTGGGTGAGA	ACGGCAACGG	CGGCATGGTG	660
ACCGGTTGCG	CCGAGACACC	GGGCTGCGTG	GCCTATATCG	GCATCAGCTT	CCTCGACCAG	720
GCCAGTCAAC	GGGGACTCGG	CGAGGCCCAA	CTAGGCAATA	GCTCTGGCAA	TTTCTTGTTG	780
CCCGACGCGC	AAAGCATTCA	GCCGCGGCG	GCTGGCTTCG	CATCGAAAAC	CCCGGCGAAC	840
CAGGCGATTT	CGATGATCGA	CGGCCCCCC	CCGGACGGCT	ACCCGATCAT	CAACTACGAG	900
TACGCCATCG	TCAACAACCG	GCAAAAGGAC	GCCGCCACCG	CGCAGACCTT	GCAGGCATTT	960
CTGCACTGGG	CGATCACCGA	CGGCAACAAG	GCCTCGTTCC	TCGACCAGGT	TCATTTCCAG	1020
CCGCTGCCGC	CCGCGGTGGT	GAAGTTGTCT	GACGCGTTGA	TCGCGACGAT	TTCCTCCGGA	1080
GGTGGCAGTG	GGGGAGGCTC	AGGTGGAGGT	TCTGGCGGGA	GCGTGCCCAC	AACGGCCGCC	1140
TCGCCGCCGT	CGACCGCTGC	AGCGCCACCC	GCACCGGCGA	CACCTGTTGC	CCCCCCACCA	1200
CCGGCCGCCG	CCAACACGCC	GAATGCCCAG	CCGGGCGATC	CCAACGCAGC	ACCTCCGCCG	1260
GCCGACCCGA	ACGCACCGCC	GCCACCTGTC	ATTGCCCCAA	ACGCACCCCA	ACCTGTCCGG	1320
ATCGACAACC	CGGTTGGAGG	ATTCAGCTTC	GCGCTGCCTG	CTGGCTGGGT	GGAGTCTGAC	1380
GCCGCCCACT	TCGACTACGG	TTCAGCACTC	CTCAGCAAAA	CCACCGGGGA	CCCGCCATTT	1440
CCCGGACAGC	CGCCGCCGGT	GGCCAATGAC	ACCCGTATCG	TGCTCGGCCG	GCTAGACCAA	1500
AAGCTTTACG	CCAGCGCCGA	AGCCACCGAC	TCCAAGGCCG	CGGCCCGGTT	GGGCTCGGAC	1560
ATGGGTGAGT	TCTATATGCC	CTACCCGGGC	ACCCGGATCA	ACCAGGAAAC	CGTCTCGCTC	1620
GACGCCAACG	GGGTGTCTGG	AAGCGCGTCG	TATTACGAAG	TCAAGTTCAG	CGATCCGAGT	1680
AAGCCGAACG	GCCAGATCTG	GACGGGCGTA	ATCGGCTCGC	CCGCGGCGAA	CGCACCGGAC	1740
GCCGGGCCCC	CTCAGCGCTG	GTTTGTGGTA	TGGCTCGGGA	CCGCCAACAA	CCCGGTGGAC	1800
AAGGGCGCGG	CCAAGGCGCT		ATCCGGCCTT	TGGTCGCCCC	GCCGCCGGCG	1860
CCGGCACCGG		GCCCGCTCCG			AGTCGCTCCT	1920
ACCCCGACGA	CACCGACACC	GCAGCGGACC	TTACCGGCCT	GA		1962

#### (2) INFORMATION FOR SEQ ID NO:355:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 652 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:355:

 Met
 Gly
 His
 His
 His
 His
 His
 His
 Gly
 Ser
 Lys
 Pro
 Pro
 Ser
 Gly
 Ser
 10
 15
 15
 15
 15
 15
 15
 17
 Pro
 Ala
 Ser
 Thr
 Val
 Ala
 Gly
 Ala
 Gly
 Thr
 Val
 Ala
 Ser
 Thr
 Leu
 Leu
 Tyr
 Pro
 Leu
 Ala
 Gly
 Thr
 Gly
 Ser
 Thr
 Leu
 Leu
 Tyr
 Pro
 Leu
 Leu
 Thr
 Leu
 Ala
 Tyr
 Pro
 Leu
 Thr
 Leu
 Ala
 His
 His

PCT/US99/03268 WO 99/42076

275

			100					105					110		
Ala	Gln	Gln 115	Val	Asn	Tyr	Asn	Leu 120	Pro	Gly	Val	Ser	Glu 125		Leu	Lys
	130	Gly				135					140				
145		Asp			150					155					160
		Ala		165					170					175	
		Phe	180					185					190	_	
		Pro 195					200					205			_
	210	Gly				215					220				
225		Gly			230					235					240
		Arg		245					250					255	
٠		Leu	260					265					270	•	
		Lys 275					280					285	_	_	
	290	Asp				295					300				
305		Gln			310					315					320
		Ala		325					330					335	
		Gln	340					345					350		
		Thr 355					360				-	365			_
	370	Gly				375					380				
385		Ala			390					395					400
		Ala		405					410					415	
		Pro	420					425					430		
		Pro 435					440					445			
	450	Leu				455					460				_
465		Ser			470					475					480
		Pro		485					490					495	
		Gln	500					505				_	510	_	
		Arg 515					520					525			
Glγ	Thr 530	Arg	Ile	Asn	Gln	Glu 535	Thr	Val	Ser	Leu	Asp 540	Ala	Asn	Gly	Val

Ser 545	Gly	Ser	Ala	Ser	Tyr 550	Tyr	Glu	Val	Lys	Phe 555	Ser	Asp	Pro	Ser	Lys 560
Pro	Asn	Gly	Gln	Ile 565	Trp	Thr	Gly	Val	Ile 570	Gly	Ser	Pro	Ala	Ala 575	Asn
Ala	Pro	Asp	Ala 580	Gly	Pro	Pro	Gln	Arg 585	Trp	Phe	Val	Val	Trp 590	Leu	Gly
Thr	Ala	<b>Asn</b> 595	Asn	Pro	Val	Asp	Lys 600	Gly	Ala	Ala	Lys	Ala 605	Leu	Ala	Glu
Ser	Ile 610	Arg	Pro	Leu	Val	Ala 615	Pro	Pro	Pro	Ala	Pro 620	Ala	Pro	Ala	Pro
Ala 625	Glu	Pro	Ala	Pro	Ala 630	Pro	Ala	Pro	Ala	Gly 635	Glu	Val	Ala	Pro	Thr 640
Pro	Thr	Thr	Pro	Thr 645	Pro	Gln	Arg	Thr	Leu 650	Pro	Ala				

#### **CLAIMS**

277

- 1. A polypeptide comprising an immunogenic portion of a soluble M. tuberculosis antigen, or a variant of said antigen that differs only in conservative substitutions and/or modifications, wherein said antigen has an N-terminal sequence selected from the group consisting of:
  - (a) Asp-Pro-Val-Asp-Ala-Val-Ile-Asn-Thr-Thr-Cys-Asn-Tyr-Gly-Gln-Val-Val-Ala-Ala-Leu; (SEQ ID No. 120)
  - (b) Ala-Val-Glu-Ser-Gly-Met-Leu-Ala-Leu-Gly-Thr-Pro-Ala-Pro-Ser: (SEQ ID No. 121)
  - (c) Ala-Ala-Met-Lys-Pro-Arg-Thr-Gly-Asp-Gly-Pro-Leu-Glu-Ala-Ala-Lys-Glu-Gly-Arg; (SEQ ID No. 122)
  - (d) Tyr-Tyr-Trp-Cys-Pro-Gly-Gln-Pro-Phe-Asp-Pro-Ala-Trp-Gly-Pro; (SEQ ID No. 123)
  - (e) Asp-Ile-Gly-Ser-Glu-Ser-Thr-Glu-Asp-Gln-Gln-Xaa-Ala-Val; (SEQ ID No. 124)
  - (f) Ala-Glu-Glu-Ser-Ile-Ser-Thr-Xaa-Glu-Xaa-Ile-Val-Pro: (SEQ ID No. 125)
  - (g) Asp-Pro-Glu-Pro-Ala-Pro-Pro-Val-Pro-Thr-Thr-Ala-Ala-Ser-Pro-Pro-Ser: (SEQ ID No. 126)
  - (h) Ala-Pro-Lys-Thr-Tyr-Xaa-Glu-Glu-Leu-Lys-Gly-Thr-Asp-Thr-Gly; (SEQ ID No. 127)
  - (i) Asp-Pro-Ala-Ser-Ala-Pro-Asp-Val-Pro-Thr-Ala-Ala-Gln-Leu-Thr-Ser-Leu-Leu-Asn-Ser-Leu-Ala-Asp-Pro-Asn-Val-Ser-Phe-Ala-Asn: (SEQ ID No. 128) and
  - (j) Ala-Pro-Glu-Ser-Gly-Ala-Gly-Leu-Gly-Gly-Thr-Val-Gln-Ala-Gly; (SEQ ID No. 136)

wherein Xaa may be any amino acid.

2. A polypeptide comprising an immunogenic portion of an M. tuberculosis antigen, or a variant of said antigen that differs only in conservative substitutions and/or modifications, wherein said antigen has an N-terminal sequence selected from the group consisting of:

- (a) Asp-Pro-Pro-Asp-Pro-His-Gln-Xaa-Asp-Met-Thr-Lys-Gly-Tyr-Tyr-Pro-Gly-Gly-Arg-Arg-Xaa-Phe; (SEQ ID No. 129) and
- (b) Xaa-Tyr-Ile-Ala-Tyr-Xaa-Thr-Thr-Ala-Gly-Ile-Val-Pro-Gly-Lys-Ile-Asn-Val-His-Leu-Val; (SEQ ID No. 137), wherein Xaa may be any amino acid.
- A polypeptide comprising an immunogenic portion of a soluble 3. M. tuberculosis antigen, or a variant of said antigen that differs only in conservative substitutions and/or modifications, wherein said antigen comprises an amino acid sequence encoded by a DNA sequence selected from the group consisting of the sequences recited in SEQ ID Nos.: 1, 2, 4-10, 13-25, 52, 99 and 101, the complements of said sequences, and DNA sequences that hybridize to a sequence recited in SEQ ID Nos.: 1, 2, 4-10, 13-25, 52, 99 and 101 or a complement thereof under moderately stringent conditions.
- 4. A polypeptide comprising an immunogenic portion of a M. tuberculosis antigen, or a variant of said antigen that differs only in conservative substitutions and/or modifications. wherein said antigen comprises an amino acid sequence encoded by a DNA sequence selected from the group consisting of the sequences recited in SEQ ID Nos.: 26-51, 138, 139, 163-183, 201, 240, 242-247, 253-256, 295-298, 309, 316, 318-320, 322, 324, 328, 329, 333, 335, 337, 339 and 341, the complements of said sequences, and DNA sequences that hybridize to a sequence recited in SEQ ID Nos.: 26-51, 138, 139. 163-183, 201, 240, 242-247, 253-256, 295-298, 309, 316, 318-320, 322, 324, 328, 329, 333, 335, 337, 339 and 341 or a complement thereof under moderately stringent conditions.
- 5. A DNA molecule comprising a nucleotide sequence encoding a polypeptide according to any one of claims 1-4.
- 6. An expression vector comprising a DNA molecule according to claim 5.

- 7. A host cell transformed with an expression vector according to claim 6.
- 8. The host cell of claim 7 wherein the host cell is selected from the group consisting of E. coli, yeast and mammalian cells.
- 9. A pharmaceutical composition comprising one or more polypeptides according to any one of claims 1-4 and a physiologically acceptable carrier.
- 10. A pharmaceutical composition comprising one or more DNA molecules according to claim 5 and a physiologically acceptable carrier.
- 11. A pharmaceutical composition comprising one or more DNA sequences recited in SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347; and a physiologically acceptable carrier.
- 12. A vaccine comprising one or more polypeptides according to any one of claims 1-4 and a non-specific immune response enhancer.
  - 13. A vaccine comprising:
- a polypeptide having an N-terminal sequence selected from the group consisting of sequences recited in SEQ ID NO: 134 and 135; and
  - a non-specific immune response enhancer.

#### 14. A vaccine comprising:

one or more polypeptides encoded by a DNA sequence selected from the group consisting of SEQ ID Nos.: 3. 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347, the complements of said sequences, and DNA sequences that hybridize to a sequence recited in SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347; and

a non-specific immune response enhancer.


- 15. The vaccine of claims 12-14 wherein the non-specific immune response enhancer is an adjuvant.
- 16. A vaccine comprising one or more DNA molecules according to claim 5 and a non-specific immune response enhancer.
- 17. A vaccine comprising one or more DNA sequences recited in SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347; and a non-specific immune response enhancer.
- 18. The vaccine of claims 16 or 17 wherein the non-specific immune response enhancer is an adjuvant.
- 19. A method for inducing protective immunity in a patient, comprising administering to a patient a pharmaceutical composition according to any one of claims 9-11.
- 20. A method for inducing protective immunity in a patient, comprising administering to a patient a vaccine according to any one of claims 12-18.
- 21. A fusion protein comprising two or more polypeptides according to any one of claims 1-4.
- 22. A fusion protein comprising one or more polypeptides according to any one of claims 1-4 and ESAT-6.
- 23. A fusion protein comprising one or more polypeptides according to any one of claims 1-4 and the *M. tuberculosis* antigen 38 kD (SEQ ID NO:155).

- 24. A pharmaceutical composition comprising a fusion protein according to any one of claims 21-23 and a physiologically acceptable carrier.
- 25. A vaccine comprising a fusion protein according to any one of claims 21-23 and a non-specific immune response enhancer.
- 26. The vaccine of claim 25 wherein the non-specific immune response enhancer is an adjuvant.
- 27. A method for inducing protective immunity in a patient, comprising administering to a patient a pharmaceutical composition according to claim 24.
- 28. A method for inducing protective immunity in a patient, comprising administering to a patient a vaccine according to claims 25 or 26.
  - 29. A method for detecting tuberculosis in a patient, comprising:
- (a) contacting dermal cells of a patient with one or more polypeptides according to any one of claims 1-4; and
- (b) detecting an immune response on the patient's skin and therefrom detecting tuberculosis in the patient.
  - 30. A method for detecting tuberculosis in a patient, comprising:
- (a) contacting dermal cells of a patient with a polypeptide having an Nterminal sequence selected from the group consisting of sequences recited in SEQ ID NO: 134 and 135; and
- detecting an immune response on the patient's skin and therefrom (b) detecting tuberculosis in the patient.
  - A method for detecting tuberculosis in a patient, comprising: 31.
- (a) contacting dermal cells of a patient with one or more polypeptides encoded by a DNA sequence selected from the group consisting of SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308,

- 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347, the complements of said sequences, and DNA sequences that hybridize to a sequence recited in SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347; and
- (b) detecting an immune response on the patient's skin and therefrom detecting tuberculosis in the patient.
- 32. The method of any one of claims 29-31 wherein the immune response is induration.
  - 33. A diagnostic kit comprising:
  - (a) a polypeptide according to any one of claims 1-4; and
- (b) apparatus sufficient to contact said polypeptide with the dermal cells of a patient.
  - 34. A diagnostic kit comprising:
- (a) a polypeptide having an N-terminal sequence selected from the group consisting of sequences recited in SEQ ID NO: 134 and 135; and
- (b) apparatus sufficient to contact said polypeptide with the dermal cells of a patient.
  - 35. A diagnostic kit comprising:
- (a) a polypeptide encoded by a DNA sequence selected from the group consisting of SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347, the complements of said sequences, and DNA sequences that hybridize to a sequence recited in SEQ ID Nos.: 3, 11, 12, 140, 141, 156-160, 189-193, 199, 200, 203, 215-225, 237, 239, 261-276, 292, 293, 303-308, 310-315, 317, 321, 323, 325-327, 330-332, 334, 336, 338, 340 and 342-347; and
- (b) apparatus sufficient to contact said polypeptide with the dermal cells of a patient.

- 36. A diagnostic kit comprising:
- (a) a fusion protein according to any one of claims 21-23; and
- (b) apparatus sufficient to contact said fusion protein with the dermal cells of a patient.
- 37. A fusion protein according to claim 23 comprising an amino acid sequence selected from the group consisting of sequences recited in SEQ ID NO: 153, 209, 351 and 355.

## D7 T Cell Proliferation







FIG. / =

# D160 T Cell Proliferation







FIG. 1B








FIG. 2





# FIG. 4/

# T cell clone 131TbEg responds poorly to



## T Cell Clone PPD 800-10 IFNg Production






FIG. 4B

### D131 T Cell Proliferation




D131 IFNg




FIGS. 5.A-B

# D184 T Cell Proliferation





D184 IFNg



FIGS. 6.4-B


## D201 T Cell Proliferation







FIGS. 7.4-B

#### D160 T Call Proliferation







FIGS. 8A-B



FIGS. 9A-B

# Tuberculosis: Protection of Cynomolgus Monkeys with Recombinant Antigens of Mtb





FIGS. 11 A-B

# DNA Immunized mice challenged with aerosol TB (lung CFU)

